

REFERENCES

- [1] R. Rutter, S. Roper, and F. Lettice, "Social media interaction, the university brand and recruitment performance," *J. Bus. Res.*, vol. 69, no. 8, pp. 3096–3104, 2016, doi: <https://doi.org/10.1016/j.jbusres.2016.01.025>.
- [2] X. Fang and J. Zhan, "Sentiment analysis using product review data," *J. Big Data*, vol. 2, no. 1, p. 5, Jun. 2015, doi: 10.1186/s40537-015-0015-2.
- [3] H. Kang, S. J. Yoo, and D. Han, "Senti-lexicon and improved Naïve Bayes algorithms for sentiment analysis of restaurant reviews," *Expert Syst. Appl.*, vol. 39, no. 5, pp. 6000–6010, 2012, doi: <https://doi.org/10.1016/j.eswa.2011.11.107>.
- [4] F. Neri, C. Aliprandi, F. Capeci, M. Cuadros, and T. By, "Sentiment Analysis on Social Media," Aug. 2012.
- [5] A. Abdelrazeq, D. Janßen, C. Tummel, S. Jeschke, and A. Richert, "Sentiment analysis of social media for evaluating universities," in *Automation, Communication and Cybernetics in Science and Engineering 2015/2016*, Springer, 2016, pp. 233–251.
- [6] S. Sazzed and S. Jayarathna, "SSentiA: A Self-supervised Sentiment Analyzer for classification from unlabeled data," *Mach. Learn. with Appl.*, vol. 4, p. 100026, Jun. 2021, [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2666827021000074>
- [7] M. Giatsoglou, M. G. Vozalis, K. Diamantaras, A. Vakali, G. Sarigiannidis, and K. C. Chatzisavvas, "Sentiment analysis leveraging emotions and word embeddings," *Expert Syst. Appl.*, vol. 69, pp. 214–224, 2017, doi: <https://doi.org/10.1016/j.eswa.2016.10.043>.
- [8] H. Hamdan, P. Bellot, and F. Bechet, "Lsislif: Crf and logistic regression for opinion target extraction and sentiment polarity analysis," in *Proceedings of the 9th international workshop on semantic evaluation (SemEval 2015)*, 2015, pp. 753–758.
- [9] M. Adnan, R. Sarno, and K. R. Sungkono, "Sentiment Analysis of Restaurant Review with Classification Approach in the Decision Tree-J48 Algorithm," *2019 Int. Semin. Appl. Technol. Inf. Commun.*, pp. 121–126, 2019.
- [10] S. Garcia, J. Luengo, and F. Herrera, *Data preprocessing in data mining*, vol. 72. Springer, 2015.
- [11] N. Zainuddin and A. Selamat, "Sentiment analysis using support vector machine," in *2014 international conference on computer, communications, and control technology (14CT)*, 2014, pp. 333–337.
- [12] J. Han, M. Kamber, and J. Pei, "8 - Classification: Basic Concepts," in *Data Mining (Third Edition)*, Boston: Morgan Kaufmann, 2012, pp. 327–391. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/B9780123814791000083>
- [13] B. Trstenjak, S. Mikac, and D. Donko, "KNN with TF-IDF based framework for text categorization," *Procedia Eng.*, vol. 69, pp. 1356–1364, 2014.
- [14] K. Soumya George and S. Joseph, "Text classification by augmenting bag of words (BOW) representation with co-occurrence feature," *IOSR J. Comput. Eng.*, vol. 16, no. 1, pp. 34–38, 2014.
- [15] O. Levy and Y. Goldberg, "Dependency-based word embeddings," in *Proceedings of the 52nd Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, 2014, pp. 302–308.
- [16] T. Mikolov, K. Chen, G. Corrado, and J. Dean, "Efficient estimation of word representations in vector space," *arXiv Prepr. arXiv1301.3781*, 2013.
- [17] P. Bojanowski, E. Grave, A. Joulin, and T. Mikolov, "Enriching word vectors with subword information," *Trans. Assoc. Comput. Linguist.*, vol. 5, pp. 135–146, 2017.
- [18] E. Grave, P. Bojanowski, P. Gupta, A. Joulin, and T. Mikolov, "Learning Word Vectors for 157 Languages," 2018.