

Daftar Pustaka

- [1] T. Tandra, Hendro, D. Suhartono, R. Wongso, and Y. L. Prasetyo, "Personality Prediction System from Facebook Users," *Procedia Comput. Sci.*, vol. 116, pp. 604–611, 2017, doi: 10.1016/j.procs.2017.10.016.
- [2] M. A. Rahman, A. Al Faisal, T. Khanam, M. Amjad, and M. S. Siddik, "Personality Detection from Text using Convolutional Neural Network," *1st Int. Conf. Adv. Sci. Eng. Robot. Technol. 2019, ICASERT 2019*, vol. 2019, no. Icasert, pp. 1–6, 2019, doi: 10.1109/ICASERT.2019.8934548.
- [3] W. Maharani and I. Atastina, "ScienceDirect Personality Classification of Facebook Users According to Big Five Personality Classification of Facebook Users According to Big Five Personality Using SVM (Support Vector Machine) Method Personality Using SVM (Support Vector Machine) Me," *Procedia Comput. Sci.*, vol. 179, no. 2020, pp. 177–184, 2021, doi: 10.1016/j.procs.2020.12.023.
- [4] Yusra *et al.*, "Klasifikasi Kepribadian Big Five Pengguna Twitter dengan Metode Naïve Bayes," no. November, pp. 2579–5406, 2018.
- [5] G. D. Salsabila and E. B. Setiawan, "Semantic Approach for Big Five Personality Prediction on Twitter," *J. RESTI (Rekayasa Sist. dan Teknol. Informatika)*, vol. 5, no. 4, pp. 680–687, 2021, doi: 10.29207/resti.v5i4.3197.
- [6] A. Joulin, E. Grave, P. Bojanowski, and T. Mikolov, "Bag of tricks for efficient text classification," *15th Conf. Eur. Chapter Assoc. Comput. Linguist. EACL 2017 - Proc. Conf.*, vol. 2, pp. 427–431, 2017, doi: 10.18653/v1/e17-2068.
- [7] S. Qaiser and R. Ali, "Text Mining: Use of TF-IDF to Examine the Relevance of Words to Documents," *Int. J. Comput. Appl.*, vol. 181, no. 1, pp. 25–29, 2018, doi: 10.5120/ijca2018917395.
- [8] B. Gambäck and U. K. Sikdar, "Using Convolutional Neural Networks to Classify Hate-Speech," no. 7491, pp. 85–90, 2017, doi: 10.18653/v1/w17-3013.
- [9] A. Hasan, S. Moin, A. Karim, and S. Shamshirband, "Machine Learning-Based Sentiment Analysis for Twitter Accounts," *Math. Comput. Appl.*, vol. 23, no. 1, p. 11, 2018, doi: 10.3390/mca23010011.
- [10] A. Subasi, *Feature Extraction and Dimension Reduction*. 2019. doi: 10.1016/b978-0-12-817444-9.00004-0.
- [11] H. Zhou, "Research of Text Classification Based on TF-IDF and CNN-LSTM," *J. Phys. Conf. Ser.*, vol. 2171, no. 1, pp. 218–222, 2022, doi: 10.1088/1742-6596/2171/1/012021.
- [12] S. Albawi, T. A. M. Mohammed, and S. Alzawi, "Layers of a Convolutional Neural Network," *Icet2017*, pp. 1–6, 2017.
- [13] S. V. Georgakopoulos, A. G. Vrahatis, S. K. Tasoulis, and V. P. Plagianakos, "Convolutional neural networks for toxic comment classification," *ACM Int. Conf. Proceeding Ser.*, 2018, doi: 10.1145/3200947.3208069.
- [14] N. A. Azman, A. Mohamed, and A. M. Jamil, "Invoices Classification Using Deep Features Based on SME Perspectives," *Res. Sq.*, 2021.
- [15] B. Jan *et al.*, "Deep learning in big data Analytics: A comparative study," *Comput. Electr. Eng.*, vol. 75, pp. 275–287, 2019, doi: 10.1016/j.compeleceng.2017.12.009.
- [16] M. S. Farooq *et al.*, "An effective convolutional neural network model for the early detection of covid-19 using chest x-ray images," *Appl. Sci.*, vol. 11, no. 21, 2021, doi: 10.3390/app112110301.
- [17] M. Z. Alom *et al.*, "A state-of-the-art survey on deep learning theory and architectures," *Electron.*, vol. 8, no. 3, 2019, doi: 10.3390/electronics8030292.
- [18] A. Tharwat, "Classification assessment methods," *Appl. Comput. Informatics*, vol. 17, no. 1, pp. 168–192, 2018, doi: 10.1016/j.aci.2018.08.003.
- [19] R. Mohammed, J. Rawashdeh, and M. Abdullah, "Machine Learning with Oversampling and Undersampling Techniques: Overview Study and Experimental Results," *2020 11th Int. Conf. Inf. Commun. Syst. ICICS 2020*, pp. 243–248, 2020, doi: 10.1109/ICICS49469.2020.239556.