

Daftar Pustaka

- [1] A. K. Jain, P. Flynn, and A. A. Ross, *Handbook of Biometrics*, 1st ed. Springer Publishing Company, Incorporated, 2008. doi: 10.1007/978-0-387-71041-9.
- [2] J. D. Woodward, "Biometrics: Privacy's foe or privacy's friend?," *Proceedings of the IEEE*, vol. 85, no. 9, 1997, doi: 10.1109/5.628723.
- [3] B. Hanindhito, C. Agustina, and W. Wijayanto, "Attendance Record System with Integrated Body Health Information Based on Qualitative Measurement of Deoxygenated Hemoglobin Using Near-Infrared Technology on Fujitsu PalmSecure™ Biometrics Device," no. May, pp. 1–10, 2013.
- [4] R. D. Labati, V. Piuri, and F. Scotti, *Touchless fingerprint biometrics*. 2015. doi: 10.1201/b18789.
- [5] S. Teh, A. Beng, J. Teoh, and S. Yue, "A Survey of Keystroke Dynamics Biometrics," *The Scientific World Journal*, vol. 2013, p. 24, 2013, doi: 10.1155/2013/408280.
- [6] B. Ayotte, M. K. Banavar, D. Hou, and S. Schuckers, "Fast and accurate continuous user authentication by fusion of instance-based, free-text keystroke dynamics," in *2019 International Conference of the Biometrics Special Interest Group, BIOSIG 2019 - Proceedings*, 2019.
- [7] B. Ayotte, J. Huang, M. K. Banavar, D. Hou, and S. Schuckers, "Fast continuous user authentication using distance metric fusion of free-text keystroke data," in *IEEE Computer Society Conference on Computer Vision and Pattern Recognition Workshops*, 2019, vol. 2019-June. doi: 10.1109/CVPRW.2019.00292.
- [8] L. Xiaofeng, Z. Shengfei, and Y. Shengwei, "Continuous authentication by free-text keystroke based on CNN plus RNN," *Procedia Comput Sci*, vol. 147, pp. 314–318, Jan. 2019, doi: 10.1016/J.PROCS.2019.01.270.
- [9] X. Lu, S. Zhang, P. Hui, and P. Lio, "Continuous authentication by free-text keystroke based on CNN and RNN," *Comput Secur*, vol. 96, p. 101861, Sep. 2020, doi: 10.1016/J.COSE.2020.101861.
- [10] B. Ayotte, M. Banavar, D. Hou, and S. Schuckers, "Fast Free-Text Authentication via Instance-Based Keystroke Dynamics," *IEEE Trans Biom Behav Identity Sci*, vol. 2, no. 4, 2020, doi: 10.1109/TBIOM.2020.3003988.
- [11] V. Dhakal, A. M. Feit, P. O. Kristensson, and A. Oulasvirta, "Observations on typing from 136 million keystrokes," in *Conference on Human Factors in Computing Systems - Proceedings*, 2018, vol. 2018-April. doi: 10.1145/3173574.3174220.
- [12] M. Karnan, M. Akila, and N. Krishnaraj, "Biometric personal authentication using keystroke dynamics: A review," in *Applied Soft Computing Journal*, 2011, vol. 11, no. 2. doi: 10.1016/j.asoc.2010.08.003.
- [13] A. Peacock, X. Ke, and M. Wilkerson, "Typing patterns: A key to user identification," *IEEE Security and Privacy*, vol. 2, no. 5. 2004. doi: 10.1109/MSP.2004.89.
- [14] F. Roli, L. Didaci, and G. L. Marcialis, "Adaptive biometric systems that can improve with use," in *Advances in Biometrics: Sensors, Algorithms and Systems*, 2008. doi: 10.1007/978-1-84628-921-7_23.
- [15] A. Rattani, G. Luca Marcialis, and F. Roli, "Self adaptive systems: An experimental analysis of the performance over time," in *IEEE SSCI 2011 - Symposium Series on Computational Intelligence - CIBIM 2011: 2011 IEEE Workshop on Computational Intelligence in Biometrics and Identity Management*, 2011. doi: 10.1109/CIBIM.2011.5949222.
- [16] P. H. Pisani, A. C. Lorena, and A. C. P. L. F. De Carvalho, "Adaptive approaches for keystroke dynamics," in *Proceedings of the International Joint Conference on Neural Networks*, 2015, vol. 2015-September. doi: 10.1109/IJCNN.2015.7280467.
- [17] D. Gunetti and C. Picardi, "Keystroke analysis of free text," *ACM Transactions on Information and System Security*, vol. 8, no. 3, 2005, doi: 10.1145/1085126.1085129.
- [18] J. Huang, D. Hou, S. Schuckers, T. Law, and A. Sherwin, "Benchmarking keystroke authentication algorithms," in *2017 IEEE Workshop on Information Forensics and Security, WIFS 2017*, 2017, vol. 2018-January. doi: 10.1109/WIFS.2017.8267670.
- [19] F. Monrose and A. Rubin, "Authentication via Keystroke Dynamics," 1997.
- [20] J. Kim, H. Kim, and P. Kang, "Keystroke dynamics-based user authentication using freely typed text based on user-adaptive feature extraction and novelty detection," *Applied Soft Computing Journal*, vol. 62, 2018, doi: 10.1016/j.asoc.2017.09.045.
- [21] K. S. Killourhy and R. A. Maxion, "Comparing anomaly-detection algorithms for keystroke dynamics," in *Proceedings of the International Conference on Dependable Systems and Networks*, 2009. doi: 10.1109/DSN.2009.5270346.
- [22] Y. Zhong, Y. Deng, and A. K. Jain, "Keystroke dynamics for user authentication," in *IEEE Computer Society Conference on Computer Vision and Pattern Recognition Workshops*, 2012. doi: 10.1109/CVPRW.2012.6239225.
- [23] H. Crawford, "Keystroke dynamics: Characteristics and opportunities," in *PST 2010: 2010 8th International Conference on Privacy, Security and Trust*, 2010. doi: 10.1109/PST.2010.5593258.