

DAFTAR PUSTAKA

- [1] Hon, C. C., Shin, J. W., Carninci, P., & Stubbington, M. J. T. (2018). The human cell atlas: Technical approaches and challenges. *Briefings in Functional Genomics*, 17(4). <https://doi.org/10.1093/bfgp/elx029>.
- [2] Regev, A., Teichmann, S., Lander, E., Amit, I., Benoist, C., Birney, E., Bodenmiller, B., Campbell, P., Carninci, P., & Enard, W. (2017). Science Forum: The Human Cell Atlas. *ELife*.
- [3] Ledig, C., Theis, L., Huszár, F., Caballero, J., Cunningham, A., Acosta, A., Aitken, A., Tejani, A., Totz, J., Wang, Z., & Shi, W. (2017). Photo-realistic single image super-resolution using a generative adversarial network. *Proceedings - 30th IEEE Conference on Computer Vision and Pattern Recognition, CVPR 2017*, 2017-January. <https://doi.org/10.1109/CVPR.2017.19>
- [4] Kim, J., Lee, J. K., & Lee, K. M. (2016). Accurate image super-resolution using very deep convolutional networks. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, 2016-December. <https://doi.org/10.1109/CVPR.2016.182>
- [5] Sandler, M., Howard, A., Zhu, M., Zhmoginov, A., & Chen, L. C. (2018). Inverted Residuals and Linear Bottlenecks:Mobile Networks for Classification, Detection and Segmentation. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*.
- [6] Simonyan, K., & Zisserman, A. (2015). Very deep convolutional networks for large-scale image recognition. *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*.
- [7] Goodfellow, I., Pouget-Abadie, J., Mirza, M., Xu, B., Warde-Farley, D., Ozair, S., Courville, A., & Bengio, Y. (2020). Generative adversarial networks. *Communications of the ACM*, 63(11). <https://doi.org/10.1145/3422622>.
- [8] He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep residual learning for image recognition. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, 2016-December. <https://doi.org/10.1109/CVPR.2016.90>

- [9] Yu, J., Fan, Y., & Huang, T. (2020). Wide activation for efficient image and video super-resolution. 30th British Machine Vision Conference 2019, BMVC 2019.<https://doi.org/10.1016/j.nima.2020.164293>
- [10] Nenclares, P., & Harrington, K. J. (2020). The biology of cancer. In *Medicine (United Kingdom)* (Vol. 48, Issue 2). <https://doi.org/10.1016/j.mpmed.2019.11.001>
- [11] Roizen, M. F. (2012). Hallmarks of Cancer: The Next Generation. *Yearbook of Anesthesiology and Pain Management*, 2012. <https://doi.org/10.1016/j.yane.2012.02.046>.
- [12] Rosilawati, N. E., Nasution, I., & Murni, T. W. (2018). PENGGUNAAN RADIOFARMAKA UNTUK DIAGNOSA DAN TERAPI DI INDONESIA DAN ASAS KEAMANAN PENGGUNAAN OBAT. SOEPRA, 3(1). <https://doi.org/10.24167/shk.v3i1.697>.
- [13] Fendler, W. P., Czernin, J., Herrmann, K., & Beyer, T. (2016). Variations in PET/MRI operations: Results from an international survey among 39 active sites. *Journal of Nuclear Medicine*, 57(12). <https://doi.org/10.2967/jnumed.116.174169>.
- [14] Mayerhoefer, M. E., Prosch, H., Beer, L., Tamandl, D., Beyer, T., Hoeller, C., Berzaczy, D., Raderer, M., Preusser, M., Hochmair, M., Kiesewetter, B., Scheuba, C., Ba-Ssalamah, A., Karanikas, G., Kesselbacher, J., Prager, G., Dieckmann, K., Polterauer, S., Weber, M., ... Haug, A. R. (2020). PET/MRI versus PET/CT in oncology: a prospective single-center study of 330 examinations focusing on implications for patient management and cost considerations. *European Journal of Nuclear Medicine and Molecular Imaging*, 47(1). <https://doi.org/10.1007/s00259-019-04452-y>.
- [15] Kim, J., Lee, J. K., & Lee, K. M. (2016). Accurate image super-resolution using very deep convolutional networks. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, 2016-December. <https://doi.org/10.1109/CVPR.2016.182>.
- [16] Lim, B., Son, S., Kim, H., Nah, S., & Lee, K. M. (2017). Enhanced Deep Residual Networks for Single Image Super-Resolution. *IEEE Computer*

- Society Conference on Computer Vision and Pattern Recognition Workshops, 2017-July. <https://doi.org/10.1109/CVPRW.2017.151>
- [17] Shelhamer, E., Long, J., & Darrell, T. (2017). Fully Convolutional Networks for Semantic Segmentation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 39(4). <https://doi.org/10.1109/TPAMI.2016.2572683>.
- [18] Xie, S., Girshick, R., Dollár, P., Tu, Z., & He, K. (2017). Aggregated residual transformations for deep neural networks. Proceedings - 30th IEEE Conference on Computer Vision and Pattern Recognition, CVPR 2017, 2017-January. <https://doi.org/10.1109/CVPR.2017.634>
- [19] Osendorfer, C., Soyer, H., & van der Smagt, P. (2014). Image super-resolution with fast approximate convolutional sparse coding. Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 8836. https://doi.org/10.1007/978-3-319-12643-2_31.
- [20] Shi, W., Caballero, J., Huszar, F., Totz, J., Aitken, A. P., Bishop, R., Rueckert, D., & Wang, Z. (2016). Real-Time Single Image and Video Super-Resolution Using an Efficient Sub-Pixel Convolutional Neural Network. Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern.
- [21] Salimans, T., & Kingma, D. P. (2016). Weight normalization: A simple reparameterization to accelerate training of deep neural networks. Advances in Neural Information Processing Systems.
- [22] Wang, Q., Ma, Y., Zhao, K., & Tian, Y. (2022). A Comprehensive Survey of Loss Functions in Machine Learning. *Annals of Data Science*, 9(2). <https://doi.org/10.1007/s40745-020-00253-5>
- [23] Wang, Z., Bovik, A. C., Sheikh, H. R., & Simoncelli, E. P. (2004). Image quality assessment: From error visibility to structural similarity. *IEEE Transactions on Image Processing*, 13(4). <https://doi.org/10.1109/TIP.2003.819861>
- [24] Afaq, S., & Rao, S. (2020). Significance Of Epochs On Training A Neural Network. *International Journal of Scientific & Technology Research*, 9(06).
- [25] Mujilahwati, S., Sholihin, M., & Wardhani, R. (2021). Optimasi Hyperparameter TensorFlow dengan Menggunakan Optuna di Python: Study

Kasus Klasifikasi Dokumen Abstrak Skripsi. *JURNAL MEDIA INFORMATIKA BUDIDARMA*, 5(3).
<https://doi.org/10.30865/mib.v5i3.3090>.

- [26] Abdelaziz Ismael, S. A., Mohammed, A., & Hefny, H. (2020). An enhanced deep learning approach for brain cancer MRI images classification using residual networks. *Artificial Intelligence in Medicine*, 102. <https://doi.org/10.1016/j.artmed.2019.101779>.
- [27] Refianti, R., Mutiara, A. B., & Priyandini, R. P. (2019). Classification of melanoma skin cancer using convolutional neural network. *International Journal of Advanced Computer Science and Applications*, 10(3). <https://doi.org/10.14569/IJACSA.2019.0100353>
- [28] Yuliani, E., Aini, A. N., & Khasanah, C. U. (2020). Perbandingan Jumlah Epoch Dan Steps Per Epoch Pada Convolutional Neural Network Untuk Meningkatkan Akurasi Dalam Klasifikasi Gambar. *Jurnal Informa : Jurnal Penelitian Dan Pengabdian Masyarakat*, 5(3). <https://doi.org/10.46808/informa.v5i3.140>
- [29] Mujilahwati, S., Sholihin, M., & Wardhani, R. (2021). Optimasi Hyperparameter TensorFlow dengan Menggunakan Optuna di Python: Study Kasus Klasifikasi Dokumen Abstrak Skripsi. *JURNAL MEDIA INFORMATIKA BUDIDARMA*, 5(3). <https://doi.org/10.30865/mib.v5i3.3090>.
- [30] Nurfiti, R. D., & Ariyanto, G. (2018). Implementasi Deep Learning berbasis Tensorflow untuk Pengenalan Sidik Jari. *Emitor: Jurnal Teknik Elektro*, 18(1). <https://doi.org/10.23917/emitor.v18i01.6236>
- [31] Wang, Y. R. (Joyce), Wang, P., Adams, L. C., Sheybani, N. D., Qu, L., Sarrami, A. H., Theruvath, A. J., Gatidis, S., Ho, T., Zhou, Q., Pribnow, A., Thakor, A. S., Rubin, D., & Daldrup-Link, H. E. (2023). Low-count whole-body PET/MRI restoration: an evaluation of dose reduction spectrum and five state-of-the-art artificial intelligence models. *European Journal of Nuclear Medicine and Molecular Imaging*. <https://doi.org/10.1007/s00259-022-06097-w>