

Daftar Pustaka

- [1] F. Husain and O. Uzuner, "A Survey of Offensive Language Detection for the Arabic Language," *ACM Transactions on Asian and Low-Resource Language Information Processing*, vol. 20, no. 1. Association for Computing Machinery, pp. 1–44, Apr. 01, 2021. doi: 10.1145/3421504.
- [2] J. W. Howard, "Free speech and hate speech," *Annual Review of Political Science*, vol. 22, pp. 93–109, May 2019, doi: 10.1146/annurev-polisci-051517-012343.
- [3] F. Anistya and E. B. Setiawan, "Hate Speech Detection on Twitter in Indonesia with Feature Expansion Using GloVe," *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 5, no. 6, pp. 1044–1051, Dec. 2021, doi: 10.29207/resti.v5i6.3521.
- [4] A. B. Boot, E. Tjong Kim Sang, K. Dijkstra, and R. A. Zwaan, "How character limit affects language usage in tweets," *Palgrave Commun*, vol. 5, no. 1, Dec. 2019, doi: 10.1057/s41599-019-0280-3.
- [5] E. B. Setiawan, D. H. Widyantoro, and K. Surendro, "Feature Expansion using Word Embedding for Tweet Topic Classification," *2016 10th International Conference on Telecommunication Systems Services and Applications (TSSA)*, pp. 1–5, 2016, doi: 10.1109/TSSA.2016.7871085.
- [6] Y. Zhou, Y. Yang, H. Liu, X. Liu, and N. Savage, "Deep Learning Based Fusion Approach for Hate Speech Detection," *IEEE Access*, vol. 8, pp. 128923–128929, 2020, doi: 10.1109/ACCESS.2020.3009244.
- [7] P. Fortuna and S. Nunes, "A Survey on Automatic Detection of Hate Speech in Text," *ACM Computing Surveys*, vol. 51, no. 4. Association for Computing Machinery, Jul. 01, 2018. doi: 10.1145/3232676.
- [8] G. O. Ganfure, "Comparative analysis of deep learning based Afaan Oromo hate speech detection," *J Big Data*, vol. 9, no. 1, Dec. 2022, doi: 10.1186/s40537-022-00628-w.
- [9] R. Alshalan and H. Al-Khalifa, "A deep learning approach for automatic hate speech detection in the saudi twittersphere," *Applied Sciences (Switzerland)*, vol. 10, no. 23, pp. 1–16, Dec. 2020, doi: 10.3390/app10238614.
- [10] R. Duwairi, A. Hayajneh, and M. Quwaider, "A Deep Learning Framework for Automatic Detection of Hate Speech Embedded in Arabic Tweets," *Arab J Sci Eng*, vol. 46, no. 4, pp. 4001–4014, Apr. 2021, doi: 10.1007/s13369-021-05383-3.
- [11] Z. Zhang, D. Robinson, and J. Tepper, "Detecting Hate Speech on Twitter Using a Convolution-GRU Based Deep Neural Network," in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, Springer Verlag, 2018, pp. 745–760. doi: 10.1007/978-3-319-93417-4_48.
- [12] M. P. K. Dewi and E. B. Setiawan, "Feature Expansion Using Word2vec for Hate Speech Detection on Indonesian Twitter with Classification Using SVM and Random Forest," *JURNAL MEDIA INFORMATIKA BUDIDARMA*, vol. 6, no. 2, p. 979, Apr. 2022, doi: 10.30865/mib.v6i2.3855.
- [13] M. O. Ibrohim and I. Budi, "A Dataset and Preliminaries Study for Abusive Language Detection in Indonesian Social Media," in *Procedia Computer Science*, Elsevier B.V., 2018, pp. 222–229. doi: 10.1016/j.procs.2018.08.169.
- [14] H. R. Alhakiem and E. B. Setiawan, "Aspect-Based Sentiment Analysis on Twitter Using Logistic Regression with FastText Feature Expansion," *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 6, no. 5, pp. 840–846, Nov. 2022, doi: 10.29207/resti.v6i5.4429.
- [15] U. Haruna, R. Ali, and M. Man, "A new modification CNN using VGG19 and ResNet50V2 for classification of COVID-19 from X-ray radiograph images," *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 31, no. 1, p. 369, Jul. 2023, doi: 10.11591/ijeecs.v31.i1.pp369-377.
- [16] H. G. Ariswati and L. Soetjiatic, "Aura detection using thermal camera with convolutional neural network method for mental health diagnosis," *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 31, no. 1, p. 553, Jul. 2023, doi: 10.11591/ijeecs.v31.i1.pp553-561.
- [17] F. D. Mirajkar, R. Fatima, and S. A. Qadeer, "Content-based image retrieval using integrated dual deep convolutional neural network," *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 31, no. 1, p. 77, Jul. 2023, doi: 10.11591/ijeecs.v31.i1.pp77-87.
- [18] C. R. Kumar, S. N. M. Priyadharshini, D. G. E, and K. R. M, "Face recognition using CNN and siamese network," *Measurement: Sensors*, vol. 27, p. 100800, Jun. 2023, doi: 10.1016/j.measen.2023.100800.
- [19] S. Gonwirat and O. Surinta, "DeblurGAN-CNN: Effective Image Denoising and Recognition for Noisy Handwritten Characters," *IEEE Access*, vol. 10, pp. 90133–90148, 2022, doi: 10.1109/ACCESS.2022.3201560.
- [20] Q.-H. Vo, H.-T. Nguyen, B. Le, and M.-L. Nguyen, "Multi-channel LSTM-CNN model for Vietnamese sentiment analysis," in *2017 9th International Conference on Knowledge and Systems Engineering (KSE)*, IEEE, Oct. 2017, pp. 24–29. doi: 10.1109/KSE.2017.8119429.
- [21] N. Nedjah, I. Santos, and L. de Macedo Mourelle, "Sentiment analysis using convolutional neural network via word embeddings," *Evol Intell*, vol. 15, no. 4, pp. 2295–2319, Dec. 2022, doi: 10.1007/s12065-019-00227-4.
- [22] R. Rachidi, M. A. Ouassil, M. Errami, B. Cherradi, S. Hamida, and H. Silkan, "Classifying toxicity in the Arabic Moroccan dialect on Instagram: a machine and deep learning approach," *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 31, no. 1, pp. 588–598, Jul. 2023, doi: 10.11591/ijeecs.v31.i1.pp588-598.

- [23] X. Luo, Z. Yu, Z. Zhao, W. Zhao, and J.-H. Wang, "Effective short text classification via the fusion of hybrid features for IoT social data," *Digital Communications and Networks*, vol. 8, no. 6, pp. 942–954, Dec. 2022, doi: 10.1016/j.dcan.2022.09.015.
- [24] X. Chen, P. Cong, and S. Lv, "A Long-Text Classification Method of Chinese News Based on BERT and CNN," *IEEE Access*, vol. 10, pp. 34046–34057, 2022, doi: 10.1109/ACCESS.2022.3162614.
- [25] P. K. Roy, A. K. Tripathy, T. K. Das, and X.-Z. Gao, "A Framework for Hate Speech Detection Using Deep Convolutional Neural Network," *IEEE Access*, vol. 8, pp. 204951–204962, 2020, doi: 10.1109/ACCESS.2020.3037073.
- [26] M. Sajjad *et al.*, "A Novel CNN-GRU-Based Hybrid Approach for Short-Term Residential Load Forecasting," *IEEE Access*, vol. 8, pp. 143759–143768, 2020, doi: 10.1109/ACCESS.2020.3009537.
- [27] A. Al Wazrah and S. Alhumoud, "Sentiment Analysis Using Stacked Gated Recurrent Unit for Arabic Tweets," *IEEE Access*, vol. 9, pp. 137176–137187, 2021, doi: 10.1109/ACCESS.2021.3114313.
- [28] S. S. Sohail *et al.*, "Crawling Twitter data through API: A technical/legal perspective," *CoRR*, vol. 2105.10724, May 2021, doi: 10.48550/arXiv.2105.10724.
- [29] H. S. Alatawi, A. M. Althothali, and K. M. Moria, "Detecting White Supremacist Hate Speech using Domain Specific Word Embedding with Deep Learning and BERT," *IEEE Access*, vol. 9, pp. 106363–106374, Oct. 2020, [Online]. Available: <http://arxiv.org/abs/2010.00357>
- [30] C.-C. Wang, M.-Y. Day, and C.-L. Wu, "Political Hate Speech Detection and Lexicon Building: A Study in Taiwan," *IEEE Access*, vol. 10, pp. 44337–44346, 2022, doi: 10.1109/ACCESS.2022.3160712.
- [31] J. Hartmann, J. Huppertz, C. Schamp, and M. Heitmann, "Comparing automated text classification methods," *International Journal of Research in Marketing*, vol. 36, no. 1, pp. 20–38, Mar. 2019, doi: 10.1016/j.ijresmar.2018.09.009.
- [32] N. M. Azahra and E. B. Setiawan, "Sentence-Level Granularity Oriented Sentiment Analysis of Social Media Using Long Short-Term Memory (LSTM) and IndoBERTweet Method," *Jurnal Ilmiah Teknik Elektro Komputer dan Informatika (JITEKI)*, vol. 9, no. 1, pp. 85–95, 2023, doi: 10.26555/jiteki.v9i1.25765.
- [33] N. Badri, F. Koubi, and A. H. Chaibi, "Combining FastText and Glove Word Embedding for Offensive and Hate speech Text Detection," *Procedia Comput Sci*, vol. 207, pp. 769–778, 2022, doi: 10.1016/j.procs.2022.09.132.
- [34] A. Amalia, D. Gunawan, Y. Fithri, and I. Aulia, "Automated Bahasa Indonesia essay evaluation with latent semantic analysis," in *Journal of Physics: Conference Series*, Institute of Physics Publishing, Jul. 2019, p. 012100. doi: 10.1088/1742-6596/1235/1/012100.
- [35] A. O. Salau and S. Jain, "Feature Extraction: A Survey of the Types, Techniques, Applications," in *2019 International Conference on Signal Processing and Communication (ICSC)*, IEEE, Mar. 2019, pp. 158–164. doi: 10.1109/ICSC45622.2019.8938371.
- [36] S. Chotirat and P. Meesad, "Part-of-Speech tagging enhancement to natural language processing for Thai wh-question classification with deep learning," *Heliyon*, vol. 7, no. 10, p. e08216, Oct. 2021, doi: 10.1016/j.heliyon.2021.e08216.
- [37] S. Shumaly, M. Yazdinejad, and Y. Guo, "Persian sentiment analysis of an online store independent of pre-processing using convolutional neural network with fastText embeddings," *PeerJ Comput Sci*, vol. 7, p. e422, Mar. 2021, doi: 10.7717/peerj-cs.422.
- [38] I. N. Khasanah, "Sentiment Classification Using fastText Embedding and Deep Learning Model," *Procedia Comput Sci*, vol. 189, pp. 343–350, 2021, doi: 10.1016/j.procs.2021.05.103.
- [39] K. Sreelakshmi, B. Premjith, and K. P. Soman, "Detection of Hate Speech Text in Hindi-English Code-mixed Data," *Procedia Comput Sci*, vol. 171, pp. 737–744, 2020, doi: 10.1016/j.procs.2020.04.080.
- [40] S. Ghosal and A. Jain, "Depression and Suicide Risk Detection on Social Media using fastText Embedding and XGBoost Classifier," *Procedia Comput Sci*, vol. 218, pp. 1631–1639, 2023, doi: 10.1016/j.procs.2023.01.141.
- [41] W. Lu, L. Ma, H. Chen, X. Jiang, and M. Gong, "A Clinical Prediction Model in Health Time Series Data Based on Long Short-Term Memory Network Optimized by Fruit Fly Optimization Algorithm," *IEEE Access*, vol. 8, pp. 136014–136023, 2020, doi: 10.1109/ACCESS.2020.3011721.
- [42] C. Yu, R. Han, M. Song, C. Liu, and C.-I. Chang, "A Simplified 2D-3D CNN Architecture for Hyperspectral Image Classification Based on Spatial-Spectral Fusion," *IEEE J Sel Top Appl Earth Obs Remote Sens*, vol. 13, pp. 2485–2501, 2020, doi: 10.1109/JSTARS.2020.2983224.
- [43] S. Ghimire, Z. M. Yaseen, A. A. Farooque, R. C. Deo, J. Zhang, and X. Tao, "Streamflow prediction using an integrated methodology based on convolutional neural network and long short-term memory networks," *Sci Rep*, vol. 11, no. 1, p. 17497, Sep. 2021, doi: 10.1038/s41598-021-96751-4.
- [44] M. U. Salur and I. Aydin, "A Novel Hybrid Deep Learning Model for Sentiment Classification," *IEEE Access*, vol. 8, pp. 58080–58093, 2020, doi: 10.1109/ACCESS.2020.2982538.
- [45] R. Dey and F. M. Salem, "Gate-variants of Gated Recurrent Unit (GRU) neural networks," in *2017 IEEE 60th International Midwest Symposium on Circuits and Systems (MWSCAS)*, IEEE, Aug. 2017, pp. 1597–1600. doi: 10.1109/MWSCAS.2017.8053243.

- [46] A. Zahri, R. Adam, and E. B. Setiawan, "Social Media Sentiment Analysis using Convolutional Neural Network (CNN) dan Gated Recurrent Unit (GRU) Social Network Analysis View project Social Media Sentiment Analysis using Convolutional Neural Network (CNN) dan Gated Recurrent Unit (GRU)," *Jurnal Ilmiah Teknik Elektro Komputer dan Informatika (JITEKI)*, vol. 9, no. 1, pp. 119–131, 2023, doi: 10.26555/jiteki.v9i1.25813.
- [47] C. Zeng, C. Ma, K. Wang, and Z. Cui, "Parking Occupancy Prediction Method Based on Multi Factors and Stacked GRU-LSTM," *IEEE Access*, vol. 10, pp. 47361–47370, 2022, doi: 10.1109/ACCESS.2022.3171330.
- [48] M. U. Salur and I. Aydin, "A Novel Hybrid Deep Learning Model for Sentiment Classification," *IEEE Access*, vol. 8, pp. 58080–58093, 2020, doi: 10.1109/ACCESS.2020.2982538.
- [49] S. Khan *et al.*, "BiCHAT: BiLSTM with deep CNN and hierarchical attention for hate speech detection," *Journal of King Saud University - Computer and Information Sciences*, vol. 34, no. 7, pp. 4335–4344, Jul. 2022, doi: 10.1016/j.jksuci.2022.05.006.