

DAFTAR PUSTAKA

- [1] N. Singh, M. Saini, N. Kumar, M. V. P. Srivastava, and A. Mehndiratta, “Evidence of neuroplasticity with robotic hand exoskeleton for post-stroke rehabilitation: a randomized controlled trial,” *Journal of NeuroEngineering and Rehabilitation*, vol. 18, no. 1, May 2021, doi: <https://doi.org/10.1186/s12984-021-00867-7>.
- [2] F. S. de, Luiz R.R. Carneiro, Davi, A. B. Soares, and R. de, “CULEX: a Cable-driven Upper Limb Exoskeleton for rehabilitation,” *CULEX: a Cable-driven Upper Limb Exoskeleton for Rehabilitation*, Dec. 2021, doi: <https://doi.org/10.47573/xiiiiseb.59>
- [3] R. da S. Aramaki, “Análise da recuperação funcional no acidente vascular encefálico isquêmico após 30 dias de reabilitação em unidade pública de saúde,” *Análise Da Recuperação Funcional No Acidente Vascular Encefálico Isquêmico Após 30 Dias De Reabilitação Em Unidade Pública De Saúde*, 2019, doi: <https://doi.org/10.14393/ufu.di.2019.978>.
- [4] E. Trigili et al., “Detection of movement onset using EMG signals for upper-limb exoskeletons in reaching tasks,” *Journal of NeuroEngineering and Rehabilitation*, vol. 16, no. 1, Mar. 2019, doi: <https://doi.org/10.1186/s12984-019-0512-1>.
- [5] J. Howe *et al.*, “The efficacy of a task model approach to ADL rehabilitation in stroke apraxia and action disorganisation syndRoMe: A randomised controlled trial,” *PLOS ONE*, vol. 17, no. 3, p. e0264678, Mar. 2022, doi: <https://doi.org/10.1371/journal.pone.0264678>.
- [6] H. Nguyen, K. Lebel, S. Bogard, E. Goubault, P. Boissy, and C. Duval, “Using Inertial Sensors to Automatically Detect and Segment Activities of Daily Living in People with Parkinson’s Disease,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 26, no. 1, pp. 197–204, Jan. 2018, doi: <https://doi.org/10.1109/tnsre.2017.2745418>.

- [7] S. Saranya, D. B, D. R, and A. Raghavan, "Assessing the Neuroplasticity of the Brain while Performing Reach and Grasp Tasks," *IEEE Xplore*, Apr. 01, 2023. <https://ieeexplore.ieee.org/document/10126443> (accessed Aug. 01, 2023).
- [8] D. Krisnawati and L. Anggiat, "Terapi Latihan Pada Kondisi Stroke: Kajian Literatur" *Jurnal Fisioterapi Terapan Indonesia*, vol. 1, no. 1, pp. 1-10, 2021.
- [9] S. BrunnstRoM, *Movement Therapy in Hemiplegia*. Facts and Comparisons, 1970.
- [10] P. Pigeon, L. Yahia, and A. G. Feldman, "Moment arms and lengths of human upper limb muscles as functions of *Joint* angles," *Journal of Biomechanics*, vol. 29, no. 10, pp. 1365–1370, Oct. 1996, doi: [https://doi.org/10.1016/0021-9290\(96\)00031-0](https://doi.org/10.1016/0021-9290(96)00031-0).
- [11] A. V. Zakharov et al., "Stroke affected lower limbs rehabilitation combining virtual reality with tactile feedback," *Frontiers in Robotics and AI*, vol. 7, Jul. 2020. doi:[10.3389/frobt.2020.00081](https://doi.org/10.3389/frobt.2020.00081)
- [12] S. Fox, O. Aranko, J. Heilala, and P. Vahala, "Exoskeletons," *Journal of Manufacturing Technology Management*, vol. 31, no. 6, pp. 1261–1280, Jun. 2019. doi:[10.1108/jmtm-01-2019-0023](https://doi.org/10.1108/jmtm-01-2019-0023)
- [13] P. Pigeon, L. Yahia, and A. G. Feldman, "Moment arms and lengths of human upper limb muscles as functions of *Joint* angles," *Journal of Biomechanics*, vol. 29, no. 10, pp. 1365–1370, Oct. 1996, doi: [https://doi.org/10.1016/0021-9290\(96\)00031-0](https://doi.org/10.1016/0021-9290(96)00031-0).
- [14] V. M. Zadorozhnii, "Using Arduino to develop research competencies of students in school physics education," *CTE Workshop Proceedings*, vol. 11, pp. 427–441, Mar. 2024. doi:[10.55056/cte.663](https://doi.org/10.55056/cte.663)
- [15] M. Tupac-Yupanqui *et al.*, "Exploiting Arduino features to develop programming competencies," *IEEE Access*, vol. 10, pp. 20602–20615, 2022. doi:[10.1109/access.2022.3150101](https://doi.org/10.1109/access.2022.3150101)

- [16] Alrabghi, L., Alnemari, R., Aloteebi, R., Alshammari, H., Ayyad, M., Al Ibrahim, M., Alotayfi, M., Bugshan, T., Alfaifi, A., & Aljuwayd, H. (2018). Stroke types and management. *International Journal Of Community Medicine And Public Health*, 5(9), 3715–3719. <https://doi.org/10.18203/2394-6040.ijcmph20183439>
- [17] Alsubiheen, A.M.; Choi, W.; Yu, W.; Lee, H. The Effect of Task-Oriented Activities Training on Upper-Limb Function, Daily Activities, and Quality of Life in Chronic Stroke Patients: A Randomized Controlled Trial. *Int. J. Environ. Res. Public Health* 2022, 19, 14125. <https://doi.org/10.3390/ijerph192114125>
- [18] Selamat SNS, Che Me R, Ahmad Ainuddin H, Salim MSF, Ramli HR and RoMli MH (2022) The Application of Technological Intervention for Stroke Rehabilitation in Southeast Asia: A Scoping Review With Stakeholders’ Consultation. *Front. Public Health* 9:783565. doi: 10.3389/fpubh.2021.783565
- [19] Le Qi, Dapeng Yang, Baoshi Cao, Zhiqi Li, Hong Liu, Design principle and numerical analysis for *Cyclodial Drive* considering clearance, deformation, and friction, *Alexandria Engineering Journal*, Volume 91, 2024, Pages 403-418, ISSN 1110-0168, <https://doi.org/10.1016/j.aej.2024.01.077>.
- [20] Zhong, T.; Li, D.; Wang, J.; Xu, J.; An, Z.; Zhu, Y. Fusion Learning for sEMG Recognition of Multiple Upper-Limb Rehabilitation Movements. *Sensors* 2021, 21, 5385. <https://doi.org/10.3390/s21165385>
- [21] Kheder A, Nair KP. Spasticity: pathophysiology, evaluation and management. *Pract Neurol*. 2012 Oct;12(5):289-98. doi: 10.1136/practneurol-2011-000155. PMID: 22976059.
- [22] Y. Chandra Wibowo and S. Riyadi, “Analisa Pembebanan Pada motor *Brushless DC (BLDC)*” *Seminar Nasional Kontrol, Instrumentasi dan Otomasi (SNIKO) 2018*, 2019. doi:10.5614/sniko.2018.33

- [23] T. Chen, R. Casas and P. S. Lum, "*An Elbow Exoskeleton for Upper Limb Rehabilitation With Series Elastic Actuator and Cable-Driven Differential*," IEEE Transactions on Robotics, vol. 35, no. 6, pp. 1464-1474, Dec. 2019, doi: 10.1109/TRO.2019.2930915.
- [24] AMS AG, "AS5600: 12-bit Programmable Contactless Potentiometer Datasheet," 2020. [Online]. Available: <https://www.ams.com>. [Accessed: Dec. 10, 2024].
- [25] D. Irawan and P. Perdana, "Kontrol Motor *Brushless* DC (BLDC) Berbasis Algoritme AI-PD," ELKOM Jurnal Teknik Elektro dan Komputasi, vol. 2, no. 1, pp. 41-48, 2020. doi:10.1109/ELKOM.2020.3150101.