

DAFTAR PUSTAKA

- [1] S. Redjeki, Proses Desalinasi Dengan Membran, Jakarta: Dirjen Pendidikan Tinggi Departen Pendidikan Nasional, 2007.
- [2] “digilib.its.ac.id,” [Online]. Available: <http://digilib.its.ac.id/public/ITS-Master-32063-1111201708-Chapter1.pdf>. [Diakses 1 Desember 2014].
- [3] E. Ikfina Himmatty, “Pembuatan Elektroda dan Perancangan Sistem Capacitive Deionization untuk Mengurangi Kadar Pada Larutan Sodium Clorida (NaCl),” *Berkala Fisika*, vol. 16, pp. 67-74, 2013.
- [4] Faisal A. AlMarzooqi, “Application Of Capacitive Deionisation in Water Desalination : A Review,” *Elsevier*, vol. 324, pp. 3-15, 2014.
- [5] D. Sumardjo, Pengantar Kimia, Jakarta: Penerbit Buku Kedokteran EGC, 2006.
- [6] R. Simat, “www.eolss.net,” [Online]. Available: <http://www.eolss.net/Sample-Chapters/C07/E6-144-44-00.pdf>. [Diakses 10 Desember 2014].
- [7] Linda Zou, “Capacitive Deionisation As A Useful Tool For Inland Brackish Water Desalination,” dalam *IDA World Congress*, Perth, Western Australia, 2011.
- [8] Junil Kang, “Comparison Of Salt Adsorption Capacity and Energy Consumption Between Constant Current and Voltage Operation in Capacitive Deionization,” *Elsevier*, vol. 352, pp. 52-57, 2014.
- [9] S. Porada, “Review on the Science and Technology of Water Desalination by Capacitive Deionization,” *Elsevier*, vol. 58, pp. 1388-1442, 2013.
- [10] S. Dietz, “Improved Electrodes For Capacitive Deionization,” dalam *Service and Manufacturing Grantees and Research Conference*, Brimingham, 2004.

- [11] T. Kim, “Enhanced charge efficiency and reduced energy use in capacitive deionization by increasing the discharge voltage,” *Elsevier*, vol. 446, pp. 317-326, 2014.
- [12] A. G. Pandolfo, “Carbon Properties and Their Role In Supercapacitors,” *Elsevier*, vol. 157, pp. 11-27, 2006.
- [13] A Davies, “Carbon Properties and Their Role In Supercapacitors : From Activated Carbon to Carbon Nanotube and Graphene,” *The Canadian Journal of Chemical Engineering*, vol. 9999, pp. 1-16, 2011.
- [14] “<https://www.arduino.cc>,” Arduino, [Online]. Available: <https://www.arduino.cc/en/Main/ArduinoBoardMega2560>. [Diakses Maret 2015].
- [15] “www.vcc2gnd.com,” [Online]. Available: <http://www.vcc2gnd.com/sku/MPR6V>. [Diakses 1 Februari 2016].
- [16] “<http://www centralelectro.com>,” [Online]. Available: http://www centralelectro.com/catalog.php?action=show_custom&id=2954&cat=71. [Diakses 2 Februari 2016].
- [17] Khairurrijal, “Khairurrijal.blogspot.com,” 18 Agustus 2011. [Online]. Available: khairurrijal.blogspot.com/2011/09/Pengembanganmaterial-dan-devais-mos.html. [Diakses 22 Desember 2014].
- [18] “<https://insansainsprojects.wordpress.com>,” 18 Agustus 2012. [Online]. Available: <https://insansainsprojects.wordpress.com/tds-meter/>. [Diakses 22 Desember 2014].
- [19] M.A. Lillo-Rodena, “Preparation of activated carbons from Spanish anthracite,” *Pergamon*, vol. 39, no. Carbon, pp. 751-759, 2001.
- [20] Carlos A. Rios Perez, “Macro Analysis of the Electro-Adsorption Process in Low Concentration NaCl Solution For Water Desalination Applications,” *Journal of The Electrochemical Society*, vol. 160, no. 3, pp. E13-E21, 2013.

- [21] Mohamed Mossad, “Using capacitive deionization for inland brackish groundwater desalination in a remote location,” *ELSEIVER*, vol. 308, pp. 154-160, 2012.
- [22] Linda Zou, “A study of capacitive deionization performance under various operational conditions,” *ELSEIVER*, Vol. %1 dari %2213-214, pp. 491-497, 2012.
- [23] Dwi Hany Eryati., “Desalinasi Air Laut Berbasis Teknologi Capacitive Deionization dengan Elektroda Karbon Nanopori,” 2016.
- [24] C. H. Hou, “Aplication of capacitive deionization technology to removal of sodium chloride from aqueous solutions,” *Int. J. Environ. Sci. Technology*, no. 10, pp. 753-760, 2013.