

Daftar Pustaka

- [1] Ang, K. K., Chin, Z. Y., Zhang, H., & Guan, C. (2008). Filter Bank Common Spatial Pattern (FBCSP), 2391–2398.
- [2] Iru, R., Lq, K., Dvhg, P., Frpsxwhu, U., Vljqdo, F., Fodvli, W., & Wkh, L. Q. J. (2005)., 5392–5395.
- [3] Lee, H., & Choi, S. (n.d.). CUR+NMF for Learning Spectral Features from Large Data Matrix, (4).
- [4] Lu, H., Eng, H., Guan, C., & Member, S. (2010). Regularized Common Spatial Pattern With Aggregation for EEG Classification in Small-Sample Setting, 57(12), 2936–2946.
- [5] Lu, H., Plataniotis, K. N., & Venetsanopoulos, A. N. (n.d.). Regularized Common Spatial Patterns with Generic Learning for EEG Signal Classification.
- [6] Mitrovic, N., Asif, M. T., Rasheed, U., Dauwels, J., & Jaillet, P. (2011). CUR Decomposition for Compression and Compressed Sensing of Large - Scale Traffic Data.
- [7] Yulianto, E., Susanto, A., Widodo, T. S., & Wibowo, S. (n.d.). Spektrum Frekuensi Sinyal EEG Terhadap Pergerakan Motorik dan Imajinasi Pergerakan Motorik, 21–32.
- [8] B. Blankertz, R. Tomioka, S. Lemm, M. Kawanabe, and K. R. Müller, “Optimizing spatial filters for robust EEG single-trial analysis,” *IEEE Signal Process. Mag.*, vol. 25, no. 1, pp. 41–56, 2008.
- [9] Gonzalez, A., Nambu, I., Hokari, H., & Wada, Y. (2014). EEG *Channel* Selection Using Particle Swarm Optimization for the Classification of Auditory Event-Related Potentials, 2014.
- [10] Musa, S. B., Pembimbing, D., Magister, P., Keahlian, B., Cerdas, K., Visi, D. A. N., ... Informasi, F. T. (2017). Klasifikasi Emosi Sinyal EEG berdasarkan Empirical Mode Decomposition dan Wavelet Packet Decomposition menggunakan Logarithmic Learning for Generalized Classifier Neural Network.
- [11] Abdulkader, S. N., Atia, A., & Mostafa, M. M. (2015). Brain computer interfacing : Applications and challenges, 213–230. <http://doi.org/10.1016/j.eij.2015.06.002>