Daftar Pustaka

[1] Content api / faqs — tripadvisor developer portal. Accessed: 2016-11-09.

[2] ANDERSON, J. R. A spreading activation theory of memory. *Journal of verbal learning and verbal behavior 22*, 3 (1983), 261–295.

[3] BAADER, F. *The description logic handbook: Theory, implementation and applications.* Cambridge university press, 2003.

[4] BAEZA-YATES, R., RIBEIRO-NETO, B., ET AL. *Modern information retrieval*, vol. 463. ACM press New York, 1999.

[5] BAHRAMIAN, Z., AND ABBASPOUR, R. A. An ontology-based tourism recommender system based on spreading activation model. *The International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences 40*, 1 (2015), 83.

[6] BAIZAL, Z. A., WIDYANTORO, D. H., AND MAULIDEVI, N. U. Design of knowledge for conversational recommender system based on product functional requirements. In *Data and Software Engineering (ICoDSE), 2016 International Conference on* (2016), IEEE, pp. 1–6.

[7] BENJAMINS, V. R., AND GÓMEZ-PÉREZ, A. Knowledge-system technology: ontologies and problem-solving methods. *Department of Social Science Informatics, University of Amsterdam (nd)* (2000).

[8] BERMEJO, J. A simplified guide to create an ontology. *Madrid University* (2007).

[9] BLANCO-FERNANDEZ, Y., PAZOS-ARIAS, J. J., GIL-SOLLA, A., RAMOS-CABRER, M., AND LOPEZ-NORES, M. Providing entertainment by content-based filtering and semantic reasoning in intelligent recommender systems. *IEEE Transactions on Consumer Electronics 54*, 2 (2008).

[10] BRIDGE, D., GÖKER, M. H., McGINTY, L., AND SMYTH, B. Case-based recommender systems. *The Knowledge Engineering Review 20*, 3 (2005), 315–320.

[11] Burke, R. Integrating knowledge-based and collaborative-filtering recommender systems. In *Proceedings of the Workshop on AI and Electronic Commerce* (1999), pp. 69–72.

[12] Burke, R. D., Hammond, K. J., and Yound, B. The findme approach to assisted browsing. *IEEE Expert 12*, 4 (1997), 32–40.

[13] Chandrasekaran, B., Josephson, J. R., Benjamins, V. R., et al. What are ontologies, and why do we need them? *IEEE Intelligent systems 14*, 1 (1999), 20–26.

[14] Collins, A. M., and Loftus, E. F. A spreading-activation theory of semantic processing. *Psychological review 82*, 6 (1975), 407.

[15] Crestani, F. Application of spreading activation techniques in information retrieval. *Artificial Intelligence Review 11*, 6 (1997), 453–482.

[16] Gouws, S., Van Rooyen, G., and Engelbrecht, H. A. Measuring conceptual similarity by spreading activation over wikipedia's hyperlink structure. In *Proceedings of the 2nd Workshop on The People's Web Meets NLP: Collaboratively Constructed Semantic Resources* (2010), pp. 46–54.

[17] Horrocks, I. Ontologies and the semantic web. *Communications of the ACM 51*, 12 (2008), 58–67.

[18] Huemer, C., and Setzer, T. *E-Commerce and Web Technologies: 12th International Conference, EC-Web 2011, Toulouse, France, August 30 - September 1, 2011, Proceedings.* Lecture Notes in Business Information Processing. Springer Berlin Heidelberg, 2011.

[19] Noy, N. F., McGuinness, D. L., et al. Ontology development 101: A guide to creating your first ontology, 2001.

[20] Rahmawati, N., et al. Conversational recommender system with explanation facility using semantic reasoning. *International Journal on Information and Communication Technology (IJoICT) 2*, 1 (2016), 1–12.

[21] Reilly, J., McCarthy, K., McGinty, L., and Smyth, B. Explaining compound critiques. *Artificial Intelligence Review 24*, 2 (2005), 199–220.

[22] Ricci, F., Venturini, A., Cavada, D., Mirzadeh, N., Blaas, D., and Nones, M. Product recommendation with interactive query management and twofold similarity. *Case-Based Reasoning Research and Development* (2003), 1066–1066.

[23] ROCHA, C., SCHWABE, D., AND ARAGAO, M. P. A hybrid approach for searching in the semantic web. In *Proceedings of the 13th international conference on World Wide Web* (2004), ACM, pp. 374–383.

[24] SHISHEHCHI, S., BANIHASHEM, S. Y., AND ZIN, N. A. M. A proposed semantic recommendation system for e-learning: A rule and ontology based e-learning recommendation system. In *2010 International Symposium on Information Technology* (2010), vol. 1, IEEE, pp. 1–5.

[25] SHISHEHCHI, S., BANIHASHEM, S. Y., ZIN, N. A. M., NOAH, S. A. M., AND MALAYSIA, K. Ontological approach in knowledge based recommender system to develop the quality of e-learning system. *Australian Journal of Basic and Applied Sciences 6*, 2 (2012), 115–123.

[26] TARSKI, A. The semantic conception of truth: and the foundations of semantics. *Philosophy and phenomenological research 4*, 3 (1944), 341–376.

[27] WANG, P. Grounded on experience: Semantics for intelligence. In *Tech. Report 96*. Center for Research on Concepts and Cognition, Indiana Univ Bloomington, Ind, 1995.

[28] WIDYANTORO, D. H., AND BAIZAL, Z. A framework of conversational recommender system based on user functional requirements. In *Information and Communication Technology (ICoICT), 2014 2nd International Conference on* (2014), IEEE, pp. 160–165.

[29] ZAISS, K. S. *Instance-based ontology matching and the evaluation of matching systems*. PhD thesis, Düsseldorf, Univ., Diss., 2010, 2010.