

DAFTAR PUSTAKA

- [1] Uhl, Andreas dan Wild, Peter. (2008).”*Wild footprint-Based Biometric Verication*”. Department of Computer Sciences University of Salzburg.
- [2] Al-Dulaimi, Khamael Abbas. “*Using Feature Extraction for Human Footprints Recignition*”. International Journal of Computer Applications (0975 – 8887) Vol. 64, no.3, 2013.
- [3] V. D. A. Kumar dan M. Ramakrishnan. “*Footprint Recognition using Modified Sequential Haar Energy Transform (MSHET)*”. IJCSI International Journal of Computer Science Issues, vol.7, Issue 3, no. 5, 2010.
- [4] Fadhlillah, Armanda Nur. (2015). Tugas Akhir : ANALISIS DAN IMPLEMENTASI KLASIFIKASI K-NEAREST NEIGHBOR (K-NN) PADA SISTEM IDENTIFIKASI BIOMETRIK TELAPAK KAKI MANUSIA. Bandung: Universitas Telkom.
- [5] Arief, Rommy Rakhman. (2010). Tugas Akhir : ANALISIS PENGGUNAAN SCALE INVARIANT FEATURE TRANSFORM SEBAGAI METODE EKSTRAKSI FITUR PADA PENGENALAN JENIS KENDARAAN. Jakarta: Universitas Indonesia.
- [6] Wibowo, Daniel S. Anatomi Tubuh Manusia. Jakarta. Gramedia. 2005
- [7] Putra, Darma : “Sistem Biometrika”. Andi. 2009
- [8] Muntasa A. dan Purnomo. Konsep Pengolahan Citra Digital dan Ekstraksi Fitur. Yogyakarta : Graha Ilmu. 2010
- [9] Bay, Herbert, Tinne Tuytelaars dan Luc Van Gool. (2006). “SURF: Speed Up Robust Features”. Computer Vision and Image Understanding, vol.110, no. 3, pp 346-359.
- [10] Lowe, D.G. (1999). “Object Recognition from Local Scale Invariant Keypoints”. Vancouver: Computer Science Department University of British Columbia
- [11] Padragi, Cunningham dan Sarah Jane Delany, “k-Nearest Neighbor Classifier”, Technical Report UCD-COI, vol. 4, pp 1-2, 2007
- [12] S. Aksoy. 2008. “Non Bayesian Classifier, K-Nearest Neighbor Classifier and Distance Functions”. Ankara: Bilkent University., vol. I, pp. 5-6

