

DAFTAR PUSTAKA

- [1] N. A. Campbell, *Biologi Jilid 3 Edisi 5*, JI.3 Ed.5. Erlangga, 2000.
- [2] Ronny, *Fisiologi Kardiovaskular Berbasis masalah keperawatan*. EGE, 2009.
- [3] D. Reiner and C. E. Babbs, "CHARACTERIZATION OF THE OSCILLOMETRIC METHOD FOR MEASURING INDIRECT BLOOD PRESSURE," vol. 10, pp. 271–280, 1983.
- [4] C. F. Babbs, "Oscillometric measurement of systolic and diastolic blood pressures validated in a physiologic mathematical model," pp. 1–22, 2012.
- [5] B. S. Alpert, D. Quinn, and D. Gallick, *Oscillometric blood pressure: A review for clinicians*, vol. 8, no. 12. 2014.
- [6] B. P. Imholz, W. Wieling, G. A. van Montfrans, and K. H. Wesseling, "Fifteen years experience with finger arterial pressure monitoring: assessment of the technology.," *Cardiovasc. Res.*, vol. 38, no. 3, pp. 605–16, 1998.
- [7] F. S. Size and P. Consumption, "MEMS Gauge Pressure Sensor Featuring Small Size and Low Power Consumption •," no. 3, pp. 1–8.
- [8] S. Circuit *et al.*, "Single Supply Dual Operational Amplifiers," *Order A J. Theory Ordered Sets Its Appl.*, pp. 1–14, 2003.
- [9] D. Information, "INA188 Precision, Zero-Drift, Rail-to-Rail Out, High-Voltage Instrumentation Amplifier 1," 2015.
- [10] T. Atmel, H. Performance, L. Power, A. Avr, and M. Family, "ATmega328 / P," 2016.
- [11] Arduino, "Arduino Nano," *Arduino*. [Online]. Available: <https://www.arduino.cc/en/Main/ArduinoBoardNano>. [Accessed: 18-Oct-2016].

- [12] T. Kugelstadt, "Active Filter Design Techniques," *Op Amps Everyone*, pp. 16–64, 2008.
- [13] D. Shapiro *et al.*, "Blood pressure publication guidelines," *Psychophysiology*, vol. 33, no. 1. pp. 1–12, 1996.
- [14] F. Ughi and A. Dewanto, "Karakteristik Osilometrik dari Simulator Tekanan Darah," vol. 5, no. 1, pp. 2459–9638, 2017.
- [15] H. H. Rachmat, "Comparison of radialis sphygmomanometer in evaluating the blood pressure of healthy volunteers," *Proc. 2016 1st Int. Conf. Biomed. Eng. Empower. Biomed. Technol. Better Futur. IBIOMED 2016*, pp. 1–4, 2017.
- [16] A. Rizal, *INSTRUMENTASI BIOMEDIS*. GRAHA ILMU, 2014.