

DAFTAR ISI

| | |
|--|------|
| LEMBAR PENGESAHAN | i |
| ABSTRAK..... | iii |
| ABSTRACT..... | iv |
| DAFTAR ISI..... | vii |
| DAFTAR GAMBAR | x |
| DAFTAR TABEL..... | xii |
| DAFTAR SINGKATAN | xiii |
| BAB I : PENDAHULUAN..... | 1 |
| 1.1 Latar Belakang | 1 |
| 1.2 Penelitian Terkait | 2 |
| 1.3 Perumusan Masalah | 2 |
| 1.4 Asumsi dan Batasan Masalah | 3 |
| 1.5 Tujuan dan Manfaat | 3 |
| 1.6 Hipotesis Perancangan | 4 |
| 1.7 Metode Pemecahan Masalah..... | 4 |
| 1.8 Sistematika Penulisan | 6 |
| BAB II : TINJUAN PUSTAKA | 7 |
| 2.1 <i>Evolved Packet Core (EPC)</i> | 7 |
| 2.2 Metode <i>Core Network Dimensioning</i> | 7 |
| 2.2.1 CSFB (<i>Circuit Switch Fallback</i>) pada EPC | 8 |
| 2.2.2 <i>Mobility Management CSFB Domain</i> | 9 |
| 2.2.3 <i>Mobile Terminating Call CSFB</i> | 10 |
| 2.2.4 <i>Forecasting Subscribers</i> | 10 |
| 2.3 <i>Element Core Network EPC</i> | 11 |
| 2.3.1 <i>Mobile Soft Switch (MSS)</i> | 11 |
| 2.3.2 <i>Mobability Management Entity (MME)</i> | 11 |

| | | |
|---|--|----|
| 2.3.3 | <i>Home Subscriber Server (HSS)</i> | 12 |
| 2.3.4 | <i>Serving/Packet Data Gateway (S/PGW)</i> | 13 |
| 2.4 | <i>Interface Core Network EPC</i> | 13 |
| 2.4.1 | <i>S1-U Interface</i> | 14 |
| 2.4.2 | <i>S5/S8 Interface</i> | 14 |
| 2.4.3 | <i>SGi Interface</i> | 15 |
| 2.4.4 | <i>S10 Interface</i> | 16 |
| 2.4.5 | <i>S11 Interface</i> | 17 |
| 2.4.6 | <i>S6a Interface</i> | 17 |
| 2.4.7 | <i>S1-MME Interface</i> | 18 |
| BAB III: KONDISI EKSISTING JARINGAN DAN <i>FORECASTING</i> | | |
| <i>SUBSCRIBERS</i> | | 20 |
| 3.1 | Desain Model Jaringan dan <i>iterface</i> RPC 2G,3G,4G Telkomsel | 20 |
| 3.2 | Alur Perencanaan..... | 21 |
| 3.3 | Aspek Perencanaan..... | 23 |
| 3.3.1 | <i>Network Analysis</i> | 23 |
| 3.3.2 | <i>Network Dimensioning</i> | 24 |
| 3.3.3 | <i>Detail Planing</i> | 25 |
| 3.4 | Kondisi <i>Eksisting</i> Jaringan Telkomsel di Wilayah Regional Sulawesi | 25 |
| 3.4.1 | Jumlah Pelanggan Existing | 26 |
| 3.4.2 | Kondisi Jaringan dan Spesifikasi Perangkat Operator Telkomsel ... | 26 |
| 3.5 | <i>Forecasting</i> Jumlah <i>Subscribers</i> pada Operator Telkomsel..... | 28 |
| BAB IV : LTE CORE NETWORK PLANNING DAN ANALISIS | | 32 |
| 4.1 | Perencanaan Elemen Jaringan <i>Core Network</i> | 32 |
| 4.1.1 | <i>Dimensioning MSS (MSC Server)</i> | 32 |
| 4.1.2 | <i>Dimensioning HSS (Home Subscriber Server)</i> | 35 |
| 4.1.3 | <i>Dimensioning MME (Mobility Management Entity)</i> | 37 |
| 4.1.4 | <i>Dimensioning S-PGW (Serving-Packet Gateway)</i> | 38 |
| 4.2 | <i>Dimensioning EPC (Evolved Packet Core) 4G LTE</i> | 40 |

| | | |
|------------------------------|---|----|
| 4.2.1 | <i>Dimensioning Interface S6a</i> | 40 |
| 4.2.2 | <i>Dimensioning Interface S11</i> | 42 |
| 4.2.3 | <i>Dimensioning Interface S10</i> | 42 |
| 4.2.4 | <i>Dimensioning Interface S5/S8</i> | 43 |
| 4.2.5 | <i>Dimensioning Interface S1-MME</i> | 45 |
| 4.2.6 | <i>Dimensioning Interface S1-U</i> | 46 |
| 4.2.7 | <i>Dimensioning Interface Sg1</i> | 47 |
| 4.3 | Hasil <i>Dimensioning</i> | 48 |
| 4.4 | Analisis Skenario Topologi <i>Planning Core</i> | 50 |
| 4.4.1 | Skenario 1 Topologi <i>Planning Core</i> | 51 |
| 4.4.2 | Skenario 2 Topologi <i>Planning Core</i> | 52 |
| 4.5 | Analisis Perbandingan Topologi <i>Planning Core</i> | 53 |
| 4.6 | Rekomendasi unruk Implementasi dari Hasil <i>Dimensioning</i> | 54 |
| 4.7 | Hasil Akhir Analisis Perancangan EPC..... | 57 |
| BAB V : KESIMPULAN DAN SARAN | | 59 |
| 5.1 | Kesimpulan | 59 |
| 5.2 | Saran | 59 |
| DAFTAR PUSTAKA | | 60 |