

DAFTAR REFERENSI

- [1] J. Xu, K. Ota, and M. Dong, “Fast networking for disaster recovery,” *IEEE Transactions on Emerging Topics in Computing*, pp. 1–1, 2017.
- [2] A. S. Ibrahim, Z. Han, and K. J. R. Liu, “Distributed energy-efficient cooperative routing in wireless networks,” *IEEE Transactions on Wireless Communications*, vol. 7, no. 10, pp. 3930–3941, October 2008.
- [3] S. Chen, M. Huang, Y. Li, Y. Zhu, and Y. Wang, “Energy-balanced cooperative routing in multihop wireless ad hoc networks,” in *2012 IEEE International Conference on Communications (ICC)*, pp. 307–311, Germany, June 2012, .
- [4] J. Zhang, D. Zhang, K. Xie, H. Qiao, and S. He, “A vmimo-based cooperative routing algorithm for maximizing network lifetime,” *China Communications*, vol. 14, no. 4, pp. 20–34, April 2017.
- [5] A. Nosratinia, T. E. Hunter, and A. Hedayat, “Cooperative communication in wireless networks,” *IEEE Communications Magazine*, vol. 42, no. 10, pp. 74–80, October 2004.
- [6] S. Yang, Z. Sheng, J. A. McCann, and K. K. Leung, “Distributed stochastic cross-layer optimization for multi-hop wireless networks with cooperative communications,” *IEEE Transactions on Mobile Computing*, vol. 13, no. 10, pp. 2269–2282, October 2014.
- [7] Z. Mo, W. Su, S. Batalama, and J. D. Matyjas, “Cooperative communication protocol designs based on optimum power and time allocation,” *IEEE Transactions on Wireless Communications*, vol. 13, no. 8, pp. 4283–4296, August 2014.
- [8] T. Ngo, H. Nishiyama, N. Kato, S. Kotabe, and H. Tohjo, “A novel graph-based topology control cooperative algorithm for maximizing throughput of disaster recovery networks,” in *2016 IEEE 83rd Vehicular Technology Conference (VTC Spring)*, pp. 1–5, Nanjing, May 2016. .
- [9] T. Sakano, Z. M. Fadlullah, T. Ngo, H. Nishiyama, M. Nakazawa, F. Adachi, N. Kato, A. Takahara, T. Kumagai, H. Kasahara, and S. Kurihara, “Disaster-

resilient networking: a new vision based on movable and deployable resource units,” *IEEE Network*, vol. 27, no. 4, pp. 40–46, July 2013.

- [10] T. Ngo, H. Nishiyama, N. Kato, Y. Shimizu, K. Mizuno, and T. Kumagai, “On the throughput evaluation of wireless mesh network deployed in disaster areas,” in *2013 International Conference on Computing, Networking and Communications (ICNC)*, pp. 413–417, San Diego, January 2013.
- [11] T. Kobayashi, S. Seimiya, K. Harada, M. Noi, Z. Barker, G. K. Woodward, A. Willig, and R. Kohno, “Wireless technologies to assist search and localization of victims of wide-scale natural disasters by unmanned aerial vehicles,” in *2017 20th International Symposium on Wireless Personal Multimedia Communications (WPMC)*, pp. 404–410, Yogyakarta, December 2017.
- [12] M. Dong, H. Li, K. Ota, L. T. Yang, and H. Zhu, “Multicloud-based evacuation services for emergency management,” *IEEE Cloud Computing*, vol. 1, no. 4, pp. 50–59, November 2014.
- [13] M. Ahrens, M. Gester, N. Klewinghaus, D. Müller, S. Peyer, C. Schulte, and G. Téllez, “Detailed routing algorithms for advanced technology nodes,” *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems*, vol. 34, no. 4, pp. 563–576, Australia, April 2015.
- [14] B. Lu and U. W. Pooch, “Cooperative security-enforcement routing in mobile ad hoc networks,” in *4th International Workshop on Mobile and Wireless Communications Network*, pp. 157–161, 2002.
- [15] K. Anusha, “Redundancy based wep routing technology (iot-wsn),” in *2015 International Conference on Signal Processing and Communication Engineering Systems*, pp. 407–410, January 2015.
- [16] A. E. Khandani, J. Abounadi, E. Modiano, and L. Zheng, “Cooperative routing in static wireless networks,” *IEEE Transactions on Communications*, vol. 55, no. 11, pp. 2185–2192, November 2007.
- [17] L. Guo, Y. Zhao, W. Zhang, H. Yu, and Z. Zhu, “A novel cooperative routing algorithm based on ”gravitation” in wireless networks,” in *2017 International Workshop on Complex Systems and Networks (IWCSN)*, pp. 169–177, December 2017.

- [18] H. Sun, Z. Wang, J. Wang, Z. Huang, N. Carrington, and J. Liao, "Data-driven power outage detection by social sensors," *IEEE Transactions on Smart Grid*, vol. 7, no. 5, pp. 2516–2524, September 2016.
- [19] A. F. Molisch, *Wireless Communications, Second Edition*. John Wiley, 2011.
- [20] S. Srinivasa and M. Haenggi, "Path loss exponent estimation in large wireless networks," in *2009 Information Theory and Applications Workshop*, pp. 124–129, La Jolla, California, February 2009.
- [21] R. T. S, *Wireless Communication – Principle & Practice*. IEEE Press, 1996.
- [22] V. Garg, *Wireless Communications and Networking*. Elsevier, 2007.
- [23] K. Anwar, "Graph-based decoding for high-dense vehicular multiway multi-relay networks," in *2016 IEEE 83rd Vehicular Technology Conference (VTC Spring)*, pp. 1–5, May 2016.
- [24] K. Anwar, Juansyah, B. Syihabuddin, and N. M. Adriansyah, "Coded random access with simple header detection for finite length wireless iot networks," in *2017 Eighth International Workshop on Signal Design and Its Applications in Communications (IWSDA)*, pp. 94–98, Sapporo, Japan, September 2017.
- [25] K. Anwar and T. Matsumoto, "Accumulator-assisted distributed Turbo codes for relay systems exploiting source-relay correlation," *IEEE Communications Letters*, vol. 16, no. 7, pp. 1114–1117, Nanjing, July 2012.