

DAFTAR PUSTAKA

- Aggarwal, A., & Singh, H. (2005). Optimization of machining techniques - A retrospective and literature review. *Sadhana - Academy Proceedings in Engineering Sciences*, 30(6), 699–711. <https://doi.org/10.1007/BF02716704>
- Amano, T., Ishii, T., Nakamura, K., & Ueha, S. (1998). An Ultrasonic Actuator with Multi-degree of Freedom Using Bending and Longitudinal Vibrations of a Single Stator. *IEEE*.
- Amini, S., Khosrojerdi, M. R., Nosouhi, R., & Behbahani, S. (2014). An experimental investigation on the machinability of Al₂O₃ in vibration-assisted turning using PCD tool. *Materials and Manufacturing Processes*, 29(3), 331–336. <https://doi.org/10.1080/10426914.2013.864411>
- Ba, D., & Boyaci, I. H. (2007). Modeling and optimization i: Usability of response surface methodology. *Journal of Food Engineering*, 78(3), 836–845. <https://doi.org/10.1016/j.jfoodeng.2005.11.024>
- Boothroyd G., & Knight, W. A. (2006). *Fundamentals of Machining and Machine Tools* (3rd ed.). CRC Press, Taylor & Francis Group.
- Brehl, D. E., & Dow, T. A. (2008). Review of vibration-assisted machining. *Precision Engineering*, 32(3), 153–172. <https://doi.org/10.1016/j.precisioneng.2007.08.003>
- Cheung, C. F., & Lee, W. B. (2001). Characterisation of nanosurface generation in single-point diamond turning. *International Journal of Machine Tools and Manufacture*, 41(6), 851–875. [https://doi.org/10.1016/S0890-6955\(00\)00102-4](https://doi.org/10.1016/S0890-6955(00)00102-4)
- Davim, J. P., & Jackson, M. J. (2009). *Nano and Micromachining*. Great Britain: John Wiley & Sons, Inc.
- Dong, G., Zhang, H., Zhou, M., & Zhang, Y. (2013). *Experimental Investigation on Ultrasonic Vibration-Assisted Turning of SiCp / Al Composites Experimental Investigation on Ultrasonic Vibration-Assisted Turning of SiCp / Al Composites*. 37–41. <https://doi.org/10.1080/10426914.2012.709338>
- Dureja, J. S., Gupta, V. K., Sharma, V. S., Dogra, M., & Bhatti, M. S. (2016). A review of empirical modeling techniques to optimize machining parameters for hard turning applications. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 230(3), 389–404. <https://doi.org/10.1177/0954405414558731>
- Ferreira, S. L. C., Bruns, R. E., Ferreira, H. S., Matos, G. D., David, J. M., Brandão, G. C., ... dos Santos, W. N. L. (2007). Box-Behnken design: An alternative for the optimization of analytical methods. *Analytica Chimica Acta*, 597(2), 179–186.

<https://doi.org/10.1016/j.aca.2007.07.011>

- Jaspers, S. P. F. C., Dautzenberg, J. H., & Taminiau, D. A. (1998). Temperature measurement in orthogonal metal cutting. *International Journal of Advanced Manufacturing Technology*, 14(1), 7–12. <https://doi.org/10.1007/BF01179411>
- Khajehzadeh, M., Akhlaghi, M., & Razfar, M. R. (2014). Finite element simulation and experimental investigation of tool temperature during ultrasonically assisted turning of aerospace aluminum using multicoated carbide inserts. *International Journal of Advanced Manufacturing Technology*, 75(5–8), 1163–1175. <https://doi.org/10.1007/s00170-014-6163-2>
- Kim, J.-D., & Kim, D.-S. (1997). Advanced manufacturing Technology Development and Application of an Ultra-precision Lathe. *Int J Adv Manuf Technol*, 13, 164–171.
- Kumar, N. S., Shetty, A., Shetty, A., Ananth, K., & Shetty, H. (2012). Effect of spindle speed and feed rate on surface roughness of carbon steels in CNC turning. *Procedia Engineering*, 38(Icmoc), 691–697. <https://doi.org/10.1016/j.proeng.2012.06.087>
- Leach, R. K. (2001). The measurement of surface texture using stylus instruments. *Measurement Good Practice Guide No. 37*, (2), 100. Retrieved from http://publications.npl.co.uk/npl_web/pdf/mgpg37.pdf
- Liu, K., Wang, H., & Zhang, Z. (2020). *Ductile Mode Cutting of Brittle Materials*. Singapore: Springer Singapore.
- Longbottom, J. M., & Lanham, J. D. (2005). Cutting temperature measurement while machining - A review. *Aircraft Engineering and Aerospace Technology*, 77(2), 122–130. <https://doi.org/10.1108/00022660510585956>
- Mahyar Khorasani, A., Reza Soleymani Yazdi, M., & Safizadeh, M. S. (2012). Analysis of machining parameters effects on surface roughness: A review. *International Journal of Computational Materials Science and Surface Engineering*, 5(1), 68–84. <https://doi.org/10.1504/ijcmsse.2012.049058>
- Moriwaki, T., Shamoto, E., & Inoue, K. (1992). *Ultraprecision Ductile Cutting of Glass by Applying Ultrasonic Vibration*. 41(2), 141–144.
- Myers, R. H., Montgomery, D. C., & Anderson-Cook, C. M. (2016). *Response Surface Methodology: Process and Product Optimization using Designed Experiment* (4th ed.). <https://doi.org/10.1016/j.rcim.2010.12.003>
- Nategh, M. J., Amini, S., & Soleimanimehr, H. (2010). Modeling the force, surface roughness and cutting temperature in ultrasonic vibration-assisted turning of Al7075. *Advanced Materials Research*, 83–86, 315–325.

- <https://doi.org/10.4028/www.scientific.net/AMR.83-86.315>
- Nestler, A., & Schubert, A. (2014). Surface properties in ultrasonic vibration assisted turning of particle reinforced aluminium matrix composites. *Procedia CIRP*, 13, 125–130. <https://doi.org/10.1016/j.procir.2014.04.022>
- Patil, S., Joshi, S., Tewari, A., & Joshi, S. S. (2014). Modelling and simulation of effect of ultrasonic vibrations on machining of Ti6Al4V. *Ultrasonics*, 54(2), 694–705. <https://doi.org/10.1016/j.ultras.2013.09.010>
- Research and Markets. (2019). Insights Into the World Precision Parts Market (2019-2024) – Open Architectures & Rising Subscription-based CAD Software are Key Emerging Trends. Retrieved September 20, 2019, from <https://www.globenewswire.com/news-release/2019/08/19/1903372/0/en/Insights-Into-the-World-Precision-Parts-Market-2019-2024-Open-Architectures-Rising-Subscription-based-CAD-Software-are-Key-Emerging-Trends.html>
- Sharma, V., & Pandey, P. M. (2016). Optimization of machining and vibration parameters for residual stresses minimization in ultrasonic assisted turning of 4340 hardened steel. *Ultrasonics*, 70, 172–182. <https://doi.org/10.1016/j.ultras.2016.05.001>
- Sivareddy, D. V., Krishna, P. V., Gopal, A. V., & Raz, C. L. P. (2018). Parameter optimisation in vibration assisted turning of Ti6Al4V alloy using ANOVA and grey relational analysis. *International Journal of Automotive and Mechanical Engineering*, 15(3), 5400–5420. <https://doi.org/10.15282/ijame.15.3.2018.1.0416>
- Sreejith, P. S., & Ngoi, B. K. A. (2000). Dry machining: Machining of the future. *Journal of Materials Processing Technology*, 101(1), 287–291. [https://doi.org/10.1016/S0924-0136\(00\)00445-3](https://doi.org/10.1016/S0924-0136(00)00445-3)
- Trent, E. M., & Wright, P. K. (2000). *Metal Cutting* (4th ed.). <https://doi.org/10.1016/b978-075067069-2/50012-7>
- Vivekananda, K., Arka, G. N., & Sahoo, S. K. (2014). Finite Element Analysis and Process Parameters Optimization of Ultrasonic Vibration Assisted Turning (UVT). *Procedia Materials Science*, 6(Icmpc), 1906–1914. <https://doi.org/10.1016/j.mspro.2014.07.223>
- Whitehouse, D. J. (1997). Surface metrology. *Measurement Science and Technology*, 8(9), 955–972. <https://doi.org/10.1088/0957-0233/8/9/002>
- Whitehouse, David J. (2002). *Surfaces and Their Measurement*. <https://doi.org/https://doi.org/10.1016/B978-190399601-0/50003-7>
- Whitehouse, David John. (1974). Stylus Techniques. *Characterization of Solid Surfaces*, 49–74. https://doi.org/10.1007/978-1-4613-4490-2_4

- Witek-Krowiak, A., Chojnacka, K., Podstawczyk, D., Dawiec, A., & Pokomeda, K. (2014). Application of response surface methodology and artificial neural network methods in modelling and optimization of biosorption process. *Bioresource Technology*, 160, 150–160. <https://doi.org/10.1016/j.biortech.2014.01.021>
- Xavior, M. A., & Adithan, M. (2009). Determining the influence of cutting fluids on tool wear and surface roughness during turning of AISI 304 austenitic stainless steel. *Journal of Materials Processing Technology*, 209(2), 900–909. <https://doi.org/10.1016/j.jmatprotec.2008.02.068>
- Yan, P., Rong, Y., & Wang, G. (2016). The effect of cutting fluids applied in metal cutting process. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 230(1), 19–37. <https://doi.org/10.1177/0954405415590993>
- Yang, S., & Li, W. (2018). Surface Quality and Finishing Technology. In *Surface Finishing Theory and New Technology*. https://doi.org/10.1007/978-3-662-54133-3_1
- Zhang, S. J., To, S., Wang, S. J., & Zhu, Z. W. (2015). A review of surface roughness generation in ultra-precision machining. *International Journal of Machine Tools and Manufacture*, 91, 76–95. <https://doi.org/10.1016/j.ijmachtools.2015.02.001>