

DAFTAR REFERENSI

- [1] P. P. I. II, “Annual report 2018 membangun pelabuhan digital yang unggul,” PT Pelabuhan Indonesia II (Persero), Tech. Rep., 2018.
- [2] H. Laut. (2019) Industri pelabuhan dan pelayaran bersiap hadapi revolusi 4.0. [Online]. Available: <http://hubla.dephub.go.id/berita/Pages/Industri-Pelabuhan-dan-Pelayaran-Bersiap-Hadapi-Revolusi-4.0.aspx>
- [3] J. Liu, “Wireless multipath fading channels modeling and simulation based on sum-ofsinusoids,” in *2016 First IEEE International Conference on Computer Communication and the Internet*, Changsha, China, 2016, pp. 165–168.
- [4] U. Madhow, *Channel coding*. Cambridge University Press, 2008, p. 293–378.
- [5] M. Alfaroby, K. Anwar, and N. M. Ardiansyah, “5G channel model indonesia menggunakan teknik Statistical Spatial Channel Model (SSCM),” in *e-Proceeding of Engineering*, Indonesia, Maret 2016, pp. 107–115.
- [6] K. Anwar and T. Matsumoto, “Very simple BICM-ID using repetition code and extended mapping with doped accumulator,” in *Wireless Pers Commun* 67, September 2011, p. 573–584.
- [7] K. Wu, K. Anwar, and T. Matsumoto, “BICM-ID-based IDMA: Convergence and rate region analyses,” *IEICE Transactions on Communications*, vol. E97.B, pp. 1483–1492, 07 2014.
- [8] K. Anwar and T. Matsumoto, “Iterative spatial demapping for two correlated sources with power control over fading MAC,” 05 2012, pp. 1–7.
- [9] ——, “Low complexity time-concatenated turbo equalization for block transmission without guard interval: Part 1—the concept,” *Wireless Personal Communications*, vol. 67, pp. 761–781, 2012.
- [10] K. Anwar and T. Matsumoto, “Accumulator-assisted distributed turbo codes for relay systems exploiting source-relay correlation,” *IEEE Communications Letters*, vol. 16, no. 7, pp. 1114–1117, 2012.
- [11] Y. Romadhon, “Optimalisasi pelabuhan tanjung priok menuju pelabuhan berkelas dunia,” *Jurnal Logistik Indonesia*, 2018.

- [12] N. Blaunstein and J. Andersen, *Multipath Phenomena in Cellular Networks*, 06 2002.
- [13] *Channel Capacity and Noise – Advantages of Shielded Cable Systems*. Maret, 2015, ch. 1.
- [14] R. D. Wahyuningrum, K. Anwar, and L. O. Nur, “Humidity effect to the indonesia 5G channel model at 3.3 GHz,” in *2019 Symposium on Future Telecommunication Technologies (SOFTT)*, vol. 1, 2019, pp. 1–5.
- [15] M. L. Hakim, Sukiswo, and I. Santoso, “Analisis kinerja sistem MIMO-OFDM pada kanal rayleigh dan AWGN dengan modulasi QPSK,” *UNDIP E-Journal*, 2010.
- [16] S. Sun, G. R. MacCartney, and T. S. Rappaport, “A novel millimeter-wave channel simulator and applications for 5G wireless communications,” in *2017 IEEE International Conference on Communications (ICC)*, May 2017, pp. 1–7.
- [17] SAHA and Rony, “Power Delay Profile and channel classification in cellular mobile communications/ a handbook on cellular mobile communication laboratory a MATLAB-based approach,” KDDI Research, Tech. Rep., 2016.
- [18] D. MacKay, *Information Theory, Inference, and Learning Algorithms*. C.U.P, 2003, ch. 1.
- [19] A. Viterbi, “Error bounds for convolutional codes and an asymptotically optimum decoding algorithm,” *IEEE Transactions on Information Theory*, vol. 13, no. 2, pp. 260–269, 1967.
- [20] N. Chide, S. Deshmukh, and P. P. Borole, “Implementation of OFDM system using IFFT and FFT,” *International Journal of Engineering Research and Applications (IJERA)*, 2013.
- [21] M. Mirahmadi, A. Al-Dweik, and A. Shami, “BER reduction of OFDM based broadband communication systems over multipath channels with impulsive noise,” *Communications, IEEE Transactions on*, vol. 61, pp. 4602–4615, 11 2013.
- [22] N. Michailow, M. Matthé, I. S. Gaspar, A. N. Caldevilla, L. L. Mendes, A. Festag, and G. Fettweis, “Generalized frequency division multiplexing for 5th generation cellular networks,” *IEEE Transactions on Communications*, vol. 62, no. 9, pp. 3045–3061, Sep. 2014.

- [23] H. Nourollahi and S. Maghrebi, “Evaluation of cyclic prefix length in OFDM system based for rayleigh fading channels under different modulation schemes,” in *2017 IEEE Symposium on Computers and Communications (ISCC)*. Los Alamitos, CA, USA: IEEE Computer Society, jul 2017, pp. 164–169. [Online]. Available: <https://doi.ieeecomputersociety.org/10.1109/ISCC.2017.8024523>
- [24] P. Monsen, “MMSE equalization of interference on fading diversity channels,” *IEEE Transactions on Communications*, vol. 32, no. 1, pp. 5–12, 1984.
- [25] A. Ashikhmin, G. Kramer, and S. Brink, “Extrinsic information transfer functions: Model and erasure channel properties,” *Information Theory, IEEE Transactions on*, vol. 50, pp. 2657 – 2673, 12 2004.
- [26] S. Brink, “Designing iterative decoding schemes with the extrinsic information chart,” *AEU-Archiv fur Elektronik und Ubertragungstechnik*, vol. 54, 01 2000.
- [27] J. Hagenauer, “The EXIT chart - introduction to extrinsic information transfer in iterative processing,” in *2004 12th European Signal Processing Conference*, 2004, pp. 1541–1548.
- [28] S. ten Brink, “Convergence behavior of iteratively decoded parallel concatenated codes,” *IEEE Transactions on Communications*, vol. 49, no. 10, pp. 1727–1737, 2001.
- [29] S. A. Busari, K. Mohammed Saidul Huq, S. Mumtaz, L. Dai, and J. Rodriguez, “Millimeter-wave massive MIMO communication for future wireless systems: A survey,” *IEEE Communications Surveys and Tutorials*, vol. vol. 20, pp. 836–869, 12 2017.
- [30] R. Kieser, P. Reynisson, and T. J. Mulligan, “Definition of signal-to-noise ratio and its critical role in split-beam measurements,” *ICES Journal of Marine Science*, vol. 62, no. 1, pp. 123–130, 01 2005. [Online]. Available: <https://doi.org/10.1016/j.icesjms.2004.09.006>
- [31] *Simuation and Software Radio for Mobile Communcition.* Artech House, Inc.685 Canton St. Norwood, MA United States, 2002, ch. 3.
- [32] (2020) Tanjung priok weather forecast. [Online]. Available: <https://www.worldweatheronline.com/tanjung-priok-weather/jakarta-raya/id.aspx>

- [33] D. Zhao, A. Dauch, and T. Matsumoto, “Modulation doping for repetition coded BICM-ID with irregular degree allocation,” in *2009 International ITG Workshop on Smart Antennas*, February 2009, pp. 312–318.
- [34] A. Syukra, K. Anwar, and D. M. Saputri, “On the design of optimal soft demapper for 5G NR wireless communication systems,” in *The 10th Electrical Power, Electronics, Communications, Controls and Inforatics Seminar 2020*, 2020.