

REFERENCES

- [1] Ericsson, “Cellular iot in the 5g era,” *Ericsson Whitepaper*, February 2020.
- [2] Ericsson, “5g systems - enabling the transformation of industry and society,” *Ericsson Whitepaper*, January 2017.
- [3] Ericsson, “Cellular networks for massive iot,” *Ericsson Whitepaper*, January 2020.
- [4] ITU-R-M.2083-0, “IMT Vision – framework and overall objectives of the future development of IMT for 2020 and beyond,” *Recommendation ITU-R M Series*, vol. M.2083–0, Sept. 2015.
- [5] E. Paolini, C. Stefanovic, G. Liva, and P. Popovski, “Coded Random Access: How Coding Theory Helps to Build Random Access Protocols,” *IEEE Communications Magazine*, p. 9, 2014.
- [6] M. Dai, C. W. Sung, H. Wang, X. Gong, and Z. Lu, “A new zigzag-decodable code with efficient repair in wireless distributed storage,” *IEEE Transactions on Mobile Computing*, vol. 16, no. 5, pp. 1218–1230, 2017.
- [7] P. Vingelmann, M. Pedersen, F. Fitzek, and J. Heide, “Multimedia distribution using network coding on the iphone platform,” 01 2010.
- [8] T. Nozaki, “Zigzag decodable fountain codes,” *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, vol. E100A, no. 8, pp. 1693–1704, 2017.
- [9] B. Jun, P. Yang, J. No, and H. Park, “New fountain codes with improved intermediate recovery based on batched zigzag coding,” *IEEE Transactions on Communications*, vol. 65, no. 1, pp. 23–36, 2017.
- [10] K. Ni’amah, A. Ramatryana, and K. Anwar, “Coded Random Access Prioritizing Human Over Machines for Future IoT Networks,” in *TAFGEN*, 2018.
- [11] S. Larasati, A. Ramatryana, and K. Anwar, “High-rate Coded Random Access for Non-Orthogonal Multiple Access with Human,” in *TAFGEN*, 2018.

- [12] K. Anwar, "Decoding for wireless super-dense networks and its finite-length analysis for practical applications (invited paper)," in *IEEE International Symposium on Electronics and Smart Devices (ISESD)*, (Bandung, Indonesia), Nov. 2016.
- [13] J. Hagenauer, "The EXIT Chart - Introduction to Extrinsic Information Transfer in Iterative Processing," in *Signal Processing Conference, 2004 12th European*, 1541.
- [14] E. Baudin, "Raptor Codes for Super-Dense Networks," Master's thesis, KTH Electrical Engineering, 2013.
- [15] G. Liva, "Graph-based analysis and optimization of contention resolution diversity slotted ALOHA," *IEEE Trans. on Communications*, vol. 59, pp. 477–487, February 2011.
- [16] A. A. Purwita and K. Anwar, "Massive multiway relay networks applying coded random access," *IEEE Transaction on Communications*, pp. 1–12, 2016.
- [17] A. A. Purwita and K. Anwar, "Vehicular massive multiway relay networks applying graph-based random access," in *Vehicular Networking Conference (VNC), 2015 IEEE*, (Kyoto, Japan), pp. 227–234, Dec 2015.
- [18] K. Anwar, "High-dense multiway relay networks exploiting direct links as side information," in *IEEE International Conference on Communications (ICC) 2016*, (Kuala Lumpur, Malaysia), pp. 1–6, May 2016.
- [19] K. Anwar, "Graph-based decoding for high-dense vehicular multiway multirelay networks," in *IEEE Vehicular Technology (VTC)-Spring 2016*, (Nanjing, China), pp. 1–8, May 2016.
- [20] K. F. Firdaus, S. A. Wibowo, and K. Anwar, "Multiple access technique for iot networks serving prioritized emergency applications," in *2019 IEEE 89th Vehicular Technology Conference (VTC2019-Spring)*, pp. 1–5, 2019.