

DAFTAR PUSTAKA

- [1] Badan Pusat Statistik Indonesia, Statistik Kelapa Sawit Indonesia 2017. Jakarta: Badan Pusat Statistik, 2018.
- [2] Soewandita, Hasmana, “ Kajian Pengelolaan Air dan Produktivitas Sawit di Lahan Gambut”, in Jurnal Sains & Teknologi Modifikasi Cuaca, Vol.19, No.1, pp. 45-46, 2018.
- [3] Hamzah. Lies Maria, Awaluddin. Imam, Maimunah. Emi, Pengantar Statistika Ekonomi, Bandar Lampung, Anugrah Utama Raharja (AURA), 2016.
- [4] J. Petäjärvi, K. Mikhaylov, M. Pettissalo, J. Janhunen, and J. Iinatti, “Performance of a low-power wide-area network based on lora technology: Doppler robustness, scalability, and coverage,” *Int. J. Distrib. Sens. Networks*, vol. 13, no. 3, 2017.
- [5] “#1 LoRa | sistem komunikasi wireless jarak jauh dan berdaya rendah”. [Online]. Available: <https://medium.com/@yunusmuhammad007/1-lora-sistem-komunikasi-wireless-jarak-jauh-dan-berdaya-rendah-70dfc4d3c97d>. [Accessed: 27-July-2020].
- [6] T. Petrić, M. Goessens, L. Nuaymi, L. Toutain, and A. Pelov, “Measurements, performance and analysis of LoRa FABIAN, a real-world implementation of LPWAN,” *IEEE Int. Symp. Pers. Indoor Mob. Radio Commun. PIMRC*, pp. 1–7, 2016..
- [7] S. Sharma, D. Kumar, and K. Kishore, “International Journal of Computer Sciences Wireless Sensor Networks- A Review on Topologies and Node Architecture,” vol. 1, no. 2, pp. 19–25, 2013.
- [8] R. Vitria, “Komunikasi Data Serial Multipoint Menggunakan Teknik Rs485 Half Duplex,” *Poli Rekayasa*, vol. 3, no. Vol 3, No 2 (2008), pp. 67–73, 2008.
- [9] A. Tiyono, Sudjadi, and I. Setiawan, “Sistem Telekontrol Scada Dengan Fungsi Dasar Modbus Menggunakan Mikrokontroler AT89S51 Dan

- Komunikasi Serial RS485,” *Jur. Tek. Elektro Fak. Tek. Univ. Diponegoro*, vol. 1, no. 1, pp. 1–1, 2007. Komunikasi Serial RS485,” *Jur. Tek. Elektro Fak. Tek. Univ. Diponegoro*, vol. 1, no. 1, pp. 1–1, 2007.
- [10] R. Burnett, “Understanding How Ultrasonic Sensors Work,” MaxBotix Inc., 16-Sep-2019. [Online]. Available: <https://www.maxbotix.com/articles/how-ultrasonic-sensors-work.htm>. [Accessed: 26-Oct-2019].
- [11] D. Saputra and A. H. Masud, “Seminar Nasional Teknologi Informasi dan Komunikasi,” *Semin. Nas. Teknol. Inf. dan Komun.*, vol. 2014, no. Sentika, 2014.
- [12] Rizaldi, Satria Rifki, 2019. Monitoring Kualitas Air Sungai Citarum Berbasis Internet of Things Dengan Menggunakan Modul LoRa. 6.
- [13] Aakash, “What is Simplex Half-Duplex and Full-Duplex: Half vs Full-Duplex,” *Hindi Techy*, 18-Apr-2016. [Online]. Available: <http://www.hinditechy.com/what-is-simplex-half-duplex-and-fu/>. [Accessed: 29-Oct-2019].
- [14] X. D. Zeng, S. Chao, and F. Wong, “Optimization of bagging classifiers based on SBCB algorithm,” *2010 Int. Conf. Mach. Learn. Cybern. ICMLC 2010*, vol. 1, no. May, pp. 262–267, 2010.
- [15] Medium-density performance line ARM®-based 32-bit MCU with 64 or 128 KB Flash, USB, CAN, 7 timers, 2 ADCs, 9 com. Interfaces, STMicroelectronics, 2015.
- [16] XL-MaxSonar - WR/WRC Series, MaxBotix Inc. USA, 2005-2017.
- [17] E32-915T20D User Manual, Chengdu Ebyte Electronic Technology Co.,Ltd., Chengdu, Sichuan, China, 2012-2019.
- [18] R. V. Krejcie and D. W. Morgan, *Determining sample size for research activities*. Emmitsburg, MD: National Emergency Training Center, 1970.

- [19]R. Wulandari, “ANALISIS QoS (QUALITY OF SERVICE) PADA JARINGAN INTERNET (STUDI KASUS: UPT LOKA UJI TEKNIK PENAMBANGAN JAMPANG KULON – LIPI),” *J. Tek. Inform. dan Sist. Inf.*, vol. 2, no. 2, pp. 162–172, 2016.