Daftar Pustaka

[1] N. J. Mathers, N. J. Fox, and A. Hunn, Using interviews in a research project. NHS Executive, Trent, 1998.

[2] A. I. Huffcutt, J. M. Conway, P. L. Roth, and N. J. Stone, "Identification and meta-analytic assessment of psychological constructs measured in employment interviews." Journal of Applied Psychology, vol. 86, no. 5, p. 897, 2001.

[3] E. K. Shimomoto, L. S. Souza, B. B. Gatto, and K. Fukui, "Text classification based on word subspace with term-frequency," in 2018 International Joint Conference on Neural Networks (IJCNN). IEEE, 2018, pp. 1–8.

[4] K. Kowsari, K. Jafari Meimandi, M. Heidarysafa, S. Mendu, L. Barnes, and D. Brown, "Text classification algorithms: A survey," Information, vol. 10, no. 4, p. 150, 2019.

[5] R. Manikandan and R. Sivakumar, "Machine learning algorithms for text-documents classification: A review," Machine learning, vol. 3, no. 2, 2018.

[6] S. P. Shathi, M. D. Hossain, M. Nadim, S. G. R. Riayadh, and T. Sultana, "Enhancing performance of na¨ıve bayes in text classification by introducing an extra weight using less number of training examples," in 2016 International Workshop on Computational Intelligence (IWCI). IEEE, 2016, pp. 142–147.

[7] V. Bijalwan, V. Kumar, P. Kumari, and J. Pascual, "Knn based machine learning approach for text and document mining," International Journal of Database Theory and Application, vol. 7, no. 1, pp. 61–70, 2014.

[8] K. Chen, Z. Zhang, J. Long, and H. Zhang, "Turning from tf-idf to tf-igm for term weighting in text classification," Expert Systems with Applications, vol. 66, pp. 245–260, 2016.

[9] J. Lilleberg, Y. Zhu, and Y. Zhang, "Support vector machines and word2vec for text classification with semantic features," in 2015 IEEE 14th International Conference on Cognitive Informatics & Cognitive Computing (ICCI* CC). IEEE, 2015, pp. 136–140.

[10] V. Korde and C. N. Mahender, "Text classification and classifiers: A survey," International Journal of Artificial Intelligence & Applications, vol. 3, no. 2, p. 85, 2012.

[11] S. Marsland, Machine learning: an algorithmic perspective. CRC press, 2015.

[12] M. Allahyari, S. Pouriyeh, M. Assefi, S. Safaei, E. D. Trippe, J. B. Gutierrez, and K. Kochut, "A brief survey of text mining: Classification, clustering and extraction techniques," arXiv preprint arXiv:1707.02919, 2017.

[13] F. Celli and B. Lepri, "Is big five better than mbti? a personality computing challenge using twitter data." in CLiC-it, 2018.

[14] K. P. Kumar and M. L. Gavrilova, "Personality traits classification on twitter," in 2019 16th IEEE International Conference on Advanced Video and Signal Based Surveillance (AVSS). IEEE, 2019, pp. 1–8.

[15] V. Kharde, P. Sonawane et al., "Sentiment analysis of twitter data: a survey of techniques," arXiv preprint arXiv:1601.06971, 2016.

[16] B. Pang, L. Lee, and S. Vaithyanathan, "Thumbs up?: sentiment classification using machine learning techniques," in Proceedings of the ACL-02 conference on Empirical methods in natural language processing-Volume 10. Association for Computational Linguistics, 2002, pp. 79–86.

[17] J. Hu, S. Li, Y. Yao, L. Yu, G. Yang, and J. Hu, "Patent keyword extraction algorithm based on distributed representation for patent classification," Entropy, vol. 20, no. 2, p. 104, 2018.

[18] A. McCallum, K. Nigam et al., "A comparison of event models for naive bayes text classification," in AAAI-98 workshop on learning for text categorization, vol. 752, no. 1. Citeseer, 1998, pp. 41–48.

[19] M. Sokolova and G. Lapalme, "A systematic analysis of performance measures for classification tasks," Information processing & management, vol. 45, no. 4, pp. 427–437, 2009.