

## References

- [1] A. Anton. Romanian biometric word list for public key fingerprint validation. In2018 IEEE 12th International Symposium on Applied Computational Intelligence and Informatics (SACI), pages 000143–000148.IEEE, 2018.
- [2] K. Balabaeva, A. Funkner, and S. Kovalchuk. Automated spelling correction for clinical text mining inrussian.arXiv preprint arXiv:2004.04987, 2020.
- [3] C. Blum and M. J. Blesa. Hybrid techniques based on solving reduced problem instances for a longestcommon subsequence problem.Applied Soft Computing, 62:15–28, 2018.
- [4] G. R. Bunt.iMuslims: Rewiring the house of Islam. Univ of North Carolina Press, 2009.
- [5] M. Castelli, R. Dondi, G. Mauri, and I. Zoppis. Comparing incomplete sequences via longest commonsubsequence.Theoretical Computer Science, 796:272–285, 2019.
- [6] V. M. Christanti, D. S. Naga, et al. Fast and accurate spelling correction using trie and dameraulevenshteindistance bigram.TELKOMNIKA, 16(2):827–833, 2018.
- [7] R. Gabrys, E. Yaakobi, and O. Milenkovic. Codes in the damerau distance for deletion and adjacent transposition correction.IEEE Transactions on Information Theory, 64(4):2550–2570, 2017.
- [8] B. C. Gencosman, H. C. Ozmutlu, and S. Ozmutlu. Character n-gram application for automatic new topicidentification.Information Processing & Management, 50(6):821–856, 2014.
- [9] M. M. Hamzah. Peran dan pengaruh fatwa mui dalam arus transformasi sosial budaya di indonesia.Millah:Jurnal Studi Agama, 1(1):127–154, 2017.
- [10] M. M. Hossain, M. F. Labib, A. S. Rifat, A. K. Das, and M. Mukta. Auto-correction of english to bengalitransliteration system using levenshtein distance. In2019 7th International Conference on Smart Computing& Communications (ICSCC), pages 1–5. IEEE, 2019.
- [11] I. Humaini, T. Yusnitasari, L. Wulandari, D. Ikasari, and H. Dutt. Informatian retrieval of indonesian transla-ted version of al quran and hadith bukhori muslim. In2018 International Conference on Sustainable Energy,Electronics, and Computing Systems (SEEMS), pages 1–5. IEEE, 2018.
- [12] M. R. Islam, C. K. Saifullah, Z. T. Asha, and R. Ahamed. Chemical reaction optimization for solving longestcommon subsequence problem for multiple string.Soft Computing, 23(14):5485–5509, 2019.
- [13] M. A. Istiadi. Sistem pencarian ayat al-qur'an berbasis kemiripan fonetis, 2012.
- [14] G. Kawade, S. Sahu, S. Upadhye, N. Korde, and M. Motghare. An analysis on computation of longest com-mon subsequence algorithm. In2017 International Conference on Intelligent Sustainable Systems (ICISS),pages 982–987. IEEE, 2017.
- [15] R. Khan, M. Ahmad, and M. Zakarya. Longest common subsequence based algorithm for measuring simila-riaty between time series: a new approach.World Applied Sciences Journal, 24(9):1192–1198, 2013.
- [16] J. Kysela. A comparison of text string similarity algorithms for poi name harmonisation. InInternationalConference on Articulated Motion and Deformable Objects, pages 121–130. Springer, 2018.
- [17] T. N. Maghfira, I. Cholissodin, and A. W. Widodo. Deteksi kesalahan ejaan dan penentuan rekomendasikoreksi kata yang tepat pada dokumen jurnal jtiik menggunakan dictionary lookup dan dameraulevenshteindistance.Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer e-ISSN, 2548:964X, 2017.
- [18] P. N'ather. N-gram based text categorization.Lomonosov Moscow State Univ, 2005.
- [19] N. Nizamkari. Mining typos in text. In2016 IEEE 7th Annual Ubiquitous Computing, Electronics & MobileCommunication Conference (UEMCON), pages 1–2. IEEE, 2016.
- [20] A. Nwesri. Effective retrieval techniques for arabic text. 2008.
- [21] J. B. Pardeshi and B. Nandwalkar. Survey on rule based phonetic search for slavic surnames.J. Comput.Technol. Appl, 7(1):65–68, 2016.
- [22] S. J. Putra, M. N. Gunawan, and A. Suryatno. Tokenization and n-gram for indexing indonesian translation ofthe quran. In2018 6th International Conference on Information and Communication Technology (ICoICT),pages 158–161. IEEE, 2018.
- [23] A. Samuelsson. Weighting edit distance to improve spelling correction in music entity search, 2017.
- [24] W. Satriady, M. A. Bijaksana, and K. M. Lhaksmana. Quranic latin query correction as a search suggestion.Procedia Computer Science, 157:183–190, 2019.
- [25] K. Srinivasa and B. S. Devi. Gpu based n-gram string matching algorithm with score table approach forstring searching in many documents.Journal of The Institution of Engineers (India): Series B, 98(5):467–476, 2017.
- [26] S. Thaiprayoon, A. Kongthon, and C. Haruechaiyasak. Thaiqcor 2.0: Thai query correction via soundex andword approximation. In2018 5th International Conference on Advanced Informatics: Concept Theory andApplications (ICAICTA), pages 113–117. IEEE, 2018.

- [27] J.-F. Yeh, L.-T. Chang, C.-Y. Liu, and T.-W. Hsu. Chinese spelling check based on n-gram and string matching algorithm. InProceedings of the 4th Workshop on Natural Language Processing Techniques for Educational Applications (NLPTEA 2017), pages 35–38, 2017.
- [28] C. Zhao and S. Sahni. Efficient computation of the damerau-levenshtein distance between biological sequences. In2017 IEEE 7th International Conference on Computational Advances in Bio and Medical Sciences(ICCABS), pages 1–1. IEEE, 2017.