

## DAFTAR PUSTAKA

- [1] R. J. F. Da Silva, A. J. B. Dutra, and J. C. Afonso, “Alkali fusion followed by a two-step leaching of a Brazilian zircon concentrate,” *Hydrometallurgy*, vol. 117–118, pp. 93–100, 2012, doi: 10.1016/j.hydromet.2012.02.011.
- [2] R. C. Newton, C. E. Manning, J. M. Hanchar, and C. V. Colasanti, “Free energy of formation of zircon based on solubility measurements at high temperature and pressure,” *Am. Mineral.*, vol. 95, no. 1, pp. 52–58, 2010, doi: 10.2138/am.2010.3213.
- [3] Musyarofah, N. D. Lestari, R. Nurlaila, N. F. Muwwaqor, Triwikantoro, and S. Pratapa, “Synthesis of high-purity zircon, zirconia, and silica nanopowders from local zircon sand,” *Ceram. Int.*, vol. 45, no. 6, pp. 6639–6647, 2019, doi: 10.1016/j.ceramint.2018.12.152.
- [4] C. Yamagata, J. B. Andrade, V. Ussui, N. B. Lima, and J. O. A. Paschoal, “High purity zirconia and silica powders via wet process: Alkali fusion of zircon sand,” *Mater. Sci. Forum*, vol. 591–593, pp. 771–776, 2008, doi: 10.4028/www.scientific.net/msf.591-593.771.
- [5] R. Liu, J. Qu, J. Song, T. Qi, and A. Du, “Analysis of water leaching and transition processes in zirconium oxychloride octahydrate production,” *Ceram. Int.*, vol. 40, no. 1 PART B, pp. 1431–1438, 2014, doi: 10.1016/j.ceramint.2013.07.026.
- [6] N. Darsono, T. E. Agustina, N. E. Aristian, and Y. Pratama, “Pengaruh Jumlah Triton X-100, Suhu, dan Waktu Tahan Kalsinasi Terhadap Sintesis Powder Zirkonia dan Aplikasinya dalam Mendegradasi Metil Orange,” *J. Tek. Kim.*, vol. 23, no. 2, pp. 87–94, 2017.
- [7] D. G. Syarif, *Nanopartikel dan Nanofluida Perpindahan Panas*. Jakarta: BATAN Press, 2016.
- [8] Dani Gustaman Syarif and Djoko Hadi Prajitno, “Characteristics of Water-ZrO<sub>2</sub> Nanofluid Made from Solgel Synthesized ZrO<sub>2</sub> Nanoparticle Utilizing

Local Zircon,” *J. Mater. Sci. Eng. B*, vol. 3, no. 2, 2013, doi: 10.17265/2161-6221/2013.02.007.

- [9] F. Ordóñez, F. Chejne, E. Pabón, and K. Cacua, “Synthesis of ZrO<sub>2</sub> nanoparticles and effect of surfactant on dispersion and stability,” *Ceram. Int.*, vol. 46, no. 8, pp. 11970–11977, Jun. 2020, doi: 10.1016/j.ceramint.2020.01.236.
- [10] Ardiansyah, “Ekstraksi Zirconia dari Pasir Zircon dengan Metode Mechanical Activation,” Universitas Islam Negeri Syarif Hidayatullah, Jakarta, 2011.
- [11] P. Pan *et al.*, “One-step synthesis of ZrO<sub>2</sub> nanopowders dispersed with graphene by ball milling,” *Ceram. Int.*, vol. 46, no. 16, pp. 24799–24804, Nov. 2020, doi: 10.1016/j.ceramint.2020.04.172.
- [12] C. V. Reddy, B. Babu, I. N. Reddy, and J. Shim, “Synthesis and characterization of pure tetragonal ZrO<sub>2</sub> nanoparticles with enhanced photocatalytic activity,” *Ceram. Int.*, vol. 44, no. 6, pp. 6940–6948, Apr. 2018, doi: 10.1016/j.ceramint.2018.01.123.
- [13] Y. Zhao, Y. Zhang, J. Li, and X. Du, “Solvothermal synthesis of visible-light-active N-modified ZrO<sub>2</sub> nanoparticles,” *Mater. Lett.*, vol. 130, pp. 139–142, Sep. 2014, doi: 10.1016/j.matlet.2014.05.093.
- [14] C. Tallón, R. Moreno, and M. I. Nieto, “Synthesis of ZrO<sub>2</sub> Nanoparticles by Freeze Drying,” *Int. J. Appl. Ceram. Technol.*, vol. 6, no. 2, pp. 324–334, Mar. 2009, doi: 10.1111/j.1744-7402.2008.02279.x.
- [15] X. Han *et al.*, “Co-precipitated synthesis of Al<sub>2</sub>O<sub>3</sub>–ZrO<sub>2</sub> composite ceramic nanopowders by precipitant and drying method regulation: A systematic study,” *Ceram. Int.*, vol. 41, no. 1, pp. 505–513, Jan. 2015, doi: 10.1016/j.ceramint.2014.08.098.
- [16] S. Anu Mary Ealia and M. P. Saravanakumar, “A review on the classification, characterisation, synthesis of nanoparticles and their application,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 263, p. 032019, Nov.

2017, doi: 10.1088/1757-899X/263/3/032019.

- [17] I. S. Hardyanti, I. Nurani, D. S. Hardjono HP, E. Apriliani, and E. A. P. Wibowo, “Pemanfaatan Silika ( $\text{SiO}_2$ ) dan Bentonit sebagai Adsorben Logam Berat Fe pada Limbah Batik,” *JST (Jurnal Sains Ter.,*, vol. 3, no. 2, 2017, doi: 10.32487/jst.v3i2.257.
- [18] A. D. C. Putri, “Sintesis Dan Karakterisasi Serbuk Zrsio4 Dengan Metode Sol-Gel,” Surabaya, 2017.
- [19] P. Manivasakan, V. Rajendran, P. Ranjan Rauta, B. Bandhu Sahu, and B. Krushna Panda, “Synthesis of monoclinic and cubic  $\text{ZrO}_2$  nanoparticles from zircon,” *J. Am. Ceram. Soc.,* vol. 94, no. 5, pp. 1410–1420, 2011, doi: 10.1111/j.1551-2916.2010.04277.x.
- [20] E. K. Goharshadi and M. Hadadian, “Effect of calcination temperature on structural, vibrational, optical, and rheological properties of zirconia nanoparticles,” *Ceram. Int.,* vol. 38, no. 3, pp. 1771–1777, Apr. 2012, doi: 10.1016/j.ceramint.2011.09.063.
- [21] A. S. Keiteb, E. Saion, A. Zakaria, and N. Soltani, “Structural and Optical Properties of Zirconia Nanoparticles by Thermal Treatment Synthesis,” *J. Nanomater.,* vol. 2016, pp. 1–6, 2016, doi: 10.1155/2016/1913609.
- [22] M. Alfiyan, “Pengawasan zirkon di indonesia,” in *Prosiding Seminar Nasional Teknologi Pengelolaan Limbah XIV,* 2013, pp. 145–150.
- [23] T. Kittiauchawal, A. Mungchamnankit, S. Sujinnapram, J. Kaewkhao, and P. Limsuwan, “The Effect of Heat Treatment on Crystal Structure in Zircon Monitored by ESR and XRD,” *Procedia Eng.,* vol. 32, pp. 706–713, 2012, doi: 10.1016/j.proeng.2012.02.001.
- [24] A. Nuryadin, “Sintesis  $\text{ZrO}_2$  dari Pasir Zirkon Alam Kereng Pangi Dengan Metode Alkali Fusion-Kopresipitasi,” Institut Teknologi Sepuluh Nopember, 2015.
- [25] B. Tyagi, K. Sidhpuria, B. Shaik, and R. V. Jasra, “Synthesis of nanocrystalline zirconia using sol-gel and precipitation techniques,” *Ind.*

*Eng. Chem. Res.*, vol. 45, no. 25, pp. 8643–8650, 2006, doi: 10.1021/ie060519p.

- [26] P. Setyani, “Sintesis dan Karakterisasi Zirkonia ( $\text{ZrO}_2$ ) dari Pasir Zirkon Belitung Sebagai Keramik,” Semarang, 2016.
- [27] I. Permadani, D. A. Phasa, A. W. Pratiwi, and F. Rahmawati, “The composite of  $\text{ZrO}_2\text{-TiO}_2$  produced from local zircon sand used as a photocatalyst for the degradation of methylene blue in a single batik dye wastewater,” *Bull. Chem. React. Eng. Catal.*, vol. 11, no. 2, pp. 133–139, 2016, doi: 10.9767/bcrec.11.2.539.133-139.
- [28] L. Pawłowski and P. Blanchart, *Industrial Chemistry of Oxides for Emerging Applications*. Chichester, UK: John Wiley & Sons Ltd, 2018.
- [29] D. G. Syarief, “Characteristics of Water- $\text{ZrO}_2$  Nanofluids with Different pH Utilizing Local  $\text{ZrO}_2$  Nanoparticle Prepared by Precipitation Method,” *Adv. Mater. Res.*, vol. 896, pp. 163–167, Feb. 2014, doi: 10.4028/www.scientific.net/AMR.896.163.
- [30] A. Hardian, F. I. Hasnah, D. G. Syarif, and S. Budiman, “Sintesis dan Karakterisasi Nanopartikel  $\text{ZrO}_2$  dengan Metode Sol-Gel Menggunakan Amilum Sebagai Capping Agent Untuk Aplikasi Nanofluida,” in *Seminar Nasional Sains dan Teknologi Nuklir 2017*, 2017, pp. 338–344.
- [31] C. F. K. Murti, H. Aldila, Endarko, and Triwikantoro, “Particle Size Analysis of the Synthesised  $\text{ZrO}_2$  from Natural Zircon Sand with Variation of pH Deposition Using Alkali Fusion-Coprecipitation Method,” *Mater. Sci. Forum*, vol. 966, pp. 89–94, Aug. 2019, doi: 10.4028/www.scientific.net/MSF.966.89.
- [32] H. Mikulčić *et al.*, “Numerical modelling of calcination reaction mechanism for cement production,” *Chem. Eng. Sci.*, vol. 69, no. 1, pp. 607–615, 2012, doi: 10.1016/j.ces.2011.11.024.
- [33] G. L. Messing, “Calcination and Phase Transformations,” *Encycl. Mater. Sci. Technol.*, pp. 887–892, 2001, doi: 10.1016/b0-08-043152-6/00169-8.

- [34] A. A. Bunaciu, E. gabriela Udriștioiu, and H. Y. Aboul-Enein, “X-Ray Diffraction: Instrumentation and Applications,” *Crit. Rev. Anal. Chem.*, vol. 45, no. 4, pp. 289–299, 2015, doi: 10.1080/10408347.2014.949616.
- [35] Masruroh, A. B. Manggara, T. Lapailaka, and R. Triandi, “Penentuan ukuran Kristal (crystallite size) lapisan tipis PZT dengan metode XRD melalui pendekatan persamaan Debye Scherrer,” *Erud. J. Educ. Innov.*, vol. 1, no. 2, pp. 24–29, 2013, doi: 10.18551/erudio.1-2.4.
- [36] M. Ismettulloh, F. Gumelar, N. Nuryoto, and T. Kurniawan, “Modifikasi Zeolit Alam Bayah Menggunakan Asam dan Pengaplikasiannya dalam Pengurangan Amonium pada Kolam Ikan Bandeng,” *J. Integr. PROSES*, vol. 8, no. 1, p. 07, Jun. 2019, doi: 10.36055/jip.v8i1.5506.
- [37] Committee Japanese Pharmacopoeia, “Specific Surface Area Determination,” in *The Japanese Pharmacopoeia Fourteenth Edition*, Interpharm Press, 2001, pp. 86–87.
- [38] V. G. Deshmane and Y. G. Adewuyi, “Synthesis of thermally stable, high surface area, nanocrystalline mesoporous tetragonal zirconium dioxide ( $ZrO_2$ ): Effects of different process parameters,” *Microporous Mesoporous Mater.*, vol. 148, no. 1, pp. 88–100, 2012, doi: 10.1016/j.micromeso.2011.07.012.
- [39] K. D. Pennell, *Specific Surface Area*, no. November 2015. Elsevier Inc., 2016.
- [40] I. Syauqiah, M. Amalia, and H. A. Kartini, “Analisis Variasi Waktu dan Kecepatan Pengaduk pada Proses Adsorpsi Limbah Logam Berat dengan Arang Aktif,” *INFO Tek.*, vol. 12, no. 1, pp. 11–20, 2011.
- [41] P. Primandini, A. N. Hasanah, W. A. A., E. Budianto, and Sudirman, “Pengaruh Suhu Kalsinasi terhadap Kemampuan Adsorpsi Toksin pada Kaolin untuk Penyakit Diare,” *J. Sains Mater. Indones.*, vol. 13, no. 3, pp. 230–235, 2012.
- [42] A. Putranto and S. Angelina, “Pemodelan Perpindahan Massa Adsorpsi Zat

Warna pada Florisil dan Silica Gel dengan Homogeneous and Heterogeneous Surface Diffusion Model,” 2014.

- [43] Paryanto, M. F. Arsyad, and M. F. I. Aji, “Penentuan Nilai Kesetimbangan Adsorbsi Zat Warna Alami Kulit Mahoni ke dalam Kain dengan Proses Batch,” *Inov. Tek. Kim.*, vol. 3, no. 2, pp. 1–7, 2018.
- [44] M. Handayani, “Uji Persamaan Langmuir dan Freundlich pada Penyerapan Limbah Chrom (VI) oleh Zeolit,” in *Prosiding Seminar Nasional Sains dan Teknologi Nuklir*, 2009, pp. 130–136.
- [45] J. Pang, F. Fu, Z. Ding, J. Lu, N. Li, and B. Tang, “Adsorption behaviors of methylene blue from aqueous solution on mesoporous birnessite,” *J. Taiwan Inst. Chem. Eng.*, vol. 77, pp. 168–176, 2017, doi: 10.1016/j.jtice.2017.04.041.
- [46] E. Wibowo, M. Rokhmat, Sutisna, Khairurrijal, and M. Abdullah, “Reduction of seawater salinity by natural zeolite (Clinoptilolite): Adsorption isotherms, thermodynamics and kinetics,” *Desalination*, vol. 409, pp. 146–156, May 2017, doi: 10.1016/j.desal.2017.01.026.
- [47] E. Mikrianto, R. Yunus, G. Wahyuliani, N. Qomariah, and R. Amin, “Ekstraksi Zirkon (ZrO<sub>2</sub>) Dari Pasir Zirkon Katingan Sebagai Prekursor Sintesis Oksida Pirovskit SrZrO<sub>3</sub>,” *Pros. Seinar Nas. Lingkung. Lahan Basah*, vol. 3, no. April, pp. 321–327, 2018.
- [48] D. Sudjoko and T. Triyono, “Peningkatan Kualitas Zirkonia Hasil Olah Pasir Zirkon,” *GANENDRA Maj. IPTEK Nukl.*, vol. 11, no. 1, pp. 11–16, 2008, doi: 10.17146/gnd.2008.11.1.134.
- [49] A. Kurniawan, M. Nizar, M. Rijal, R. Bagas, and W. Setyarsih, “Studi Pengaruh Variasi Suhu Kalsinasi terhadap Kekerasan Bentuk Morfologi, dan Analisis Porositas Nanokomposit Cao/Sio<sub>2</sub> untuk Aplikasi Bahan Biomaterial,” *J. Pendidik. Fis. dan Apl.*, vol. 4, no. 2, pp. 22–26, 2014.
- [50] Thermo Spectronic, “Basic UV-Vis Theory, Concepts and Applications Basic UV-Vis Theory, Concepts and Applications,” 2001.

- [51] Y. Su, H. Cui, Q. Li, S. Gao, and J. K. Shang, “Strong adsorption of phosphate by amorphous zirconium oxide nanoparticles,” *Water Res.*, vol. 47, no. 14, pp. 5018–5026, 2013, doi: 10.1016/j.watres.2013.05.044.
- [52] X. Chen, “Modeling of Experimental Adsorption Isotherm Data,” *Information*, vol. 6, no. 1, pp. 14–22, Jan. 2015, doi: 10.3390/info6010014.