

## DAFTAR PUSTAKA

- [1] U. S. Zulpratita, “Kunci teknologi 5g,” *Jurnal Ilmiah Teknologi Informasi Terapan*, vol. IV, no. 2, pp. 166–173, 2018.
- [2] Y. Huang, Y. Li, H. Ren, J. Lu, and W. Zhang, “Multi-Panel MIMO in 5G,” *IEEE Communications Magazine*, vol. 56, no. 3, pp. 56–61, 2018.
- [3] F. Hu, B. Chen, and K. U. N. Zhu, “Full Spectrum Sharing in Cognitive Radio Networks Toward 5G : A Survey,” *IEEE Access*, vol. 6, pp. 15 754–15 776, 2018.
- [4] Qualcomm, “Spectrum for 4G and 5G,” Qualcomm Technology, Tech. Rep., 2017.
- [5] Kementerian komunikasi dan informatika republik indonesia. [Online]. Available: [https://www.kominfo.go.id/content/detail/26008/lewat-live-instagram-menkominfo-jelaskan-opsi-frekuensi-5g/0/berita\\_satker](https://www.kominfo.go.id/content/detail/26008/lewat-live-instagram-menkominfo-jelaskan-opsi-frekuensi-5g/0/berita_satker)
- [6] C. A. Balanis, *Antenna Theory Third Edition Analysis And Design*, 2005.
- [7] M. M. Khan, A. K. M. M. Alam, and R. H. Ashique, “A Comparative Study of Rectangular and Circular Microstrip Fed Patch Antenna at 2.45 GHz,” *International Journal of Scientific & Engineering Research*, Volume 5, Issue 10, vol. 5, no. 10, pp. 1028–1032, 2014.
- [8] A. K. Shrivastava, R. Mishra, R. G. Mishra, and R. Bharti, “Effect of Microstrip Line Dimensions on Bandwidth Enhancement of a Regular Microstrip Antenna,” *3rd International Conference and Workshops on Recent Advances and Innovations in Engineering, ICRAIE 2018*, vol. 2018, no. November, pp. 1–4, 2018.

- [9] G. Manjunath, Naseeruddin, and K. M. Sadyojatha, "Design and analysis of circular MPA using multi-layer substrate sandwich for bandwidth enhancement," *2017 International Conference on Information Communication and Embedded Systems, ICICES 2017*, no. Icices, pp. 1–4, 2017.
- [10] A. D, "Analisis Efisiensi Antena Dipole Ditinjau dari Penggunaan Bahan Reflektor."
- [11] R. Anshari, "Analisis antena mikrostrip mimo 88 dengan patch berbentuk segitiga pada frekuensi 15 ghz," pp. 3–10.
- [12] D. Akbar, R. P. Astuti, and B. S. Nugroho, "PERANCANGAN DAN ANALISIS MIMO MIKROSTRIP PATCH RECTANGULAR DUAL BAND ( 6 GHz DAN 28 GHz) UNTUK KOMUNIKASI INDOOR," *TEKTRIKA - Jurnal Penelitian dan Pengembangan Telekomunikasi, Kendali, Komputer, Elektrik, dan Elektronika*, vol. 3, no. 1, p. 23, 2019.
- [13] S. Suyama, J. Mashino, Y. Kishiyama, and Y. Okumura, "5G multi-antenna technology and experimental trials," *2016 IEEE International Conference on Communication Systems, ICCS 2016*, no. 1, 2017.
- [14] J. G. Andrews, S. Buzzi, W. Choi, S. V. Hanly, A. Lozano, A. C. Soong, and J. C. Zhang, "What will 5G be?" *IEEE Journal on Selected Areas in Communications*, vol. 32, no. 6, pp. 1065–1082, 2014.
- [15] E. Mohyeldin, "Minimum Technical Performance Requirements for IMT-2020 radio interface(s)," p. 12, 2016. [Online]. Available: <https://www.itu.int/en/ITU-R/study-groups/rsg5/rwp5d/imt-2020/Documents/S01-1{-}RequirementsforIMT-2020{-}Rev.pdf>
- [16] P. Eskelinen, *Introduction to RF Equipment and System Design*. London: Artech House, 2004.

- [17] N. Ya'acob, J. Johari, M. Zolkapli, A. L. Yusof, S. S. Sarnin, and N. F. Naim, "Link budget calculator system for satellite communication," *2017 International Conference on Electrical, Electronics and System Engineering, ICEESE 2017*, vol. 2018-January, pp. 115–119, 2018.
- [18] R. Freeman, "Radio system design for telecommunications: Third edition," *Radio System Design for Telecommunications: Third Edition*, pp. 1–880, 03 2006.
- [19] R. P. Astuti, "Space-Time Channel Model," 2020.
- [20] J. W. . Sons, *Evolution to LTE-Advanced: Second Edition*, 2011.