

# CONTENTS

<b>APPROVAL</b>	<b>ii</b>
<b>SELF DECLARATION AGAINST PLAGIARISM</b>	<b>iii</b>
<b>ABSTRACT</b>	<b>iv</b>
<b>ABSTRAK</b>	<b>v</b>
<b>ACKNOWLEDGEMENT</b>	<b>vi</b>
<b>PREFACE</b>	<b>vii</b>
<b>CONTENTS</b>	<b>viii</b>
<b>LIST OF TABLES</b>	<b>x</b>
<b>LIST OF FIGURES</b>	<b>xi</b>
<b>1 INTRODUCTION</b>	<b>1</b>
1.1 OBJECTIVE . . . . .	2
1.2 IDENTIFICATION OF PROBLEMS . . . . .	2
1.3 SCOPE OF WORK . . . . .	2
1.4 RESEARCH METHOD . . . . .	3
1.5 HYPOTHESIS . . . . .	3
<b>2 LITERATURE REVIEW</b>	<b>4</b>
2.1 Internet of Things (IoT) . . . . .	4
2.1.1 Internet of Everything . . . . .	4
2.1.2 Internet of Things (IoT) Model . . . . .	5
2.2 Wireless Fidelity (WiFi) . . . . .	6
2.2.1 Open Systems Interconnect (OSI) Network Model . . . . .	6
2.2.2 WiFi Basic Components . . . . .	8
2.2.3 Infrastructure Mode . . . . .	9
2.2.4 IEEE 802.11a/b/g/n Standards . . . . .	10
2.2.5 Low Power Wide Area (LPWA) . . . . .	11
2.2.6 Short Range Connectivity Technologies . . . . .	12
2.2.7 Unlicensed LPWA . . . . .	13

2.3	IEEE 802.11ah . . . . .	14
2.3.1	IEEE 802.11ah MAC Layer . . . . .	15
2.3.2	Fast Authentication dan Association . . . . .	16
2.3.3	Restricted Access Window (RAW) . . . . .	16
2.3.4	Power Saving Mechanism . . . . .	17
2.3.5	IEEE 802.11ah PHY Layer . . . . .	18
2.4	Cost-Benefit Analysis (CBA) . . . . .	19
<b>3</b>	<b>METHODOLOGY</b>	<b>22</b>
3.1	Study Flowchart . . . . .	22
3.2	Data Calculation . . . . .	23
3.2.1	IEEE 802.11ah Requirements . . . . .	23
3.2.2	Density of Connected Devices . . . . .	27
3.2.3	Defined Scenario . . . . .	27
3.2.4	Network Planning . . . . .	28
3.2.5	Network Dimensioning . . . . .	28
3.3	Cost-Benefit Analysis (CBA) . . . . .	29
<b>4</b>	<b>TECHNO-ECONOMIC ANALYSIS</b>	<b>30</b>
4.1	Technical Aspects . . . . .	30
4.1.1	Coverage Planning Analysis . . . . .	30
4.1.2	Capacity Planning Analysis . . . . .	43
4.1.3	Projected Customer Growth . . . . .	50
4.2	Economic Aspects . . . . .	51
4.2.1	Business Model . . . . .	51
4.2.2	Capex and Opex . . . . .	54
4.2.3	Investment Feasibility Analysis . . . . .	56
<b>5</b>	<b>CONCLUSION AND RECOMMENDATIONS</b>	<b>63</b>
5.1	Conclusions . . . . .	63
5.2	Recommendations . . . . .	64
	<b>BIBLIOGRAPHY</b>	<b>65</b>

## LIST OF TABLES

2.1	OSI Layer Model . . . . .	7
2.2	Basic PHY Parameters from 802.11ah [22] . . . . .	18
2.3	IEEE 802.11ah Spectrum Target [22] . . . . .	19
3.1	Advantages of the Standard Sub 1 GHz WiFi System [14] . . . . .	23
3.2	Value Proposition from the IEEE 802.11ah Standard [42] . . . . .	24
3.3	Project and Usage of the IEEE 802.11ah Standard . . . . .	25
3.4	Examples of Potential 802.11ah Devices . . . . .	26
3.5	Coverage Planning Scenarios . . . . .	28
3.6	Cost and Benefits Overview on Implementation of IEEE 802.11ah . . . . .	29
4.1	Simulation Parameters . . . . .	31
4.2	Rx Sensitivity at 2 Mhz Channel Bandwidth [22] . . . . .	31
4.3	Smart Meter Technical Requirements [28] . . . . .	45
4.4	Capacity Parameter . . . . .	46
4.5	Data Rates at 2 Mhz Channel Bandwidth . . . . .	46
4.6	Projected Customer Growth for 10 Years Implementation with Increase 6% . . . . .	50
4.7	Capex on the IEEE 802.11ah Standard IoT Network Installation Cost of AP implementation . . . . .	54
4.8	Opex cost per site on the implementation of the IEEE 802.11ah standard network . . . . .	55
4.9	Opex on the IEEE 802.11ah standard network implementation . . . . .	55
4.10	Revenue on the implementation of the IEEE 802.11ah standard network (user increase 6% per year) . . . . .	56
4.11	NPV calculation on the IEEE 802.11ah standard network implementation . . . . .	57
4.12	Sensitivity analysis scenario for opex and customer . . . . .	59
4.13	Sensitivity analysis scenario for capex . . . . .	59
4.14	NPV and IRR results from several scenarios . . . . .	62