

## DAFTAR PUSTAKA

- [1] M. Gong, L. Zhang, and P. Wan, "Polymer nanocomposite meshes for flexible electronic devices," *Prog. Polym. Sci.*, vol. 107, p. 101279, 2020, doi: 10.1016/j.progpolymsci.2020.101279.
- [2] Z. Bao and X. Chen, "Flexible and Stretchable Devices," *Adv. Mater.*, vol. 28, no. 22, pp. 4177–4179, 2016, doi: 10.1002/adma.201601422.
- [3] S. P. Thomas, S. P. Thomas, R. Stephen, S. Bandyopadhyay, and S. Thomas, "Polymer nanocomposites : Preparation properties and applications," no. January, 2007.
- [4] M. Aslam, M. A. Kalyar, and Z. A. Raza, "Polyvinyl alcohol: A review of research status and use of polyvinyl alcohol based nanocomposites," *Polym. Eng. Sci.*, vol. 58, no. 12, pp. 2119–2132, 2018, doi: 10.1002/pen.24855.
- [5] S. Choudhary, "Dielectric dispersion and relaxations in (PVA–PEO)–ZnO polymer nanocomposites," *Phys. B Phys. Condens. Matter*, 2017, doi: 10.1016/j.physb.2017.07.066.
- [6] V. Viswanath, S. S. Nair, G. Subodh, and C. I. Muneera, "Zinc oxide encapsulated poly (vinyl alcohol) nanocomposite films as an efficient third-order nonlinear optical material: Structure, microstructure, emission and intense low threshold optical limiting properties," *Mater. Res. Bull.*, vol. 112, pp. 281–291, 2019, doi: 10.1016/j.materresbull.2018.12.022.
- [7] R. Qin, L. Hao, Y. Liu, and Y. Zhang, "Polyaniline-ZnO Hybrid Nanocomposites with Enhanced Photocatalytic and Electrochemical Performance," *ChemistrySelect*, vol. 3, no. 23, pp. 6286–6293, 2018, doi: 10.1002/slct.201800246.
- [8] D. Thomas *et al.*, "Highly selective gas sensors from photo-activated ZnO/PANI thin films synthesized by mSILAR," *Synth. Met.*, vol. 232, no. August, pp. 123–130, 2017, doi: 10.1016/j.synthmet.2017.08.006.

- [9] D. K. Thbayh, R. A. Talib, and K. M. Ziadani, "The effect of polyaniline addition on ZnO for the fabrication of high performance photodetection," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 757, no. 1, 2020, doi: 10.1088/1757-899X/757/1/012074.
- [10] Y. Guan *et al.*, "Flexible ZnO/PANI/nonwoven Nanocomposite Based High-sensitive NH<sub>3</sub> Gas Sensor via Vapor Phase Polymerization Method," *Mater. Sci. Energy Technol.*, 2020, doi: 10.1016/j.mset.2020.10.011.
- [11] M. Faraz Ahmer and S. Hameed, "Studies on the Electrical Conductivity Measurement of Organic/Organic Composite Polyvinyl alcohol/Polyaniline (PVA/PANI)," *Int. J. Adv. Res. Electr.*, vol. 3, no. 10, pp. 12731–12736, 2014, [Online]. Available: [www.ijareeie.com](http://www.ijareeie.com).
- [12] M. I. Baker, S. P. Walsh, Z. Schwartz, and B. D. Boyan, "A review of polyvinyl alcohol and its uses in cartilage and orthopedic applications," *J. Biomed. Mater. Res. - Part B Appl. Biomater.*, vol. 100 B, no. 5, pp. 1451–1457, 2012, doi: 10.1002/jbm.b.32694.
- [13] R. Nagarkar and J. Patel, "Polyvinyl Alcohol : A Comprehensive Study," *Acta Sci. Pharm. Sci.*, vol. 3, no. 4, pp. 34–44, 2019.
- [14] T. S. Gaaz *et al.*, "Properties and applications of polyvinyl alcohol, halloysite nanotubes and their nanocomposites," *Molecules*, vol. 20, no. 12, pp. 22833–22847, 2015, doi: 10.3390/molecules201219884.
- [15] A. Kolodziejczak-Radzimska and T. Jesionowski, "Zinc oxide-from synthesis to application: A review," *Materials (Basel)*, vol. 7, no. 4, pp. 2833–2881, 2014, doi: 10.3390/ma7042833.
- [16] P. T. Patil, R. S. Anwane, and S. B. Kondawar, "Development of Electrospun Polyaniline/ZnO Composite Nanofibers for LPG Sensing," *Procedia Mater. Sci.*, vol. 10, no. Cnt 2014, pp. 195–204, 2015, doi: 10.1016/j.mspro.2015.06.041.
- [17] D. Ponnamma *et al.*, *Synthesis, optimization and applications of*

*ZnO/polymer nanocomposites*, vol. 98. Elsevier B.V, 2019.

- [18] A. Zhafirah, *Studi Struktur Kristal, Morfologi, Dan Sifat Optik Film Tipis ZnO Doping Mg Yang Dideposisikan Dengan Metode Sol-Gel Spin Coating*. 2019.
- [19] G. Wang, R. Vivek, and J.-Y. Wang, "Polyaniline Nanoparticles: Synthesis, Dispersion and Biomedical Applications," *Mini. Rev. Org. Chem.*, vol. 14, no. 1, pp. 56–64, 2017, doi: 10.2174/1570193x14666161118114230.
- [20] S. M. Reda and S. M. Al-Ghannam, "Synthesis and Electrical Properties of Polyaniline Composite with Silver Nanoparticles," *Adv. Mater. Phys. Chem.*, vol. 02, no. 02, pp. 75–81, 2012, doi: 10.4236/ampc.2012.22013.
- [21] A. M. Meftah, E. Gharibshahi, N. Soltani, W. M. Mat Yunus, and E. Saion, "Structural, optical and electrical properties of PVA/PANI/Nickel nanocomposites synthesized by gamma radiolytic method," *Polymers (Basel)*, vol. 6, no. 9, pp. 2435–2450, 2014, doi: 10.3390/polym6092435.
- [22] N. WIDIYANTI and N. PRIMARY PUTRI, "Sintesis Polianilin Dengan Metode Interfasial Menggunakan Variasi Larutan Dalam Fasa Organik," *Inov. Fis. Indones.*, vol. 7, no. 02, pp. 71–73, 2018.
- [23] R. Rohadi and I. Yulianti, "KARAKTERISTIK STRUKTUR, OPTIK, DAN LISTRIK FILM TIPIS POLIANILIN (PANI) DOPING HCl YANG DITUMBUHKAN DENGAN METODE SPIN COATING," *Raden rohadi,sujarwata,ian yulianti*, vol. 6, no. 1, pp. 50–53, 2018.
- [24] N. Z. Al-Hazeem and N. M. Ahmed, "Effect of addition of polyaniline on polyethylene oxide and polyvinyl alcohol for the fabrication of nanorods," *ACS Omega*, vol. 5, no. 35, pp. 22389–22394, 2020, doi: 10.1021/acsomega.0c02802.
- [25] N. Sahu, B. Parija, and S. Panigrahi, "Fundamental understanding and modeling of spin coating process: A review," *Indian J. Phys.*, vol. 83, no. 4, pp. 493–502, 2009, doi: 10.1007/s12648-009-0009-z.

- [26] Y. Huang, H. Zheng, I. Ball, and S. Chemist, "Advances in Sol-Gel Technology," no. December, pp. 17–20, 2001.
- [27] H. Angelica, "6800 Spin Coater Series," 2017. <https://microfab.chem.iastate.edu/sites/default/files/uploads/Manuals/Manual - SpinCoater.pdf>.
- [28] A. Jilani, M. S. Abdel-wahab, and A. H. Hammad, "Advance Deposition Techniques for Thin Film and Coating," *Mod. Technol. Creat. Thin-film Syst. Coatings*, 2017, doi: 10.5772/65702.
- [29] A. K. Huda, A. Maulana, I. Huda, and D. Anggoro, "Penerapan Spin Coating untuk Pembuatan Lapisan Tipis dengan MMA," *J. Laboran Fis.*, 2015.
- [30] D. Titus, E. James Jebaseelan Samuel, and S. M. Roopan, *Nanoparticle characterization techniques*. Elsevier Inc., 2019.
- [31] A. Barhoum and M. Luisa García-Betancourt, *Physicochemical characterization of nanomaterials: Size, morphology, optical, magnetic, and electrical properties*. Elsevier Inc., 2018.
- [32] D. G. R. William D. Callister, Jr., "4.10 Microscopic Techniques," *Mater. Sci. Eng. an Introd.*, vol. 1, p. 111, 2010.
- [33] A. K. Singh, *Experimental Methodologies for the Characterization of Nanoparticles*. 2016.
- [34] J. Selvi, V. Parthasarathy, S. Mahalakshmi, R. Anbarasan, M. O. Daramola, and P. Senthil Kumar, "Optical, electrical, mechanical, and thermal properties and non-isothermal decomposition behavior of poly(vinyl alcohol)–ZnO nanocomposites," *Iran. Polym. J. (English Ed.)*, vol. 29, no. 5, pp. 411–422, 2020, doi: 10.1007/s13726-020-00806-8.
- [35] M. Kaliva and M. Vamvakaki, *Materials Characterization*, vol. 1242. Elsevier Inc., 2010.
- [36] R. Kandulna, "Concentration-dependent behaviors of ZnO-reinforced PVA

- ZnO nanocomposites as electron transport materials for OLED application  
Concentration-dependent behaviors of ZnO-reinforced materials for OLED application,” no. October, 2017, doi: 10.1007/s00289-017-2186-9.
- [37] S. Durri and H. Sutanto, “Karakterisasi Sifat Optik Lapisan Tipis ZnO doping Al yang di Deposisi diatas Kaca dengan Metode Sol-Gel Teknik Spray-Coating (Halaman 38 s.d. 40),” *J. Fis. Indones.*, vol. 19, no. 55, pp. 38–40, 2015, doi: 10.22146/jfi.24371.
- [38] K. S. Hemalatha, K. Rukmani, N. Suriyamurthy, and B. M. Nagabhushana, “Synthesis, characterization and optical properties of hybrid PVA-ZnO nanocomposite: A composition dependent study,” *Mater. Res. Bull.*, vol. 51, pp. 438–446, 2014, doi: 10.1016/j.materresbull.2013.12.055.
- [39] M. B. Heaney, “Electrical conductivity and resistivity,” *Electr. Meas. Signal Process. Displays*, no. January 2003, pp. 7-1-7–14, 2003, doi: 10.1201/9780203009406.
- [40] S. H. Rashmi, A. Raizada, G. M. Madhu, A. A. Kittur, R. Suresh, and H. K. Sudhina, “Influence of zinc oxide nanoparticles on structural and electrical properties of polyvinyl alcohol films,” *Plast. Rubber Compos.*, vol. 44, no. 1, pp. 33–39, 2015, doi: 10.1179/1743289814Y.0000000115.
- [41] M. Caglar, S. Ilican, Y. Caglar, and F. Yakuphanoglu, “Electrical conductivity and optical properties of ZnO nanostructured thin film,” *Appl. Surf. Sci.*, vol. 255, no. 8, pp. 4491–4496, 2009, doi: 10.1016/j.apsusc.2008.11.055.
- [42] A. F. Mansour, S. F. Mansour, and M. A. Abdo, “Improvement Structural and Optical Properties of ZnO/ PVA Nanocomposites,” *IOSR J. Appl. Phys.*, vol. 7, no. 2, pp. 60–69, 2015, doi: 10.9790/4861-07226069.
- [43] N. Turkten, Y. Karatas, and M. Bekbolet, “Preparation of pani modified zno composites via different methods: Structural, morphological and photocatalytic properties,” *Water (Switzerland)*, vol. 13, no. 8, 2021, doi:

10.3390/w13081025.

- [44] C. M. Firdaus, M. S. B. Shah Rizam, M. Rusop, and S. Rahmatul Hidayah, "Characterization of ZnO and ZnO: TiO<sub>2</sub> thin films prepared by sol-gel spray-spin coating technique," *Procedia Eng.*, vol. 41, no. Iris, pp. 1367–1373, 2012, doi: 10.1016/j.proeng.2012.07.323.