

DAFTAR PUSTAKA

- [1] A. Syorgaffi, A. Rizal, and S. Hadiyoso, "Pengenalan Individu Berdasarkan Gait Menggunakan Sensor Accelerometer," vol. 2, no. 1, pp. 130–139, 2015.
- [2] M. S. Annas, A. Rizal, and R. D. Atmaja, "Pengenalan Individu Berdasarkan Gait Menggunakan Sensor Giroskop," *J. Nas. Tek. Elektro dan Teknol. Inf.*, vol. 6, no. 2, pp. 210–214, 2017.
- [3] V. M. N. Passaro, A. Cuccovillo, L. Vaiani, M. De Carlo, and C. E. Campanella, "Gyroscope Technology and Applications : A Review in the Industrial Perspective," 2017, doi: 10.3390/s17102284.
- [4] M. Riyadi *et al.*, "Pendeteksi Posisi Menggunakan Sensor Accelerometer MMA7260Q," *Semarang, Tek. Elektro Univ. Diponegoro*, vol. 12, no. 2, pp. 76–81, 2010.
- [5] L. Liu *et al.*, "Ambulatory Human Gait Phase Detection Using Wearable Inertial Sensors and Hidden Markov Model," *Sensors*, vol. 21, no. 4, p. 1347, 2021, doi: 10.3390/s21041347.
- [6] B. Torres, "Entropy in the Analysis of Gait Complexity: A State of the Art," *Br. J. Appl. Sci. Technol.*, vol. 3, no. 4, pp. 1097–1105, 2013, doi: 10.9734/bjast/2014/4698.
- [7] F. Saleem *et al.*, "Human gait recognition: A single stream optimal deep learning features fusion," *Sensors*, vol. 21, no. 22, 2021, doi: 10.3390/s21227584.
- [8] Q. Zou, Y. Wang, Q. Wang, Y. Zhao, and Q. Li, "Deep Learning-Based Gait Recognition Using Smartphones in the Wild," *IEEE Trans. Inf. Forensics Secur.*, vol. 15, pp. 3197–3212, 2020, doi: 10.1109/TIFS.2020.2985628.
- [9] Y. Yang, W. Gao, and Z. Zhao, "Research on Gait Cycle Recognition with Plantar Pressure Sensors," *ACM Int. Conf. Proceeding Ser.*, pp. 1–5, 2020,

doi: 10.1145/3424978.3424998.

- [10] F. Catherine and R. Suryantari, “Gait Analysis Study of Runner Using Force Plate,” *Indones. J. Appl. Phys.*, vol. 6, no. 02, p. 125, 2017, doi: 10.13057/ijap.v6i02.2394.
- [11] S. Mekruksavanich and A. Jitpattanakul, “Biometric user identification based on human activity recognition using wearable sensors: An experiment using deep learning models,” *Electron.*, vol. 10, no. 3, pp. 1–21, 2021, doi: 10.3390/electronics10030308.
- [12] L. Chato and S. Latifi, “Application of Machine Learning to Biometric Systems- A Survey,” *J. Phys. Conf. Ser.*, vol. 1098, no. 1, 2018, doi: 10.1088/1742-6596/1098/1/012017.
- [13] A. Abdillah, M. I. Sani, and M. I. Sari, “PERANCANGAN DAN IMPLEMENTASI SMART SHOES UNTUK MONITORING GAIT MENGGUNAKAN GIROSKOP,” vol. 6, no. 2, pp. 3427–3435, 2020.
- [14] C. Ceu Handani, “Aplikasi Pengendali Robot Menggunakan Sensor Accelerometer Pada Smartphone Android,” *e-proceeding Applied Sci.*, vol. 1, no. 1, p. 452, 2015.
- [15] M. Sarwar and T. R. Soomro, “Impact of Smartphone’s on Society,” *Eur. J. Sci. Res.*, vol. 98, no. 2, pp. 216–226, 2013.
- [16] A. D. B. Sadewo, E. R. Widasari, and A. Muttaqin, “Perancangan Pengendali Rumah menggunakan Smartphone Android dengan Konektivitas Bluetooth,” *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 1, no. 5, pp. 415–425, 2017.
- [17] N. K. Ekanayake, “Android Operating System,” *Rathmalana, Sri Lanka, Gen. Sir John Kotelawala Def. Univ.*, p. 1, 2018.
- [18] G. Schlotthauer, A. Humeau-Heurtier, J. Escudero, and H. L. Rufiner, “Measuring complexity of biomedical signals,” *Complexity*, vol. 2018, 2018, doi: 10.1155/2018/5408254.

- [19] A. Khumaidi, “Simulasi Entropi Shannon, Entropi Renyi, dan informasi pada kasus Spin Wheel,” *AKSIOMA J. Mat. dan Pendidik. Mat.*, vol. 12, no. 1, pp. 120–128, 2021, doi: 10.26877/aks.v12i1.6893.
- [20] A. Prasetyo, “Pola Spasial Penjalaran Perkotaan Bodetabek: Studi Aplikasi Model Shannon’S Entropy,” *J. Geogr. Gea*, vol. 16, no. 2, p. 144, 2017, doi: 10.17509/gea.v16i2.2439.
- [21] E. Supriyanti, “Perbandingan Ekstraksi Ciri Pada Data Mammogram Untuk Identifikasi Mikrokalsifikasi,” *Simetris*, vol. 5, no. 2, pp. 153–160, 2014.
- [22] L. Farokhah, “Implementasi K-Nearest Neighbor untuk Klasifikasi Bunga Dengan Ekstraksi Fitur Warna RGB,” *J. Teknol. Inf. dan Ilmu Komput.*, vol. 7, no. 6, p. 1129, 2020, doi: 10.25126/jtiik.2020722608.
- [23] P. Aditya Nugroho, R. Saptono, and M. Eko Sulisty, “Perbandingan Metode Probabilistik Naive Bayesian Classifier dan Jaringan Syaraf Tiruan Learning Vector Quantization dalam Kasus Klasifikasi Penyakit Kandungan,” *J. Teknol. Inf. ITSmart*, vol. 2, no. 2, p. 21, 2016, doi: 10.20961/its.v2i2.628.
- [24] F. Y. Suratman, “Scikit-Learn Validasi dan Pemilihan Model, beserta Ukuran Kinerja.” pp. 1–38, 2020.
- [25] T. & I. Hutapea, “Penerapan Algoritma Modified K-Nearest Neighbour Pada Pengklasifikasian Penyakit Kejiwaan Skizofrenia,” *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 2, no. 10, pp. 3957–3961, 2018.
- [26] S. Atmaja, “ANALISIS VARIATION K-FOLD CROSS VALIDATION ON CLASSIFICATION DATA METHOD K-NEAREST NEIGHBOR,” *J. Ipteks Terap.*, vol. 15, no. March, pp. 68–73, 2020.