

## DAFTAR PUSTAKA

- [1] S. Chng, C. Shepherd, and J. Eaton, "In the market for extinction: birds for sale at selected outlets in Sumatra," vol. 30, Dec. 2018.
- [2] Chan, Y-C, Tibbitts, TL, Lok, T, et al., "Filling knowledge gaps in a threatened shorebird flyway through satellite tracking," *Journal of Applied Ecology*, vol. 56, no. 10, pp. 2305–2315, 2019.
- [3] J. Wall, G. Wittemyer, B. Klinkenberg, and I. Douglas-Hamilton, "Novel opportunities for wildlife conservation and research with real-time monitoring," *Ecological Applications*, vol. 24, no. 4, pp. 593–601, 2014.
- [4] B. Krykpayev, M. F. Farooqui, R. M. Bilal, M. Vaseem, and A. Shamim, "A wearable tracking device inkjet-printed on textile," *Microelectronics Journal*, vol. 65, pp. 40–48, 2017.
- [5] N. H. Abd Rahman, Y. Yamada, and M. S. Amin Nordin, "Analysis on the Effects of the Human Body on the Performance of Electro-Textile Antennas for Wearable Monitoring and Tracking Application," *Materials*, vol. 12, no. 10, p. 1636, May 2019.
- [6] T, Aathmanesan. "Design of Metamaterial Antenna for 2.4 GHz WiFi Applications". *Wireless Personal Communications*. 2020.
- [7] Almohammed B., Ismail A., Sali A., "Electro-textile wearable antennas in wireless body area networks: materials, antenna design, manufacturing techniques, and human body consideration—a review," *Textile Research Journal*. vol. 91, no. 5-6, pp. 646-663, 2021
- [8] Monti, G., Corchia, L., Paiano, E., De Pascali, G., Tarricone, L., Tomassoni, C., & Sorrentino, R. "Textile Wearable Antenna for Firefighters Positioning," *2019 URSI Asia-Pacific Radio Science Conference (AP-RASC)*, pp. 1-4, 2019.
- [9] T. Huong Nguyen, T. Lan Huong Nguyen and T. Phu Vuong, "A Printed Wearable Dual Band Antenna for Remote Healthcare Monitoring Device," *2019 IEEE-RIVF International Conference on Computing and Communication Technologies (RIVF)*, pp. 1-5, 2019.
- [10] T. R. Rao, B. N. B. Reddy, N. Tiwari, P. Srivastava, and M. Balachary, "Wideband wearable antenna for body wireless communications," *2017*

*Global Wireless Summit (GWS)*, pp. 74-77, 2017.

- [11] Jeyakumar S. and Akthimurugan K., "Wearable Textile Antenna ISM Band with Different Dielectric Substrate Materials," *International Journal of Electronics Engineering Research*, vol 9, no. 8, pp. 1259-1266, 2017.
- [12] Fowler J. R., Austin J. M., Estrada K. T., Velazquez M., Mohr R., Sanchez R., Melde K., & Marcellin M., "Small wearable antenna for animal tracking," *Proceedings of the International Telemetering Conference*, vol 48, 2012.
- [13] Das S., Islam H., Bose T., "Compact low-profile body worn and wrist worn lightweight antenna for ISM and GPS band navigation and medical applications," *Microw Opt Technol Lett.*, vol 60, no.9, pp.2122– 2127, 2018.
- [14] Alemaryeen A. & Noghalian S., "On the Effects of Balun on Small Antennas Performance for Animal Health- Monitoring and Tracking," *Advanced Electromagnetics*, vol 10, no.2, pp. 39–43, 2021.
- [15] Dogan H., Basyigit I.B., Ozen S., & Helhel S., "EMF Exposure and SAR Analysis in the Cow Tissues," *International Journal of Scientific and Engineering*, vol.1, no.12, pp 15-18. 2017.
- [16] I. D. B. Eng, "Analysis of radio propagation inside the human body for in-body localization purposes," M.S. thesis, Faculty of Electrical Engineering, Mathematics and Computer Science, University of Twente, Nederland, 2014.
- [17] S. Ozen, S. Helhel, and S. Bilgin, "Temperature and burn injury prediction of human skin exposed to microwaves: a model analysis," *Radiation and Environmental Biophysics*, vol. 50, issue 3, pp. 483-489, 2011.
- [18] J. Zosel, H. Kadana, G. Peters, M. Hoffmann, P. Rudisch, L. Jäkel, G. Lauckner, A. Grodriane, and U. Gutha, "Continuous long-term monitoring of ruminal pH," *Sensors and Actuators*, vol. B, issue 144, pp. 395–399, 2010.
- [19] P. Bernardi, M. Cavagnaro, S. Pisa, and E. Piuzzi, "Specific absorption rate and temperature increases in the head of a cellular phone user," *IEEE Transactions on Microwave Theory and Techniques*, vol. 48, issue 7, pp. 1118-1126, 2000.
- [20] S. Ozen, S. Helhel, and O. Cerezci, "Heat analysis of biological tissue exposed to microwave by using thermal wave model of bio-heat transfer

- (TWMBT)," *Burns*, vol. 34, issue 1, pp. 45-49, 2008.
- [21] S. Li, Z. Su, H. Wang, Q. Wang, and H. Ren, "Research on an Anthropomorphic Phantom for Evaluation of the Medical Device Electromagnetic Field Exposure SAR," *Applied Sciences*, vol. 8, issue 10, p. 1929, Oct. 2018.
- [22] Fang, D.G., "Antenna Theory and Microstrip Antennas (1st ed.)," CRC Press, 2010.
- [23] Baudh R.K., Kumar M., Prasad R.K., & Sahu S., "Design and Analysis of Slot Loaded C-Shaped Trapezoidal Microstrip Antenna," *International Conference on Intelligent Computing and Smart Communication 2019 Proceedings of ICSC 2019: Proceedings of ICSC 2019*, pp. 533-544, 2019.
- [24] Dash, N., & Singh, S.K. "Ladder Mat Shape Microstrip Patch Antenna for X Band," *International Conference on Intelligent Computing and Smart Communication 2019 Proceedings of ICSC 2019: Proceedings of ICSC 2019*, pp.575-582, 2019.
- [25] Chhabra V. & Shambhu D. S., "A PAPER ON PERFORMANCE ANALYSIS OF MICROSTRIP RECTANGULAR PATCH ANTENNA," *International Journal of Technical Research & Science (Special issues)*, pp. 35-38, 2020.
- [26] Y. Hao, A. Alomainy, P. S. Hall, Y. I. Nechayev, C. G. Parini and C. C. Constantinou, "Antennas and propagation for body centric wireless communications," *IEEE/ACES International Conference on Wireless Communications and Applied Computational Electromagnetics 2005*, pp. 586-589, 2005.
- [27] Guo-Ping Gao, Hu Bin, Xiao-Long Tian *et al.*, "Experimental study of a wearable aperture-coupled patch antenna for wireless body area network," *Microw. Opt. Technol. Lett.*, vol 59, no.4, pp. 761–766, 2017.
- [28] B. Hu, G.P. Gao, L.L. He, X.D. Cong, J.N. Zhao, "Bending and on-arm effects on a wearable antenna for 2.45 GHz body area network," *Antennas Wirel. Propag. IEEE Lett.*, vol. 15, pp. 378–381, 2016.
- [29] Singh V.K., Dhupkariya S., Bangari N., "Wearable ultra wide dual band flexible textile antenna for WiMax/WLAN application," *Int. J. Wirel. Personal Commun.*, vol. 95, no. 2, pp. 1075–1086, 2017.

- [30] Z.H. Jiang, D.E. Brocker, P.E. Sieber, D.H. Werner, "A compact, low-profile metasurface enabled antenna for wearable medical body-area network devices," *IEEE Trans. Antennas Propag.*, vol. 62, no. 8, pp. 4020–4030, 2014.
- [31] S. Sankaralingam, B. Gupta, "Development of textile antennas for body wearable applications and investigations on their performance under bent conditions," *Progress Electromagn., Res. B* 22, pp. 53–71, 2010.
- [32] Yalduz H., Tabaru T.E., Kilic V.T., & Turkmen M., "Design and analysis of low profile and low SAR full-textile UWB wearable antenna with metamaterial for WBAN applications," *AEU - International Journal of Electronics and Communications*, vol.126, 2020.
- [33] Arya A. K., Kartikeyan M. V., & Patnaik A., "Defected ground structure in the perspective of microstrip antennas: a review," *Frequenz*, vol. 64, no. 5-6, pp. 79-84, 2010.
- [34] Sah S., Tripathy M. R., & Mittal A., "Multiband and Miniaturized dual layer Antenna incorporated with FSS and DGS," *Advanced Electromagnetics*, vol. 7, no.1, pp.1-6, 2018.
- [35] Razali N. A., Zakaria N. A., Shariff K. M., Abd Rashid N. E., Khan Z. I., & Ab Rahim S. E., "Design of H-shape Defected Ground Structure," In *2020 IEEE International RF and Microwave Conference (RFM)*, IEEE, pp. 1-4, December 2020.
- [36] Singh J., Kaur J., & Kaur N., "Novel staircase microstrip antenna with L-shape slotted DGS for WLAN and WiMAX application," In *2018 2nd International Conference on Micro-Electronics and Telecommunication Engineering (ICMETE)*, IEEE., pp. 45-48, 2018.
- [37] Rao P. K., Chaurasia R., Verma R., Gupta H., Pathak S., & Mishra R., "T-Shape MIMO Antenna with Parasitic Element and DGS for 5G Applications," *Journal of Telecommunication, Electronic and Computer Engineering (JTEC)*, vol.13, no. 3, pp. 7-11, 2021.
- [38] Hasan M. N., Chu S., & Bashir S., "A DGS monopole antenna loaded with U-shape stub for UWB MIMO applications," *Microwave and Optical Technology Letters*, vol. 61, no. 9, pp. 2141-2149, 2019.
- [39] Moradi B., Fernández-García R., & Gil I., "Wearable high-performance

- meander ring dipole antenna for electronic-textile applications," *The Journal of The Textile Institute*, vol. 111, no.2, pp. 178 - 182.
- [40] M. Bansal and Jyoti, "A review of low noise amplifier for 2.4GHz frequency band," *2017 International Conference on Innovations in Control, Communication and Information Systems (ICICCI)*, pp. 1-6, 2017
- [41] Federal Response Plan, "Terms and Definitions," Fed. Response Plan, April, pp. 1–6, 1999.
- [42] S. Ozen, S. Helhel, and O. H. Colak, "Electromagnetic field measurements of radio transmitters in urban area and exposure analysis," *Microwave and Optical Technology Letters*, vol. 49, issue 7, pp. 1572-1578, 2007.
- [43] Dores, J.M.H.M. "LNA for a 2.4 GHz ISM receiver," Master thesis, July 2010
- [44] A. Christ, T. Samaras, A. Klingenböck, and N. Kuster, "Characterization of the electromagnetic near-field absorption in layered biological tissue in the frequency range from 30 MHz to 6000 MHz," *Physics in Medicine and Biology*, vol. 51, no. 19, pp. 4951-4966, 2006.
- [45] Nadh B.P., Madhav B.T.P. & Kumar M.S., "Design and analysis of dual band implantable DGS antenna for medical applications," *Sādhanā* 44, vol. 131, 2019.
- [46] Vardaki MZ, Kourkoumelis N., "Tissue Phantoms for Biomedical Applications in Raman Spectroscopy: A Review," *Biomedical Engineering and Computational Biology*, January 2020.
- [47] Sponenberg D. P., Beranger J., Martin A. M., & Couch C. R., "Conservation of rare and local breeds of livestock," *Rev. Sci. Tech*, vol. 37, pp. 259-267, 2018.'
- [48] Lahoz-Monfort J. J., & Magrath M. J., "A comprehensive overview of technologies for species and habitat monitoring and conservation," *BioScience*, vol. 71, no. 10, pp. 1038-1062, 2021.
- [49] N.W.K. Lo, D.D. Falconer and A.U.H. Sheikh, "Adaptive equalization for a multipath fading environment with interference and noise," *Vehicular Technology Conference*, 1994 IEEE 44th, vol.1, pp. 252 – 256, June 1994.
- [50] J.L. Chu and J.F. Kiang, "Multipath effects on beacon performances," *2004 IEEE International Conference on Networking, Sensing and Control*, vol. 1,

- pp. 635 – 638, March 2004.
- [51] Wu R. H., Lee Y. H., Tseng H. W., Jan Y. G., & Chuang M. H., “Study of characteristics of RSSI signal,” *In 2008 IEEE International Conference on Industrial Technology*, pp. 1-3, 2008.
- [52] Sharma P., Dwivedi R.K., “Detection of High Transmission Power Based Wormhole Attack Using Received Signal Strength Indicator (RSSI),” 2019. In: Verma, S. Tomar, R. Chaurasia, B. Singh, V., Abawajy J. (eds) *Communication, Networks and Computing. CNC 2018. Communications in Computer and Information Science*, Springer, Singapore, vol 839.
- [53] What is RSSI and its acceptable signal strength?. [Online]. Available: <https://helpcenter.engeniustech.com/hc/en-us/articles/234761008-What-is-RSSI-and-itsacceptable-signal-strength>. [Accessed: 15- Jun-2022]
- [54] Hasri Ainun Harris, Radial Anwar, Yuyu Wahyu, Mohamad Ismail Sulaiman, Zuhanis Mansor, and Dwi Andi Nurmantris, "Design and Implementation of Wearable Antenna Textile for ISM Band," *Progress In Electromagnetics Research C*, Vol. 120, pp.11-26, 2022.
- [55] “D1 mini Pro – WEMOS documentation,” Wemos.cc, 2021. [Online]. Available:[https://www.wemos.cc/en/latest/d1/d1\\_mini\\_pro.html](https://www.wemos.cc/en/latest/d1/d1_mini_pro.html). [Accessed: 4- Dec-2021]
- [56] Ramya P., Abinaya J., HariniPreethi S.R., et. al., "Design of Embroidery Antenna for Wearable Applications," *Turkish Journal of Computer and Mathematics Education*, vol.12, no.10, pp. 1191 – 1196, 2020.
- [57] P. A. Nawle and R. G. Zope, "Rectangular microstrip patch antenna for 2.4 GHz communication using defected ground structure," *IJAFRC*, vol. 2, no. 1, pp. 1–11, 2015.
- [58] Islam M. S., Ibrahimy M. I., Motakabber S. M. A., & Hossain A. Z., "A rectangular inset-fed patch antenna with defected ground structure for ISM band," *In 2018 7th International Conference on Computer and Communication Engineering (ICCCCE)*, IEEE, pp. 104-108, September 2018.
- [59] Chou C. K., & Guy A. W., "Absorption of microwave energy by muscle models and by birds of differing mass and geometry," *Journal of microwave power*, vol. 20, no.2, pp.75-84, 1985.
- [60] Traffano-Schiffo M. V., Castro-Giraldez M., Colom R. J., Talens P., & Fito

- P. J., "New methodology to analyze the dielectric properties in radiofrequency and microwave ranges in chicken meat during postmortem time," *Journal of Food Engineering*, vol. 292, 110350, 2021.
- [61] Etuk S. E., Robert U. W., Emah J. B., & Agbasi O. E., "Dielectric Properties of Eggshell Membrane of Some Select Bird Species," *Arabian Journal for Science and Engineering*, vol. 46, no.1, pp. 769-777, 2021.
- [62] Yang H., & Liu X., "Wearable dual-band and dual-polarized textile antenna for on-and off-body communications," *IEEE Antennas and Wireless Propagation Letters*, vol.19, no.12, pp.2324-2328, 2020.
- [63] Ferreira D., Pires P., Rodrigues R., & Caldeirinha R. F. S. "Wearable Textile Antennas: Examining the effect of bending on their performance," *IEEE Antennas and Propagation Magazine*, vol. 59, no. 3, pp. 54–59, 2017.
- [64] G. L. Atanasova and N. T. Atanasov, "Impact of Electromagnetic Properties of Textile Materials on Performance of a Low-Profile Wearable Antenna Backed by a Reflector," *2020 International Workshop on Antenna Technology (iWAT)*, pp. 1-4, 2020.
- [65] I. Dove, —Analysis of Radio Propagation Inside the Human Body for in-Body Localization Purpose, M.S. thesis, Faculty of Electrical Engineering, Mathematics & Computer Science, University of Twente, Enschede, Netherlands, 2014.
- [66] Tuovinen T., Berg M., Yazdandoost K. Y., & Iinatt, "Ultra wideband loop antenna on contact with human body tissue," *IET Microwave and Antennas Propagation*, vol. 7, no. 7, pp. 588–596. 2013.
- [67] Karthik V., & Rao T.R., "Investigations on SAR and Thermal Effects of a Body Wearable Microstrip Antenna," *Wireless Personal Communications*, vol. 96, pp. 3385-3401, 2017.
- [68] IEEE Std. C95.1, IEEE standard for safety levels with respect to human exposure to the radio frequency electromagnetic fields 3 kHz to 300 GHz, 2005.
- [69] “Basic Neck Collar Size Guide,”[Online].Available: <https://birdsupplies.com/pages/basic-neck-collar-size-guide>. [Accessed:29-Mar-2022].