

VI. DAFTAR PUSTAKA

- [1] Bingchun Liu, Hui Wang, Arihant Binaykia, Chuanchuan Fu, dan Bingpeng Xiang. 2019. Multi-Level Air Quality Classification in China Using Information Gain and Support Vector Machine Hybrid Model. *Nature Environment and Pollution Technology*. International Quarterly Scientific Journal.
- [2] Deval L. Patrick, Timothy P. Murray, Richard K. Sullivan Jr., dan Kenneth L. Kimmel. Health Environmental Effects of Air Pollution. Commonwealth of Massachusetts Departement of Environmental Protection. MassDepp.
- [3] Ade Silvia Handayani, Sopian Soim, Theresia Enim Agusdi, dan Nyayu Latifah Husni. 2021. Air Quality Classification Using Support Vector Machine. *Computer Engineering and Applications*. State Polytechnic of Sriwijaya.
- [4] AdeAnto Satriyo Nugroho, Arief Budi Witarto, dan Dwi Handoko. 2003. Support Vector Machine Teori dan Aplikasinya dalam Bioinformatika. IlmuKomputer.Com, IlmuKomputer.
- [5] K. Alpan, dan B. Sekeroglu. 2020. Prediction Of Pollutant Concentration By Meteorological Data Using Machine Learning Algorithms. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*. NEU, Information Systems Engineering, Turkey.
- [6] Nils J. Nilsson. Introduction To Machine Learning. Stanford University. Robotic Laboratory. 1-2.
- [7] Elia Georgiana Dragomir. 2010. Air Quality Index Prediction using K-Nearest Neighbor Technique. Informatics Departement. Petroleum-Gas University of Ploiesti, Romania.
- [8] Vapnik V. N., *The Nature of Statistical Learning Theory*(2ed). .
- [9] Kurniawan. 2017. Pengukuran Parameter Kualitas Udara (CO, NO₂,SO₂,O₃, dan PM₁₀) di Bukit Kototabang Berbasis ISPU. *Jurnal Tekno Sains*. 7(1-82).
- [10] S. V. Kottur and D. S. S. Mantha, "An Integrated Model using Artificial Neural Network (ANN) and Kriging for Forecasting Air Pollutants using Meteorological Data," in *International Journal of Advanced Research in Computer and Communication Engineering*, India, 2015.
- [11] A. Faudzan, S. Suryani and T. Budiawati. 2015. "PERBANDINGAN METODE INVERSE DISTANCE WEIGHTED (IDW) DENGAN METODE ORDINARY KRIGING UNTUK ESTIMASI SEBARAN POLUSI UDARA DI BANDUNG," *e-Proceeding of Engineering*, vol. 2, no. 2.
- [12] Greenpeace Indonesia. 2022. Polusi udara memakan biaya Rp 21 triliun di Jakarta pada tahun 2020. <https://www.greenpeace.org/indonesia/siaran-pers/5389/polusi-udara-memakan-biaya-rp-21-triliun-di-jakarta-pada-tahun-2020/>
- [13] A. Holleman and E. Wiberg. 2001. *Inorganic Chemistry*. San Diego:

Academic Press.

- [14] Z. Arifin.2009. Pengendalian Polusi Kendaraan. Yogyakarta: Afabeta.
- [15] F. Aditya, S. Sri, B. Tuti. 2015. Perbandingan Metode Inverse Distance Weighted (idw) Dengan Metode Ordinary Kriging Untuk Estimasi Sebaran Polusi Udara Di Bandung. eProceedings of Engineering, 2(2).
- [16] B. Gianluca, B.T. Souhaib, Yann. 2012. Machine Learning Strategies for Time Series Forecasting. European business intelligence summer school. Springer, Berlin, Heidelberg, 2012. p. 62-77.
- [17] X. Wei, L. Zhang, H.Q. Yang, L. Zhang & Y.P. Yao. 2021. Machine learning for pore-water pressure time-series prediction: Application of recurrent neural networks. Geoscience Frontiers, 12(1), 453-467.
- [18] Xiaoxiao Zhang, Guodong Liu, Hantao Wang, dan Xiaodong Li. 2017. Application of a Hybrid Interpolation Method Based on Support Vector Machine in the Precipitation Spatial Interpolation of Basins. MDPI. China.

