

DAFTAR PUSTAKA

- [1] B. R. Amrutha and K. R. Bindu, “Detecting hate speech in tweets using different deep neural network architectures,” 2019 Int. Conf. Intell. Comput. Control Syst. ICCS 2019, no. Iccics, pp. 923–926, 2019, doi: 10.1109/ICCS45141.2019.9065763.
- [2] S. S. Syam, B. Irawan, and C. Setianingsih, “Hate speech detection on twitter using long short-term memory (LSTM) method,” 2019 4th Int. Conf. Inf. Technol. Inf. Syst. Electr. Eng. ICITISEE 2019, pp. 305–310, 2019, doi: 10.1109/ICITISEE48480.2019.9003992.
- [3] A. Lidwina, “94% Orang Indonesia Akses YouTube dalam Satu Bulan Terakhir,” *Databoks Kata Data*, p. 1, 2021, [Online]. Available: <https://databoks.katadata.co.id/datapublish/2021/02/17/94-orang-indonesia-akses-youtube-dalam-satu-bulan-terakhir>.
- [4] À. A. Carracedo and R. J. Mondéjar, “Profiling Hate Speech Spreaders on Twitter,” *CEUR Workshop Proc.*, vol. 2936, pp. 1801–1807, 2021.
- [5] E. Erizal, B. Irawan, and C. Setianingsih, “Hate speech detection in Indonesian language on instagram comment section using maximum entropy classification method,” 2019 Int. Conf. Inf. Commun. Technol. ICOIACT 2019, pp. 533–538, 2019, doi: 10.1109/ICOIACT46704.2019.8938593.
- [6] B. P. Putra, B. Irawan, C. Setianingsih, F. T. Elektro, U. Telkom, and D. Learning, “Convolutional Neural Network Pada Gambar Hatespeech Detection Using Convolutional Neural Network Algorithm Based on Image,” no. 3, 2019.
- [7] D. Riyanta and E. B. Setiawan, “Deteksi Ujaran Kebencian pada Twitter dengan Feature Expansion Menggunakan Fasttext,” *e-Proceeding Eng.*, vol. 8, no. 6, pp. 12449–12458, 2021.

- [8] B. N. Saha and A. Senapati, "Hate speech and offensive content identification: LSTM based deep learning approach @ HASOC 2020," CEUR Workshop Proc., vol. 2826, pp. 290–297, 2020.
- [9] D. Pitaloka, M. Nasrun, S. Si, and C. Setianingsih, "DETEKSI UJARAN KEBENCIAN MENGGUNAKAN ALGORITMA WORD2 VEC DAN DEEP BELIEF NETWORK (DBN) DETECTION OF HATE SPEECH USING WORD2 VEC AND DEEP BELIEF NETWORK (DBN) ALGORITHM," no. 3, 2019.
- [10] D. M. Blei, A. Y. Ng, and M. I. Jordan, "Latent Dirichlet allocation," *J. Mach. Learn. Res.*, vol. 3, no. 4–5, pp. 993–1022, 2003, doi: 10.1016/b978-0-12-411519-4.00006-9.
- [11] P. H. Saputro, M. Aristin, and Dy. L. Tyas, "Klasifikasi Lagu Daerah Indonesia Berdasarkan Lirik Menggunakan Metode Tfidf Dan Naïve Bayes," *J. Teknol. Inform. dan Terap.*, vol. 4, no. 1, pp. 45–50, 2017.
- [12] S. H. Mohammed and S. Al-Augby, "LSA & LDA topic modeling classification: Comparison study on E-books," *Indones. J. Electr. Eng. Comput. Sci.*, vol. 19, no. 1, pp. 353–362, 2020, doi: 10.11591/ijeecs.v19.i1.pp353-362.
- [13] Z. Wan, "What Do Programmers Discuss about Blockchain?," *IEEE Trans. Softw. Eng.*, 2019.
- [14] M. D. R Wahyudi, A. Fatwanto, U. Kiftiyani, and M. Galih Wonoseto, "Topic Modeling of Online Media News Titles during COVID-19 Emergency Response in Indonesia Using the Latent Dirichlet Allocation (LDA) Algorithm," *Telematika*, vol. 14, no. 2, pp. 101–111, 2021, doi: 10.35671/telematika.v14i2.1225.
- [15] Z. F. Hu, X. T. Si, Y. Luo, S. S. Tang, and F. Jian, "Speaker recognition based on 3dcnn-lstm," *Eng. Lett.*, vol. 29, no. 2, pp. 463–470, 2021.
- [16] S. Boumerdassi, R. Milocco, L. Saidane, and N. Puech, *Machine learning for networking*, vol. 77, no. 5–6. Paris, France: First International Conference, 2022.
- [17] N. Rochmawati, H. B. Hidayati, Y. Yamasari, H. P. A. Tjahyaningtijas, W.

Yustanti, and A. Prihanto, “Analisa Learning Rate dan Batch Size pada Klasifikasi Covid Menggunakan Deep Learning dengan Optimizer Adam,” *J. Inf. Eng. Educ. Technol.*, vol. 5, no. 2, pp. 44–48, 2021, doi: 10.26740/jieet.v5n2.p44-48.

- [18] H. Faris, I. Aljarah, M. Habib, and P. A. Castillo, “Hate speech detection using word embedding and deep learning in the Arabic language context,” *ICPRAM 2020 - Proc. 9th Int. Conf. Pattern Recognit. Appl. Methods*, no. *Icpram 2020*, pp. 453–460, 2020, doi: 10.5220/0008954004530460.