

References

- [1] S. Dixon, “Number of Twitter users worldwide from 2019 to 2024,” Apr. 28, 2022. <https://www.statista.com/statistics/303681/twitter-users-worldwide/> (accessed Jul. 09, 2022).
- [2] Md. A. Rahman, A. al Faisal, T. Khanam, M. Amjad, and M. S. Siddik, “Personality Detection from Text using Convolutional Neural Network,” in 1st International Conference on Advances in Science, Engineering and Robotics Technology 2019 (ICASERT 2019), May 2019, pp. 1–6. doi: 10.1109/ICASERT.2019.8934548.
- [3] Y. Liu et al., “RoBERTa: A Robustly Optimized BERT Pretraining Approach,” Jul. 2019, Accessed: Jul. 09, 2022. [Online]. Available: <http://arxiv.org/abs/1907.11692>
- [4] H. J. P. Weerts, A. C. Müller, and J. Vanschoren, “Importance of Tuning Hyperparameters of Machine Learning Algorithms,” Jul. 2020.
- [5] J. Golbeck, C. Robles, and K. Turner, “Predicting Personality with Social Media,” in CHI EA ’11: CHI ’11 Extended Abstracts on Human Factors in Computing Systems, May 2011, pp. 253–262. doi: <https://doi.org/10.1145/1979742.1979614>.
- [6] F. Celli and B. Lepri, “Is BigFive better than MBTI? A personality computing challenge using Twitter data,” 2018. doi: 10.4000/books.aaccademia.2802.
- [7] S.-C. Wang, ARTIFICIAL NEURAL NETWORK, vol. 743. Springer, Boston, MA, 2003. doi: https://doi.org/10.1007/978-1-4615-0377-4_5.
- [8] S. Başaran and H. O. Ejimogu, “A Neural Network Approach for Predicting Personality From Facebook Data,” Sage Open, 2021, doi: 10.1177/21582440211032156.
- [9] T. Tandera, Hendro, D. Suhartono, R. Wongso, and Y. L. Prasetyo, “Personality Prediction System from Facebook Users,” Procedia Computer Science, vol. 116, pp. 604–611, Jan. 2017, doi: 10.1016/J.PROCS.2017.10.016.
- [10] P. Jeatrakul, K. Wai Wong, and C. Che Fung, “Classification of Imbalanced Data by Combining the Complementary Neural Network and SMOTE Algorithm,” in LNCS, 2010, vol. 6444, pp. 152–159. doi: https://doi.org/10.1007/978-3-642-17534-3_19.
- [11] S. Santhoshkumar R. Wiesław and M. K. Geetha, “Vision-Based Human Emotion Recognition Using HOG-KLT Feature,” in Proceedings of First International Conference on Computing, Communications, and Cyber-Security (IC4S 2019) Lecture Notes in Networks and Systems, vol 121, 2020, p. 270. doi: https://doi.org/10.1007/978-981-15-3369-3_20.
- [12] G. D. Salsabila and E. B. Setiawan, “Semantic Approach for Big Five Personality Prediction on Twitter,” Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi), vol. 5, no. 4, pp. 680–687, Aug. 2021, doi: 10.29207/resti.v5i4.3197.
- [13] A. Wang, A. Singh, J. Michael, F. Hill, O. Levy, and S. R. Bowman, “GLUE: A Multi-Task Benchmark and Analysis Platform for Natural Language Understanding,” 2018.
- [14] G. Lai, Q. Xie, H. Liu, Y. Yang, and E. Hovy, “RACE: Large-scale ReADING Comprehension Dataset From Examinations,” Dec. 2017. [Online]. Available: http://www.cs.cmu.edu/~glai1/data/race/andthecodeisavailableathttps://github.com/qizhex/RACE_AR_base_lines
- [15] P. Rajpurkar, J. Zhang, K. Lopyrev, and P. Liang, “SQuAD: 100,000+ Questions for Machine Comprehension of Text,” Oct. 2016. [Online]. Available: <https://stanford-qa.com>,
- [16] J. Eka Sembodo, E. Budi Setiawan, and Z. Abdurahman Baizal, “Data Crawling Otomatis pada Twitter,” Sep. 2016, pp. 11–16. doi: 10.21108/indosc.2016.111.
- [17] Willy, Erwin B. Setiawan, and Fida N. Nugraha, “Implementation of Decision Tree C4.5 for Big Five Personality Predictions with TF-RF and TF-CHI2 on Social Media Twitter,” 2019. doi: <https://doi.org/10.1109/IC3INA48034.2019.8949601>.
- [18] “Big Five Personality Test.” <https://bigfive-test.com/> (accessed Jul. 09, 2022).
- [19] Y. R. Tausczik and J. W. Pennebaker, “The psychological meaning of words: LIWC and computerized text analysis methods,” Journal of Language and Social Psychology, vol. 29, no. 1. pp. 24–54, Mar. 2010. doi: 10.1177/0261927X09351676.
- [20] M.-L. Zhang and Z.-H. Zhou, “Multilabel Neural Networks with Applications to Functional Genomics and Text Categorization.” In IEEE Transactions on Knowledge and Data Engineering, vol. 18, no. 10, pp. 1338–1351, Oct 2006, doi: 10.1109/TKDE.2006.162.
- [21] G. Panchal, A. Ganatra, Y. P. Kosta, and D. Panchal, “Behaviour Analysis of Multilayer Perceptrons with Multiple Hidden Neurons and Hidden Layers,” International Journal of Computer Theory and Engineering, pp. 332–337, 2011, doi: 10.7763/ijcte.2011.v3.328.