

Referensi

- [1] H. L. Chieu and H. T. Ng, "Named Entity Recognition: A Maximum Entropy Approach Using Global Information," *Proc. 19th Int. Conf. Comput. Linguist.*, pp. 1–7, 2002.
- [2] Q. Guo, S. Wang, and F. Wan, "Research on named entity recognition for information extraction," *Proc. - 2020 2nd Int. Conf. Artif. Intell. Adv. Manuf. AIAM 2020*, pp. 121–124, 2020, doi: 10.1109/AIAM50918.2020.00030.
- [3] G. Lample, M. Ballesteros, S. Subramanian, K. Kawakami, and C. Dyer, "Neural architectures for named entity recognition," *2016 Conf. North Am. Chapter Assoc. Comput. Linguist. Hum. Lang. Technol. NAACL HLT 2016 - Proc. Conf.*, no. July, pp. 260–270, 2016, doi: 10.18653/v1/n16-1030.
- [4] T. A. Le, M. Y. Arkhipov, and M. S. Burtsev, "Application of a hybrid Bi-LSTM-CRF Model to the task of Russian named entity recognition," *Commun. Comput. Inf. Sci.*, vol. 789, pp. 91–103, 2018, doi: 10.1007/978-3-319-71746-3_8.
- [5] X. W. Wang, R. Yang, Y. Lu, and Q. Wu, "Military Named Entity Recognition Method Based on Deep Learning," pp. 479–483, 2002.
- [6] R. Panchendrarajan and A. Amareesan, "Bidirectional LSTM-CRF for named entity recognition," *Proc. 32nd Pacific Asia Conf. Lang. Inf. Comput. PACLIC 2018*, no. December, pp. 531–540, 2018.
- [7] S. Thattinaphanich and S. Prom-On, "Thai Named Entity Recognition Using Bi-LSTM-CRF with Word and Character Representation," *Proc. 2019 4th Int. Conf. Inf. Technol. Encompassing Intell. Technol. Innov. Toward New Era Hum. Life, INCIT 2019*, pp. 149–154, 2019, doi: 10.1109/INCIT.2019.8912091.
- [8] A. Zahra, "Pemodelan Named Entity Recognition Pada Artikel Wisata Dengan Metode Bidirectional Long Short-Term Memory Dan Conditional Random Fields," 2021, [Online]. Available: [https://dspace.uui.ac.id/handle/123456789/31784%0Ahttps://dspace.uui.ac.id/bitstream/handle/123456789/31784/17523075 Annisa Zahra.pdf?sequence=1](https://dspace.uui.ac.id/handle/123456789/31784%0Ahttps://dspace.uui.ac.id/bitstream/handle/123456789/31784/17523075%0AAnnisa%20Zahra.pdf?sequence=1)
- [9] T. Mikolov, K. Chen, G. Corrado, and J. Dean, "Efficient estimation of word representations in vector space," *1st Int. Conf. Learn. Represent. ICLR 2013 - Work. Track Proc.*, pp. 1–12, 2013.
- [10] H. Chung and K. S. Shin, "Genetic algorithm-optimized long short-term memory network for stock market prediction," *Sustain.*, vol. 10, no. 10, 2018, doi: 10.3390/su10103765.
- [11] H. Fan, M. Jiang, L. Xu, H. Zhu, J. Cheng, and J. Jiang, "Comparison of long short term memory networks and the hydrological model in runoff simulation," *Water (Switzerland)*, vol. 12, no. 1, pp. 1–15, 2020, doi: 10.3390/w12010175.
- [12] Z. Zhao, W. Chen, X. Wu, P. C. Y. Chen, and J. Liu, "LSTM network: A deep learning approach for Short-term traffic forecast," *IET Intell. Transp. Syst.*, vol. 11, no. 2, pp. 68–75, 2017, doi: 10.1049/iet-its.2016.0208.
- [13] X. Ma and E. Hovy, "End-to-end sequence labeling via bi-directional LSTM-CNNs-CRF," *54th Annu. Meet. Assoc. Comput. Linguist. ACL 2016 - Long Pap.*, vol. 2, pp. 1064–1074, 2016, doi: 10.18653/v1/p16-1101.
- [14] M. Maimaiti, A. Wumaier, K. Abiderexiti, and T. Yibulayin, "Bidirectional long short-term memory network with a conditional random field layer for Uyghur part-of-speech tagging," *Inf.*, vol. 8, no. 4, 2017, doi: 10.3390/info8040157.
- [15] Z. Cui, R. Ke, Z. Pu, and Y. Wang, "Deep Bidirectional and Unidirectional LSTM Recurrent Neural Network for Network-wide Traffic Speed Prediction," pp. 1–11, 2018, [Online]. Available: <http://arxiv.org/abs/1801.02143>
- [16] J. Lafferty, A. McCallum, and F. Pereira, "Conditional Random Fields: Probabilistic Models for Segmenting and Labeling Sequence Data Abstract," vol. 2001, no. June, pp. 282–289, 1999.
- [17] H. Permana, "Named Entity Recognition Menggunakan Metode Bidirectional Lstm-Crf Pada Teks Bahasa Indonesia," *Univ. Komput. Indones.*, no. 112, 2019.
- [18] Y. Luo, H. Zhao, and J. Zhan, "Named entity recognition only from word embeddings," *EMNLP 2020 - 2020 Conf. Empir. Methods Nat. Lang. Process. Proc. Conf.*, pp. 8995–9005, 2020, doi: 10.18653/v1/2020.emnlp-main.723.
- [19] R. Rifani, M. A. Bijaksana, and I. Asror, "Named Entity Recognition for an Indonesian Based Language Tweet using Multinomial Naive Bayes Classifier," *Indones. J. Comput.*, vol. 4, no. 2, pp. 119–126, 2019, doi: 10.21108/indojc.2019.4.2.330.