

Daftar Pustaka

- [1] N. Zuraya, "Virtual Police: Konten Ujaran Kebencian Terbanyak di Twitter," *Republika*, 2021. <https://www.republika.co.id/berita/qputx3383/emvirtual-policeem-konten-ujaran-kebencian-terbanyak-di-twitter>.
- [2] P. Badjatiya, S. Gupta, M. Gupta, and V. Varma, "Deep Learning for Hate Speech Detection in Tweets," vol. 2, no. 2, pp. 427–431, 2017, doi: 10.18653/v1/e17-2068.
- [3] R. Alshalan and H. Al-Khalifa, "A deep learning approach for automatic hate speech detection in the saudi twittersphere," *Appl. Sci.*, vol. 10, no. 23, pp. 1–16, 2020, doi: 10.3390/app10238614.
- [4] A. Gune and M. Nene, "Convolutional Neural Networks for Text Categorization with Latent Semantic Analysis," *2017 Int. Conf. Energy, Commun. Data Anal. Soft Comput.*, pp. 499–503, 2017.
- [5] B. Gambäck and U. K. Sikdar, "Using Convolutional Neural Networks to Classify Hate-Speech," no. 7491, pp. 85–90, 2017, doi: 10.18653/v1/w17-3013.
- [6] J. Cai, J. Li, W. Li, and J. Wang, "Deep learning Model Used in Text Classification," *2018 15th Int. Comput. Conf. Wavelet Act. Media Technol. Inf. Process. ICCWAMTIP 2018*, pp. 123–126, 2019, doi: 10.1109/ICCWAMTIP.2018.8632592.
- [7] S. Ro, "Hate Speech Detection in the Indonesian Language: A Dataset and Preliminary Study," pp. 473–481, 1999, [Online]. Available: <https://support.twitter.com/articles/l>.
- [8] G. Koushik, K. Rajeswari, and S. K. Muthusamy, "Automated hate speech detection on Twitter," *Proc. - 2019 5th Int. Conf. Comput. Commun. Control Autom. ICCUBE 2019*, 2019, doi: 10.1109/ICCUBE47591.2019.9128428.
- [9] A. Marpaung, R. Rismala, and H. Nurrahmi, "Hate Speech Detection in Indonesian Twitter Texts using Bidirectional Gated Recurrent Unit," *KST 2021 - 2021 13th Int. Conf. Knowl. Smart Technol.*, pp. 186–190, 2021, doi: 10.1109/KST51265.2021.9415760.
- [10] O. Istaiteh, R. Al-Omouh, and S. Tedmori, "Racist and Sexist Hate Speech Detection: Literature Review," *2020 Int. Conf. Intell. Data Sci. Technol. Appl. IDSTA 2020*, pp. 95–99, 2020, doi: 10.1109/IDSTA50958.2020.9264052.
- [11] H. Mohaouchane, A. Mourhir, and N. S. Nikolov, "Detecting Offensive Language on Arabic Social Media Using Deep Learning," *2019 6th Int. Conf. Soc. Networks Anal. Manag. Secur. SNAMS 2019*, pp. 466–471, 2019, doi: 10.1109/SNAMS.2019.8931839.
- [12] A. H. Om, "Deep Learning Framework based on Word2Vec and CNN for Users Interests Classification," 2017.
- [13] E. Fehn Unsvåg and B. Gambäck, "The Effects of User Features on Twitter Hate Speech Detection," no. 2012, pp. 75–85, 2019, doi: 10.18653/v1/w18-5110.
- [14] B. P. Putra, B. Irawan, C. Setianingsih, F. T. Elektro, U. Telkom, and D. Learning, "Convolutional Neural Network Pada Gambar Hatespeech Detection Using Convolutional Neural Network Algorithm Based on Image," no. 3, 2019.
- [15] N. Amruthmath, "Why balancing your data set is important?," 2021. <https://www.iamnagdev.com/?p=863>.
- [16] J. Patihullah and E. Winarko, "Hate Speech Detection for Indonesia Tweets Using Word Embedding And Gated Recurrent Unit," *IJCCS (Indonesian J. Comput. Cybern. Syst.)*, vol. 13, no. 1, p. 43, 2019, doi: 10.22146/ijccs.40125.
- [17] S. Symeonidis, D. Effrosynidis, and A. Arampatzis, "A comparative evaluation of pre-processing techniques and their interactions for twitter sentiment analysis," *Expert Syst. Appl.*, vol. 110, pp. 298–310, 2018, doi: 10.1016/j.eswa.2018.06.022.
- [18] A. M. Ramadhani and H. S. Goo, "Twitter sentiment analysis using deep learning models," *2020 IEEE 17th India Counc. Int. Conf. INDICON 2020*, 2020, doi: 10.1109/INDICON49873.2020.9342279.
- [19] A. Amalanathan and P. Nikil, "Data Preprocessing In Sentiment Analysis Using Twitter Data," *Int. Educ. Appl. Res. J.*, vol. 03, no. July, pp. 89–92, 2019.
- [20] S. Sivakumar, L. S. Videla, T. Rajesh Kumar, J. Nagaraj, S. Itnal, and D. Haritha, "Review on Word2Vec Word Embedding Neural Net," *Proc. - Int. Conf. Smart Electron. Commun. ICOSEC 2020*, no. Icosec, pp. 282–290, 2020, doi: 10.1109/ICOSEC49089.2020.9215319.
- [21] M. Wen, Y. Chen, H. Wu, S. Hou, and Y. Yang, "Automatic Classification of Government Texts Based on Improved CNN and Skip-gram Models," in *2021 2nd International Conference on Information Science and Education (ICISE-IE)*, Nov. 2021, pp. 578–583, doi: 10.1109/ICISE-IE53922.2021.00138.
- [22] T. Shoryu, L. Wang, and R. Ma, "A Deep Neural Network Approach using Convolutional Network and Long Short Term Memory for Text Sentiment Classification," *Proc. 2021 IEEE 24th Int. Conf. Comput. Support. Coop. Work Des. CSCWD 2021*, pp. 763–768, 2021, doi: 10.1109/CSCWD49262.2021.9437871.
- [23] N. M. Aszemi and P. D. D. Dominic, "Hyperparameter optimization in convolutional neural network

- using genetic algorithms,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 10, no. 6, pp. 269–278, 2019, doi: 10.14569/ijacsa.2019.0100638.
- [24] N. L. Beebe, L. A. Maddox, L. Liu, and M. Sun, “Sceadan: Using Concatenated N-Gram Vectors for Improved File and Data Type Classification,” no. c, 2013.
- [25] S. Y. Sen and N. Ozkurt, “Convolutional Neural Network Hyperparameter Tuning with Adam Optimizer for ECG Classification,” *Proc. - 2020 Innov. Intell. Syst. Appl. Conf. ASYU 2020*, no. 978, 2020, doi: 10.1109/ASYU50717.2020.9259896.