

DAFTAR PUSTAKA

- Abidin, Z., & Rama, B. R. (2015). Analisa Distribusi Tegangan Dan Defleksi Connecting Rod Sepeda Motor 100 CC Menggunakan Metode Elemen Hingga. *Jurnal Rekayasa Mesin*, 15(1), 30–39.
- Agrawal, S., Gaur, M. kumar, Kasdekar, D. kumar, & Agrawal, S. (2018). Optimization Of Machining Parameters Of Hard Porcelain On A CNC Machine by Taguchi-and RSM Method. *International Journal of Engineering, Science and Technology*, 10(1), 13–22. <https://doi.org/10.4314/ijest.v10i1.2>
- Ahmad, N., & Janahiraman, T. v. (2016). A comparison on optimization of surface roughness in machining AISI 1045 steel using Taguchi method, genetic algorithm and particle swarm optimization. *Proceedings - 2015 IEEE Conference on System, Process and Control, ICSPC 2015*, 129–133. <https://doi.org/10.1109/SPC.2015.7473572>
- ASTM International. *B308/B 308M-02: Standard Specification for Aluminum-Alloy 6061-T6 Standard Structural Profiles 1*.
- ASTM International. *B308/B308M-10 : Standard Specification for Aluminum-Alloy 6061-T6 Standard Structural Profiles 1*. https://doi.org/10.1520/B0308_B0308M-10
- ASTM International. *B308/B308M-20: Standard Specification for Aluminum-Alloy 6061-T6 Standard Structural Profiles*. <https://doi.org/10.1520/B0308>
- Atmaja, D. S. E., & Herliansyah, M. K. (2021). Optimasi Parameter Pengukuran Dimensi dan Defect Ubin Keramik dengan Metode Taguchi. *Jurnal Sistem Cerdas*, 4(3), 171–179.
- Benhabib, Beno. (2003). *Manufacturing: Design, Production, Automation and Integration*. United States of America: Marcel Dekker.
- Black, J. T., & Kohser, R. A. (2008). *Materials and Processes in Manufacturing* (10th ed.). United States of America:Wiley.
- Bouزيد, L., Boutabba, S., Yallese, M. A., Belhadi, S., & Girardin, F. (2014). Simultaneous Optimization of Surface Roughness and Material Removal Rate for Turning of X20Cr13 Stainless Steel. *International Journal of Advanced Manufacturing Technology*, 74(5–8), 879–891. <https://doi.org/10.1007/s00170-014-6043-9>
- Callister, W. D., & David Rethwisch, J. G. (2014). *Materials Science and Engineering*. United States of America: Wiley.

- Camposeco-Negrete, C. (2013). Optimization of Cutting Parameters For Minimizing Energy Consumption in Turning of AISI 6061 T6 Using Taguchi Methodology And ANOVA. *Journal of Cleaner Production*, 53, 195–203. <https://doi.org/10.1016/j.jclepro.2013.03.049>
- Das, M. K., Kumar, K., Barman, T. K., Sahoo, P., Das, M. K., & Kumar, K. (2014). Optimisation of EDM process parameters using grey-Taguchi technique. *Int. J. Machining and Machinability of Materials*, 15, 28–30.
- Dave, H., Vallabhbbhai, S., Kumar, S., & Desai, K. P. (2013). Study on Micro Hole Accuracy And Electrode Depletion during Micro EDM Process Through Grey Based Taguchi Approach. *International Conference on Production and Industrial Engineering*, 999–1004. <https://www.researchgate.net/publication/236014396>
- Davim, J. Paulo. (2011). *Modern Machining Technology: A Practical Guide*. New Delhi: Woodhead Publishing.
- Davis, J. R. (2001). *Alloying: Understanding the Basics*. United States of America: ASM International.
- Dehnad, K. (1989). *Quality Control, Robust Design, and the Taguchi Method*. California: Wadsworth & Brooks.
- Ehibor, O. G. &, & Aliemeke, B. N. G. (2021). Optimization of Process Parameters of Surface Roughness and Material Removal Rate in Orthogonal Turning of AISI 1045 Carbon Steel Using Taguchi Technique. *Industrial Engineering Letters*, 10(4), 16–25. <https://doi.org/10.7176/IEL/10-4-03>
- Fajrin, J., Hariyadi, H., & Marchelina, N. (2017). Aplikasi Metode Eksperimen Response Surface Untuk Mengoptimalkan Kuat Tekan Bata Non Bakar. *Jurnal Rekayasa Sipil (JRS-Unand)*, 13(2), 79. <https://doi.org/10.25077/jrs.13.2.79-90.2017>
- Firdaus, F. N., & Susanti, N. A. (2021). Pengaruh Kecepatan Putar Dan Penyayatan Endmill Cutter Type HSS Terhadap Tingkat Kekasaran Alumunium Pada Mesin CNC. *Journal Pendidikan Teknik Mesin*, 10(02), 103–110.
- Groover, M. P. (2013). *Fundamentals of Modern Manufacturing: Materials, Processes, and Systems* (5th ed.). United States of America: Wiley.
- Gupta, M., & Kumar, S. (2013). Multi-objective optimization of cutting parameters in turning using grey relational analysis. *International Journal of Industrial Engineering Computations*, 4(4), 547–558. <https://doi.org/10.5267/j.ijiec.2013.06.001>
- Haq, A. N., Marimuthu, P., & Jeyapaul, R. (2008). Multi Response Optimization

- of Machining Parameters of Drilling Al/SiC Metal Matrix Composite Using Grey Relational Analysis in The Taguchi Method. *International Journal of Advanced Manufacturing Technology*, 37(3–4), 250–255. <https://doi.org/10.1007/s00170-007-0981-4>
- Harrell, C., Ghosh, B. K., & Bowden, R. O. (2004). *Simulation Using ProModel* (2nd ed.). United States of America: McGraw-Hill.
- International Organization for Standardization (ISO). (1997). *ISO 4287:1997: Geometrical Product Specifications (GPS) - Surface Texture: Profile method - Terms, definitions and surface texture*.
- International Organization for Standardization (ISO). (2002). *ISO 1302:2002: Geometrical Product Specifications (GPS)-Indication of surface texture in technical product documentation*.
- Jogi, B. F., Brahmanekar, P. K., Nanda, V. S., & Prasad, R. C. (2008). Some Studies On Fatigue Crack Growth Rate of Aluminum Alloy 6061. *Journal of Materials Processing Technology*, 201(1–3), 380–384. <https://doi.org/10.1016/j.jmatprotec.2007.11.302>
- Kalpakkian, S., & Schmid, S. R. (2009). *Manufacturing Engineering And Technology* (6th ed.). United States of America: Pearson.
- Kaur, A., & Kumar, R. (2015). Comparative Analysis of Parametric and Non-Parametric Tests. *Journal of Computer and Mathematical Sciences*, 6(6), 336–342. www.compmath-journal.org
- Kemenperin. (2022, May 9). *Laju Sektor Manufaktur Lampau Pertumbuhan Ekonomi*. <https://www.google.com/search?q=Laju+Sektor+Manufaktur+Lampau+Pertumbuhan+Ekonomi&oeq=Laju+Sektor+Manufaktur+Lampau+Pertumbuhan+Ekonomi&aqs=chrome..69i57j69i60.1142j0j7&sourceid=chrome&ie=UTF-8>
- Kotler, P., & Keller, K. L. (2012). *Marketing Management*. United States of America: Perason.
- Krishnaiah, K., & Shahabudeen, P. (2012). *Applied Design Of Experiment And Taguchi Methods*. New Delhi: PHI Learning Private Limited.
- Kumar, N. S., Shetty, A., Shetty, A., Ananth, K., & Shetty, H. (2012). Effect of spindle speed and feed rate on surface roughness of carbon steels in CNC turning. *Procedia Engineering*, 38, 691–697. <https://doi.org/10.1016/j.proeng.2012.06.087>
- Kundu, J., & Singh, H. (2016). Friction Stir Welding of AA5083 Aluminium Alloy: Multi-Response Optimization Using Taguchi-Based Grey Relational

- Analysis. *Advances in Mechanical Engineering*, 8(11), 1–10.
<https://doi.org/10.1177/1687814016679277>
- Kuram, E., & Ozcelik, B. (2013). Multi-objective optimization using Taguchi based grey relational analysis for micro-milling of Al 7075 material with ball nose end mill. *Measurement*, 46(6), 1849–1864.
<https://doi.org/10.1016/J.MEASUREMENT.2013.02.002>
- Lin, C. (2004). Use of the Taguchi Method and Grey Relational Analysis to Optimize Turning Operations with Multiple Performance Characteristics. *Materials And Manufacturing Processes*, 19(2), 209–220.
<https://doi.org/10.1081/AMP-120029852>
- Lusi, N., Ridlo Pamuji, D., Fiveriati, A., Afandi, A., & Sandy Prayogo, G. (2020). Application of Taguchi and Grey Relational Analysis for Parametric Optimization of End Milling Process of ASSAB-XW 42. *Advance in Engineering Research*, 198, 514–517.
- Maiyar, L. M., Ramanujam, R., Venkatesan, K., & Jerald, J. (2013). Optimization of Machining Parameters For End Milling of Inconel 718 Super Alloy Using Taguchi Based Grey Relational Analysis. *Procedia Engineering*, 64, 1276–1282. <https://doi.org/10.1016/j.proeng.2013.09.208>
- Mataram, N., Ramadhani Saputra, S., & Setiyawan, K. (2020). Optimasi Parameter Proses Milling dengan Pendinginan Fluida Alami (Cold Natural Fluid) terhadap Kualitas Permesinan Baja ST 42 dengan Metode Taguchi. *Prosiding Seminar Nasional Teknik Tahun 2020 (SENASTIKA 2020)*, 1–14.
- MatWeb. Aluminum 6061-T6; 6061-T651.
<https://asm.matweb.com/Search/SpecificMaterial.Asp?Bassnum=ma6061t6>.
- Montgomery, D. C. (2013). *Design and Analysis of Experiments* (8th ed.). United States of America: John Wiley & Sons.
- Moshat, S., Datta, S., Bandyopadhyay, A., & Pal, P. K. (2010). Optimization of CNC end milling process parameters using PCA-based Taguchi method. *International Journal of Engineering, Science and Technology*, 2(1), 92–102.
www.ijest-ng.com
- Mufarrih, A., Istiqlaliyah, H., & Ilha, M. M. (2019a). Optimization of Roundness, MRR and Surface Roughness on Turning Process using Taguchi-GRA. *Journal of Physics: Conference Series*, 1179(1).
<https://doi.org/10.1088/1742-6596/1179/1/012099>
- Mufarrih, A., Istiqlaliyah, H., & Ilha, M. M. (2019b). Optimization of Roundness, MRR and Surface Roughness on Turning Process using Taguchi-GRA. *Journal of Physics: Conference Series*, 1179(1).

<https://doi.org/10.1088/1742-6596/1179/1/012099>

- Nahm, F. S. (2016). Nonparametric Statistical Tests For The Continuous Data: The basic Concept And The Practical Use. *Korean Journal of Anesthesiology*, 69(1), 8–14. <https://doi.org/10.4097/kjae.2016.69.1.8>
- Ogunsemi, B. T., Abioye, T. E., Ogedengbe, T. I., & Zuhailawati, H. (2021). A review of various improvement strategies for joint quality of AA 6061-T6 friction stir weldments. *Journal of Materials Research and Technology*, 11, 1061–1089. <https://doi.org/10.1016/j.jmrt.2021.01.070>
- Pawade, R. S., & Joshi, S. S. (2011). Multi-objective optimization of surface roughness and cutting forces in high-speed turning of Inconel 718 using Taguchi grey relational analysis (TGRA). *International Journal of Advanced Manufacturing Technology*, 56(1–4), 47–62. <https://doi.org/10.1007/s00170-011-3183-z>
- Phanphet, S., & Bangphan, S. (2021). Application of Full Factorial Design For Optimization of Production Process by Turning Machine. *Journal of Tianjin University Science and Technology*, 54(08), 35–55. <https://doi.org/10.17605/OSF.IO/3TESD>
- Phokane, T. C., Gupta, K., & Anghel, C. (2022). Optimization of Gear Manufacturing for Quality and Productivity. *Jurnal Optimasi Sistem Industri*, 21(1), 20–27. <https://doi.org/10.25077/josi.v21.n1.p20-27.2022>
- Rahmawati, A. S., & Erina, R. (2020). Rancangan Acak Lengkap (Ral) Dengan Uji Anova Dua Jalur. *OPTIKA: Jurnal Pendidikan Fisika*, 4(1), 54.
- Rattat, C. (2016). *CNC Milling for Makers*. United States of America: Ingram Publisher.
- Roy, R. K. (2001). *Design of Experiments Using The Taguchi Approach 16 Steps to Product and Process Improvement*. United States of America: John Wiley & Sons Inc.
- Roy, R. K. (2010). *A primer on the Taguchi method*. United States of America: Society of Manufacturing Engineers.
- Rusnaldy, & Setiyana, B. (2006). Pengaruh Pemakanan (*Feed*) Terhadap Geometri dan Kekerasan Geram Pada High Speed Machining Process. *ROTASI*, 8(1), 15–20.
- Sakthivelu, S., Anandaraj, T., & Selwin, M. (2017). Multi-Objective Optimization of Machining Conditions on Surface Roughness and MRR during CNC End Milling of Aluminium Alloy 7075 Using Taguchi Design of Experiments. In *Mechanics and Mechanical Engineering* (Vol. 21, Issue 1).

- Shahin, A. (2008). The Relationship Between Quality And Productivity: A New Perspective. *Int. J. Productivity and Quality Management*, 3(2), 206–222.
- Shi, K., Zhang, D., & Ren, J. (2015). Optimization of process parameters for surface roughness and microhardness in dry milling of magnesium alloy using Taguchi with grey relational analysis. *International Journal of Advanced Manufacturing Technology*, 81(1–4), 645–651. <https://doi.org/10.1007/s00170-015-7218-8>
- Shihab, S. K., & Mubarak, E. M. M. (2016). Evaluation of Surface Roughness and Material Removal Rate in End Milling of Complex Shape. *Universal Journal of Mechanical Engineering*, 4(3), 69–73. <https://doi.org/10.13189/ujme.2016.040303>
- Sidi, P., & Wahyudi, M. T. (2013). Aplikasi Metoda Taguchi Untuk Mengetahui Optimasi Kebulatan Pada Proses Bubut CNC. *Jurnal Rekayasa Mesin*, 4(2), 101–108.
- Singh, R. (2006). *Introduction to Basic Manufacturing Processes and Workshop Technology*. New Delhi Age International Publisher.
- Sivaiah, P., & Chakradhar, D. (2017). Multi-Objective Optimisation Of Cryogenic Turning Process Using Taguchi-Based Grey Relational Analysis. In *Int. J. Machining and Machinability of Materials* (Vol. 19, Issue 4).
- Solanki, M., & Jain, A. (2021a). Optimization Of Material Removal Rate And Surface Roughness Using Taguchi Based Multi-Criteria Decision Making (MCDM) Technique For Turning AL-6082. *Proceedings on Engineering Sciences*, 3(3), 303–318. <https://doi.org/10.24874/PES03.03.007>
- Solanki, M., & Jain, A. (2021b). Optimization Of Material Removal Rate And Surface Roughness Using Taguchi Based Multi-Criteria Decision Making (MCDM) Technique For Turning AL-6082. *Proceedings on Engineering Sciences*, 3(3), 303–318. <https://doi.org/10.24874/PES03.03.007>
- Sredanović B, Čiča Đ, Tešić S, & Kramar D. (2019). Optimization Of Cutting Parameters For Minimizing Specific Cutting Energy And Maximizing Productivity In Turning Of AISI 1045 Steel. *International Scientific Journal - Machines, Technologies, Materials*, 13(11), 491–494.
- Srigustini, A., & Afriza, E. F. (2016). Dinamika Pengambilan Keputusan Dalam Kondisi Trade-Off Pada Mahasiswa Pendidikan Ekonomi Peraih Beasiswa Bidikmisi. *Jurnal Pendidikan Ekonomi UM Metro*, 6(1), 1–10.
- Summers, D. C. S. (2018). *Quality* (6th ed.). United States of America: Pearson.
- Taguchi, G., Chowdhury, S., & Wu, Y. (2005). *Taguchi's Quality Engineering Handbook*. United States of America: John Wiley & Sons.

- Tan, Y. H., Abdullah, M. O., Nolasco-Hipolito, C., & Ahmad Zauzi, N. S. (2017). Application of RSM and Taguchi Methods for Optimizing the Transesterification of Waste Cooking Oil Catalyzed by Solid Ostrich and Chicken-Eggshell Derived CaO. *Renewable Energy*, 114(PB), 437–447. <https://doi.org/10.1016/j.renene.2017.07.024>
- Tetelepta, N. N. (2012). Penggunaan Pahat Ball End Mill Terhadap Kekasaran Permukaan Pada Material Baja ST 37. *Jurnal Teknologi*, 9(1), 1018–1028.
- Thakur, D., Ramamoorthy, B., & Vijayaraghavan, L. (2009). Optimization of High Speed Turning Parameters of Super Alloy Inconel 718 Material Using Taguchi Technique. *Indian Journal of Engineering & Materials Sciences*, 16, 44–50.
- UKO Carbide. (n.d.). *Hardness HSS-AL*. <https://www.ukocarbide.com/Faq/What-Is-Aluminum-High-Speed-Steel-Hss-Al/>.
- Wambua, J. M., Mwema, F. M., Tanya, B., & Jen, T.-C. (2022). CNC Milling of Medical-Grade PMMA. *International Journal of Manufacturing, Materials, and Mechanical Engineering*, 12(1), 1–15. <https://doi.org/10.4018/IJMMME.293226>
- Warsi, S. S., Agha, M. H., Ahmad, R., Jaffery, S. H. I., & Khan, M. (2019). Sustainable turning using multi-objective optimization: a study of Al 6061 T6 at high cutting speeds. *International Journal of Advanced Manufacturing Technology*, 100(1–4), 843–855. <https://doi.org/10.1007/s00170-018-2759-2>
- Wibowo, A. T., Haryadi, G. D., & Umardani, Y. (2014). Pengaruh Heat Treatment T6 Pada Aluminium Alloy 6061-O Dan Pengelasan Transversal Tungsten Inert Gas Terhadap Sifat Mekanik Dan Struktur Mikro. *Jurnal Teknik Mesin*, 2(4), 374–381.
- Winarni, S., & Indratno, S. W. (2018). Application of multi response optimization with grey relational analysis and fuzzy logic method. *Journal of Physics: Conference Series*, 948(1). <https://doi.org/10.1088/1742-6596/948/1/012075>
- Woolf, P. (2009). *Chemical Process Dynamics And Controls*. University of Michigan Engineering Controls Group. <https://LibreTexts.org>
- Yanuar, H., Syarief, A., & Kusairi, A. (2014). Pengaruh Variasi Kecepatan Potong dan Kedalaman Pemakanan Terhadap Kekasaran Permukaan Dengan Berbagai Media Pendingin Pada Proses Frais Konvensional. *Jurnal Ilmiah Teknik Mesin Unlam*, 03(1), 27–33.
- Yudhyadi, I. G. N. K., Rachmanto, T., & Ramadan, A. D. (2016). Optimasi

Parameter Permesinan Terhadap Waktu Proses Pada Pemrograman CNC Milling Dengan Berbasis Cad Cam. *Dinamika Teknik Mesin*, 6(1), 38–50.

Zhang, J. Z., & Chen, J. C. (2009). Surface roughness optimization in a drilling operation using the taguchi design method. *Materials and Manufacturing Processes*, 24(4), 459–467. <https://doi.org/10.1080/10426910802714399>

Zhang, X., Li, X., Wang, H., & Zhang, T. (2020). Multi-Objective Optimization of Machining Parameters During Milling of Carbon-Fiber-Reinforced Polyetheretherketone Composites Using Grey Relational Analysis. *Advances in Mechanical Engineering*, 12(10). <https://doi.org/10.1177/1687814020966232>