

References

- [1] H. Dewanto and A. T. Wibowo, "Analisis dan Implementasi Prediksi Rating pada Memory-based Collaborative Filtering dengan Menggunakan Smoothing," *Proceeding Eng.*, vol. 2, No.3, no. 3, pp. 7716–7720, 2015.
- [2] M. Laterman, M. Arlitt, and C. Williamson, "A campus-level view of netflix and twitch: Characterization and performance implications," *Simul. Ser.*, vol. 49, no. 10, pp. 98–105, 2017, doi: 10.23919/spects.2017.8046774.
- [3] D. Zeng, H. Chen, R. Lusch, and S. H. Li, "Social media analytics and intelligence," *IEEE Intell. Syst.*, vol. 25, no. 6, pp. 13–16, 2010, doi: 10.1109/MIS.2010.151.
- [4] X. Liu, "Full-Text Citation Analysis : A New Method to Enhance," *J. Am. Soc. Inf. Sci. Technol.*, vol. 64, no. July, pp. 1852–1863, 2013, doi: 10.1002/asi.
- [5] P. Valdiviezo-Diaz, F. Ortega, E. Cobos, and R. Lara-Cabrera, "A Collaborative Filtering Approach Based on Naïve Bayes Classifier," *IEEE Access*, vol. 7, pp. 108581–108592, 2019, doi: 10.1109/ACCESS.2019.2933048.
- [6] N. Bhalse and R. Thakur, "Algorithm for movie recommendation system using collaborative filtering," *Mater. Today Proc.*, no. xxxx, pp. 1–6, 2021, doi: 10.1016/j.matpr.2021.01.235.
- [7] A. A. Fakhri, Z. K. A. Baizal, and E. B. Setiawan, "Restaurant Recommender System Using User-Based Collaborative Filtering Approach: A Case Study at Bandung Raya Region," *J. Phys. Conf. Ser.*, vol. 1192, no. 1, 2019, doi: 10.1088/1742-6596/1192/1/012023.
- [8] T. Chai and R. R. Draxler, "Root mean square error (RMSE) or mean absolute error (MAE)? -Arguments against avoiding RMSE in the literature," *Geosci. Model Dev.*, vol. 7, no. 3, pp. 1247–1250, 2014, doi: 10.5194/gmd-7-1247-2014.
- [9] S. Shiaeles, N. Kolokotronis, and E. Bellini, "IoT vulnerability data crawling and analysis," *Proc. - 2019 IEEE World Congr. Serv. Serv. 2019*, vol. 2642–939X, pp. 78–83, 2019, doi: 10.1109/SERVICES.2019.00028.
- [10] T. I. Jain and D. Nemade, "Recognizing Contextual Polarity in Phrase-Level Sentiment Analysis," *Int. J. Comput. Appl.*, vol. 7, no. 5, pp. 12–21, 2010, doi: 10.5120/1160-1453.
- [11] L. Al Shalabi and Z. Shaaban, "Normalization as a Preprocessing Engine for Data Mining and the Approach of Preference Matrix," *Proc. Int. Conf. Dependability Comput. Syst. DepCoS-RELCOMEX 2006*, pp. 207–214, 2006, doi: 10.1109/DEPCOS-RELCOMEX.2006.38.
- [12] Willy, E. B. Setiawan, and F. N. Nugraha, "Implementation of Decision Tree C4.5 for Big Five Personality Predictions with TF-RF and TF-CHI2 on Social Media Twitter," *2019 Int. Conf. Comput. Control. Informatics its Appl. Emerg. Trends Big Data Artif. Intell. IC3INA 2019*, pp. 114–119, 2019, doi: 10.1109/IC3INA48034.2019.8949601.
- [13] B. Irena and Erwin Budi Setiawan, "Fake News (Hoax) Identification on Social Media Twitter using Decision Tree C4.5 Method," *J. RESTI (Rekayasa Sist. dan Teknol. Informasi)*, vol. 4, no. 4, pp. 711–716, 2020, doi: 10.29207/resti.v4i4.2125.
- [14] M. Taheri, N. Lim, and J. Lederer, "Balancing Statistical and Computational Precision and Applications to Penalized Linear Regression with Group Sparsity," pp. 233–240, 2016, [Online]. Available: <http://arxiv.org/abs/1609.07195>