

DAFTAR TABEL

Tabel I.1. Daftar Alternatif Solusi	20
Tabel I.1. Daftar Alternatif Solusi (Lanjutan)	21
Tabel I.2. Hasil Perhitungan <i>Priority Ranking</i> dan Metode Terpilih	22
Tabel II.1. The Fundamental Scale of AHP	26
Tabel II.2. The RCM II <i>Decision Worksheet</i>	37
Tabel II.3. The FMEA <i>Worksheet</i>	39
Tabel II.4. Severity Ranking Criteria	39
Tabel II.5. Environmental, Safety, and Health Severity Code	40
Tabel II.6. Occurrence Ranking Criteria	40
Tabel II.6. Occurrence Ranking Criteria (Lanjutan)	41
Tabel II.7. Detection Ranking Criteria	41
Tabel II.8. Algoritma Pemilihan Teori Perancangan.....	48
Tabel II.8. Algoritma Pemilihan Teori Perancangan (Lanjutan).....	49
Tabel III.1. Tahapan Wawancara	51
Tabel IV.1. Data Kerusakan Mesin Autoclave.....	57
Tabel IV.1. Data Kerusakan Mesin Autoclave (Lanjutan).....	58
Tabel IV.2. Jumlah Data Kerusakan Mesin <i>Autoclave</i>	58
Tabel IV.3. Data Kerusakan Komponen Mesin Autoclave-035.....	59
Tabel IV.3. Data Kerusakan Komponen Mesin Autoclave-035 (Lanjutan).....	60
Tabel IV.4. Jumlah Data Kerusakan Komponen Mesin Autoclave-035	60
Tabel IV.5. Jumlah Data Kerusakan Komponen Mesin Autoclave-035	62
Tabel IV.6. Perhitungan <i>Index of Fit</i> Distribusi Normal TTF <i>Drain Chamber</i>	64
Tabel IV.7. Perhitungan <i>Index of Fit</i> Distribusi Eksponensial TTF <i>Drain Chamber</i>	66
Tabel IV.8. Perhitungan <i>Index of Fit</i> Distribusi Weibull TTF <i>Drain Chamber</i>	67
Tabel IV.9. Hasil <i>Index of Fit</i> Distribusi TTF <i>Drain Chamber</i>	68
Tabel IV.10. Perhitungan <i>Index of Fit</i> Distribusi Normal TTF <i>Door Seal</i>	69
Tabel IV.11. Perhitungan <i>Index of Fit</i> Distribusi Eksponensial TTF <i>Door Seal</i> ..	70
Tabel IV.11. Perhitungan <i>Index of Fit</i> Distribusi Eksponensial TTF <i>Door Seal</i> (Lanjutan)	71
Tabel IV.12. Perhitungan <i>Index of Fit</i> Distribusi Weibull TTF <i>Door Seal</i>	72

Tabel IV.13. Hasil <i>Index of Fit</i> Distribusi TTF <i>Door Seal</i>	72
Tabel IV.14. Parameter Distribusi <i>Time to Failure</i> (TTF).....	73
Tabel IV.15. Hasil <i>Mean Time to Failure</i> (MTTF).....	74
Tabel IV.16. Perhitungan <i>Index of Fit</i> Distribusi Normal TTR <i>Drain Chamber</i> ..	75
Tabel IV.17. Perhitungan <i>Index of Fit</i> Distribusi Eksponensial TTR <i>Drain Chamber</i>	77
Tabel IV.18. Perhitungan <i>Index of Fit</i> Distribusi Weibull TTR <i>Drain Chamber</i> .	78
Tabel IV.18. Perhitungan <i>Index of Fit</i> Distribusi Weibull TTR <i>Drain Chamber</i> (Lanjutan)	79
Tabel IV.19. Hasil <i>Index of Fit</i> Distribusi TTR <i>Drain Chamber</i>	79
Tabel IV.20. Perhitungan <i>Index of Fit</i> Distribusi Normal TTR <i>Door Seal</i>	80
Tabel IV.21. Perhitungan <i>Index of Fit</i> Distribusi Eksponensial TTR <i>Door Seal</i> ..	82
Tabel IV.22. Perhitungan <i>Index of Fit</i> Distribusi Weibull TTR <i>Door Seal</i>	83
Tabel IV.23. Hasil <i>Index of Fit</i> Distribusi TTR <i>Door Seal</i>	84
Tabel IV.24. Parameter Distribusi <i>Time to Repair</i> (TTR).....	84
Tabel IV.25. Hasil <i>Mean Time to Repair</i> (MTTR)	85
Tabel IV.26. Failure Mode and Effect Analysis.....	88
Tabel IV.27. Logic Tree Analysis	91
Tabel IV.27. <i>Logic Tree Analysis</i> (Lanjutan).....	92
Tabel IV.27. <i>Logic Tree Analysis</i> (Lanjutan).....	93
Tabel IV.27. <i>Logic Tree Analysis</i> (Lanjutan).....	94
Tabel IV.28. Reliability Centered Maintenance (RCM) II Decision Worksheet ..	95
Tabel IV.29. Perhitungan <i>Age Replacement</i> Komponen <i>Drain Chamber</i> – 1.5 Bulan	97
Tabel IV.29. Perhitungan <i>Age Replacement</i> Komponen <i>Drain Chamber</i> – 1.5 Bulan (Lanjutan)	98
Tabel IV.30. Perhitungan <i>Age Replacement</i> Komponen <i>Drain Chamber</i> – 3 Bulan	100
Tabel IV.30. Perhitungan <i>Age Replacement</i> Komponen <i>Drain Chamber</i> – 3 Bulan (Lanjutan)	101
Tabel IV.31. Perhitungan <i>Age Replacement</i> Komponen <i>Door Seal</i> – 2.2 Bulan	103
Tabel IV.31. Perhitungan <i>Age Replacement</i> Komponen <i>Door Seal</i> – 2.2 Bulan (Lanjutan)	104
Tabel IV.32. Perhitungan <i>Age Replacement</i> Komponen <i>Door Seal</i> – 4.4 Bulan	106

Tabel IV.32. Perhitungan <i>Age Replacement</i> Komponen <i>Door Seal</i> – 4.4 Bulan (Lanjutan)	107
Tabel IV.33. Hasil Interval Waktu Pemeliharaan Berdasarkan Metode RCM II	109
Tabel IV.34. Hasil Interval Waktu Penggantian Komponen Berdasarkan Metode <i>Age Relacement</i>	110
Tabel IV.35. Hasil Uji Goodness of Fit Test Time to Failure (TTF)	111
Tabel IV.36. Hasil Uji Goodness of Fit Test Time to Repair (TTR)	112
Tabel V.1. Validasi Hasil Rancangan.....	113
Tabel V.2. Data Penggantian Komponen Eksisting	114
Tabel V.2. Data Penggantian Komponen Eksisting (Lanjutan)	115
Tabel V.3. Data Penggantian Komponen Usulan.....	115
Tabel V.4. Hasil RCM II <i>Decision Worksheet</i> Komponen <i>Door Seal</i>	118
Tabel V.5. Hasil RCM II <i>Decision Worksheet</i> Komponen <i>Drain Chamber</i>	119
Tabel V.6. Instrumen Rencana Implementasi	121