

## LIST OF FIGURES

|                                                                                                    |    |
|----------------------------------------------------------------------------------------------------|----|
| <b>Figure 2.1</b> NG-RAN architecture .....                                                        | 9  |
| <b>Figure 2.2</b> Multi-Operator Core Network (MOCN) .....                                         | 11 |
| <b>Figure 3.1</b> Research flowchart .....                                                         | 22 |
| <b>Figure 4.1</b> Data rate 5G NR at Frequency 700 MHz .....                                       | 34 |
| <b>Figure 4.2</b> Data rate 5G NR at frequency 2300 MHz .....                                      | 34 |
| <b>Figure 4.3</b> Data rate 5G NR at frequency 2500 MHz .....                                      | 35 |
| <b>Figure 4.4</b> Data rate 5G NR at frequency 3.5 GHz .....                                       | 35 |
| <b>Figure 4.5</b> Data rate 5G NR at frequency 4.7 GHz .....                                       | 36 |
| <b>Figure 4.6</b> Data rate 5G NR at frequency 28 GHz .....                                        | 36 |
| <b>Figure 4.7</b> Data rate 5G NR at frequency 26 GHz .....                                        | 37 |
| <b>Figure 4.8</b> Forecasting 5G NR users in Bandung .....                                         | 38 |
| <b>Figure 4.9</b> Forecasting 5G NR users in Sumedang .....                                        | 39 |
| <b>Figure 4.10</b> Throughput fairness index .....                                                 | 43 |
| <b>Figure 4.11</b> NPV of Bandung using capacity planning with non-sharing scenario .....          | 46 |
| <b>Figure 4.12</b> NPV of Bandung using capacity planning with sharing scenario (MNO B+C) .....    | 47 |
| <b>Figure 4.13</b> NPV of Bandung using capacity planning with sharing scenario (MNO A+B+C) .....  | 47 |
| <b>Figure 4.14</b> NPV of Sumedang using capacity planning with non-sharing scenario .....         | 48 |
| <b>Figure 4.15</b> NPV of Sumedang using capacity planning with sharing scenario (MNO B+C) .....   | 48 |
| <b>Figure 4.16</b> NPV of Sumedang using capacity planning with sharing scenario (MNO A+B+C) ..... | 49 |
| <b>Figure 4.17</b> NPV of Bandung using coverage planning with non-sharing scenario .....          | 49 |
| <b>Figure 4.18</b> NPV of Bandung using coverage planning with sharing scenario (MNO B+C) .....    | 50 |
| <b>Figure 4.19</b> NPV of Bandung using coverage planning with sharing scenario (MNO A+B+C) .....  | 51 |

|                                                                                                    |    |
|----------------------------------------------------------------------------------------------------|----|
| <b>Figure 4.20</b> NPV of Sumedang using coverage planning with non-sharing scenario .....         | 51 |
| <b>Figure 4.21</b> NPV of Sumedang using coverage planning with sharing scenario (MNO B+C) .....   | 52 |
| <b>Figure 4.22</b> NPV of Sumedang using coverage planning with sharing scenario (MNO A+B+C) ..... | 52 |
| <b>Figure 4.23</b> IRR of Bandung using capacity planning .....                                    | 53 |
| <b>Figure 4.24</b> IRR of Sumedang using capacity planning .....                                   | 54 |
| <b>Figure 4.25</b> IRR of Bandung using coverage planning .....                                    | 54 |
| <b>Figure 4.26</b> IRR of Sumedang using coverage planning .....                                   | 55 |
| <b>Figure 4.27</b> PP of Bandung using capacity planning .....                                     | 55 |
| <b>Figure 4.28</b> PP of Sumedang using capacity planning .....                                    | 56 |
| <b>Figure 4.29</b> PP of Bandung using coverage planning .....                                     | 56 |
| <b>Figure 4.30</b> PP of Sumedang using coverage planning .....                                    | 57 |
| <b>Figure 4.31</b> PI of Bandung using capacity planning .....                                     | 57 |
| <b>Figure 4.32</b> PI of Sumedang using capacity planning .....                                    | 58 |
| <b>Figure 4.33</b> PI of Bandung using coverage planning .....                                     | 58 |
| <b>Figure 4.34</b> PI of Sumedang using coverage planning .....                                    | 59 |
| <b>Figure 4.35</b> Sensitivity Analysis .....                                                      | 60 |