

DAFTAR PUSTAKA

- [1] Y. Ding, Q. Zhao, B. Li, and X. Yuan, “Facial Expression Recognition from Image Sequence Based on LBP and Taylor Expansion,” *IEEE Access*, vol. 5, pp. 19409–19419, Aug. 2017, doi: 10.1109/ACCESS.2017.2737821.
- [2] B. Yang, J. Cao, R. Ni, and Y. Zhang, “Facial Expression Recognition Using Weighted Mixture Deep Neural Network Based on Double-Channel Facial Images,” *IEEE Access*, vol. 6, pp. 4630–4640, Dec. 2017, doi: 10.1109/ACCESS.2017.2784096.
- [3] C. Shi, C. Tan, and L. Wang, “A Facial Expression Recognition Method Based on a Multibranch Cross-Connection Convolutional Neural Network,” *IEEE Access*, vol. 9, pp. 39255–39274, 2021, doi: 10.1109/ACCESS.2021.3063493.
- [4] H. Zhang, A. Jolfaei, and M. Alazab, “A Face Emotion Recognition Method Using Convolutional Neural Network and Image Edge Computing,” *IEEE Access*, vol. 7, pp. 159081–159089, 2019, doi: 10.1109/ACCESS.2019.2949741.
- [5] F. Qu, S. J. Wang, W. J. Yan, H. Li, S. Wu, and X. Fu, “CAS(ME)2: A Database for Spontaneous Macro-Expression and Micro-Expression Spotting and Recognition,” *IEEE Trans Affect Comput*, vol. 9, no. 4, pp. 424–436, Oct. 2018, doi: 10.1109/TAFFC.2017.2654440.
- [6] D. Picard, C. Jouffrais, and S. Lebaz, “Haptic recognition of emotions in raised-line drawings by congenitally blind and sighted adults,” *IEEE Trans Haptics*, vol. 4, no. 1, pp. 67–71, 2011, doi: 10.1109/TOH.2010.58.
- [7] B. Allaert, I. M. Bilasco, and C. Djeraba, “Micro and Macro Facial Expression Recognition Using Advanced Local Motion Patterns,” *IEEE Trans Affect Comput*, vol. 13, no. 1, pp. 147–158, 2022, doi: 10.1109/TAFFC.2019.2949559.
- [8] W. Fang, L. Wang, and P. Ren, “Tinier-YOLO: A Real-Time Object Detection Method for Constrained Environments,” *IEEE Access*, vol. 8, pp. 1935–1944, 2020, doi: 10.1109/ACCESS.2019.2961959.
- [9] C. C. Aggarwal, “Neural Networks and Deep Learning.”

- [10] T. Huang, L. Chen, Y. Feng, X. Ben, R. Xiao, and T. Xue, “A Multiview Representation Framework for Micro-Expression Recognition,” *IEEE Access*, vol. 7, pp. 120670–120680, 2019, doi: 10.1109/ACCESS.2019.2932784.
- [11] Y. Lou, R. Wu, J. Li, L. Wang, and G. Chen, “A Convolutional Neural Network Approach to Predicting Network Connectedness Robustness,” *IEEE Trans Netw Sci Eng*, vol. 8, no. 4, pp. 3209–3219, 2021, doi: 10.1109/TNSE.2021.3107186.
- [12] M. Heydarian, T. E. Doyle, and R. Samavi, “MLCM: Multi-Label Confusion Matrix,” *IEEE Access*, vol. 10, pp. 19083–19095, 2022, doi: 10.1109/ACCESS.2022.3151048.
- [13] P. Chandrasekar and K. Qian, “The Impact of Data Preprocessing on the Performance of a Naïve Bayes Classifier,” in *Proceedings - International Computer Software and Applications Conference*, Aug. 2016, vol. 2, pp. 618–619. doi: 10.1109/COMPSAC.2016.205.
- [14] G.-B. Liong, J. See, and L.-K. Wong, “Shallow Optical Flow Three-Stream CNN for Macro- and Micro-Expression Spotting from Long Videos,” Jun. 2021, [Online]. Available: <http://arxiv.org/abs/2106.06489>
- [15] Y. J. Liu, J. K. Zhang, W. J. Yan, S. J. Wang, G. Zhao, and X. Fu, “A Main Directional Mean Optical Flow Feature for Spontaneous Micro-Expression Recognition,” *IEEE Trans Affect Comput*, vol. 7, no. 4, pp. 299–310, Oct. 2016, doi: 10.1109/TAFFC.2015.2485205.
- [16] A. Bogdanchikov, M. Zhaparov, and R. Suliyev, “Python to learn programming,” in *Journal of Physics: Conference Series*, 2013, vol. 423, no. 1. doi: 10.1088/1742-6596/423/1/012027.
- [17] X. Ben *et al.*, “Video-based Facial Micro-Expression Analysis: A Survey of Datasets, Features and Algorithms ACCEPTED MANUSCRIPT Video-based Facial Micro-Expression Analysis: A Survey of Datasets, Features and Algorithms,” *IEEE Trans Pattern Anal Mach Intell*, vol. PP, 2021, doi: 10.1109/TPAMI.2021.3067464.
- [18] F. Qu, S. J. Wang, W. J. Yan, H. Li, S. Wu, and X. Fu, “CAS(ME)2): A Database for Spontaneous Macro-Expression and Micro-Expression

- Spotting and Recognition,” *IEEE Trans Affect Comput*, vol. 9, no. 4, pp. 424–436, Oct. 2018, doi: 10.1109/TAFFC.2017.2654440.
- [19] C. Wang, M. Peng, T. Bi, and T. Chen, “Micro-attention for micro-expression recognition,” *Neurocomputing*, vol. 410, pp. 354–362, Oct. 2020, doi: 10.1016/j.neucom.2020.06.005.