

DAFTAR PUSTAKA

- [1] D. V. K. S. D. S. K. R. Tiwari, “Study of Biometric Authentication Systems and Their Security,” *Int. J. Sci. Res.*, vol. 4, no. 9, pp. 1594–1597, 2015, [Online]. Available: <https://www.ijsr.net/archive/v4i9/SUB158368.pdf>.
- [2] M. M. H. Ali, P. Yannawar, and A. T. Gaikwad, “Study of edge detection methods based on palmprint lines,” *Int. Conf. Electr. Electron. Optim. Tech. ICEEOT 2016*, no. March, pp. 1344–1350, 2016, doi: 10.1109/ICEEOT.2016.7754902.
- [3] A. K. Jain, F. Patrick., and R. A. A, *Handbook of Biometrics*. springer, 2008.
- [4] J. Daugman and C. Downing, “No change over time is shown in Rankin et al. Iris recognition failure over time: The effects of texture,” *Pattern Recognit.*, vol. 46, no. 2, pp. 609–610, 2013, doi: 10.1016/j.patcog.2012.08.005.
- [5] K. Devi, P. Gupta, D. Grover, and A. Dhindsa, “An Effective Feature Extraction Approach for Iris Recognition System,” *Indian J. Sci. Technol.*, vol. 9, no. 47, 2016, doi: 10.17485/ijst/2015/v8i1/106827.
- [6] O. Visaliny *et al.*, “PENGENALAN IRIS MATA MANUSIA MENGGUNAKAN METODE KLASIFIKASI K- NEAREST NEIGHBOR (KNN) HUMAN IRIS RECOGNITION USING K-NEAREST NEIGHBOR (KNN) CLASSIFICATION METHODS.”
- [7] G. S. F. Wahid, R. Purnamasari, and S. Saidah, “Identifikasi Personal Melalui Iris Mata Dengan Menggunakan Metode Compound Local Binary Pattern Dan Klasifikasi Support Vector Machine Personal Identification Based on Compound Local Binary,” *JEPIN (Jurnal Edukasi dan Penelit. Inform.*, vol. 6, no. 2, pp. 3959–3966, 2019.
- [8] A. Rezika, Ernawati, and A. Elansari, “Identifikasi pola iris mata dengan algoritme daugman dan metode hamming distance,” *Rekursif J. Inform.*, vol.

- 6, no. 2, 2018.
- [9] M. S. Dewy, “Aplikasi Learning Vector Quantization Dan Principal Component Analysis Pada Pengenalan Individu Melalui,” *Diss. Inst. Teknol. Sepuluh Nop.*, 2017.
- [10] S. Devella, “Pengenalan Iris menggunakan Ekstraksi Fitur Histogram of Oriented Gradient,” *J. Tek. Inform. dan Sist. Inf.*, vol. 4, pp. 124–134, 2018.
- [11] M. A. Abuzneid, A. Mahmood, and S. Member, “Enhanced Human Face Recognition Using LBPH Descriptor , Multi-KNN , and Back-Propagation Neural Network,” *IEEE Access*, vol. 6, pp. 20641–20651, 2018, doi: 10.1109/ACCESS.2018.2825310.
- [12] N. Kumar, “Periocular Biometrics for Iris Recognition: A Review,” *Int. J. Sci. Res.*, vol. 6, no. 7, pp. 491–494, 2017, doi: 10.21275/art20175151.
- [13] S. S. Salve, “Iris Recognition Using Wavelet Transform and Svm Basedapproach,” *Asian J. Conver. Technol.*, vol. 05, no. 01, pp. 1–4, 2019, doi: 10.33130/ajct.2019v05i01.010.
- [14] A. K. Jain, A. Ross, and S. Prabhakar, “An Introduction to Biometric Recognition,” *IEEE Trans. Circuits Syst. Video Technol.*, vol. 14, no. 1, pp. 4–20, 2004, doi: 10.1109/TCSVT.2003.818349.
- [15] D. Putra, *Sistem Biometrika: Konsep Dasar, Teknik Analisis Citra, dan Tahapan Membangun Aplikasi Sistem Biometrika*. Yogyakarta, 2009.
- [16] E. G. Kristanto, E. Rompas, and S. Wangko, “Identifikasi iris Opsi Identifikasi Biometrik,” *J. Biomedik JBM*, vol. 5, no. 3, pp. 7–11, 2013.
- [17] S. Pardhi and S. G. Qureshi, “Iris Recognition System based on Canny and LoG Edge Detection Methods,” *J. Soft Comput. Decis. Support Syst.*, vol. 2, no. 4, pp. 26–30, 2015.
- [18] N. Sharma and P. Singh, “Iris Recognition System Using ANFIS Classifier,”

- Int. J. Sci. Res.*, vol. 6, no. 1, pp. 1488–1492, 2017, doi: 10.21275/art20164427.
- [19] L. K. Singh and P. Gupta, “Personal Authentication Based on Iris Recognition,” *Int. J. Sci. Res.*, vol. 5, no. 2, pp. 446–450, 2016, doi: 10.21275/v5i2.nov161104.
- [20] R. Latuconsina, “Citra Digital Pada Nilai RGB,” *J. ELKO (ELEKTRIKAL dan KOMPUTER)*, vol. 2, no. 1, pp. 71–78, 2021.
- [21] M. R. Kumaseh, L. Latumakulita, and N. Nainggolan, “Segmentasi Citra Digital Ikan Menggunakan Metode Thresholding,” *J. Ilm. Sains*, vol. 13, no. 1, p. 74, 2013, doi: 10.35799/jis.13.1.2013.2057.
- [22] P. Nurtantio Andono, Muljono, and T. Sutojo, *Pengolahan citra digital*, 1st ed. Yogyakarta: ANDI, 2017.
- [23] K. Karthikeyan, A. V Karpagam, and M. Manikandan, “Influence of binning in Histograms of Oriented Gradients method representation,” *2017 Fourth Int. Conf. Signal Process. Commun. Netw.*, pp. 15–19, 2017.
- [24] C. Shu, X. Ding, and C. Fang, “Histogram of the oriented gradient for face recognition,” *Tsinghua Sci. Technol.*, vol. 16, no. 2, pp. 216–224, 2011, doi: 10.1016/S1007-0214(11)70032-3.
- [25] R. U. Fauzia, B. Hidayat, and ..., “Deteksi Citra Sidik Bibir Suku Sunda Dan Suku Minangkabau Dengan Metode Histogram Of Oriented Gradient (hog) Dan Linear Discriminant Analysis (lda) Pada ...,” *Univ. Telkom. eProceedings Eng.*, vol. 6, no. 1, pp. 538–546, 2019.
- [26] S. Guzmán, A. Gómez, G. Diez, and D. S. Fernández, “Car Detection Methodology in Outdoor Environment Based on Histogram of Oriented Gradient (HOG) and Support Vector Machine (SVM),” *6th Latin-American Conf. Networked Electron. Media (LACNEM 2015)*, pp. 4 (4.)-4 (4.), 2016, doi: 10.1049/ic.2015.0310.

- [27] M. A. Rahayu, I. R. Magdalena, and R. Rahmania, "Identifikasi Penyakit Kulit Menggunakan Histogram Of Oriented Gradients Dan Jaringan Syaraf Tiruan Identification Of Skin Diseases Using Histogram Of Oriented Gradients And Artificial Neural Network Backpropagation," *E-Proceeding Eng.*, vol. 6, no. 2, pp. 3951–3958, 2019, [Online]. Available: <https://openlibrarypublications.telkomuniversity.ac.id/index.php/engineering/article/view/10340>.
- [28] Nurhayati, A. Meizar, N. A. Saragih, and E. Astuti, "Lowering the Gradient Error on Neural Network Using Backpropagation for Diagnosing Psychological Problems among Children," *2018 6th Int. Conf. Cyber IT Serv. Manag. CITSM 2018*, no. Citsm, pp. 1–5, 2019, doi: 10.1109/CITSM.2018.8674052.
- [29] J. Amrutha and A. S. Remya Ajai, "Performance analysis of backpropagation algorithm of artificial neural networks in verilog," *2018 3rd IEEE Int. Conf. Recent Trends Electron. Inf. Commun. Technol. RTEICT 2018 - Proc.*, pp. 1547–1550, 2018, doi: 10.1109/RTEICT42901.2018.9012614.