

**REFERENCES**

- [1] L. Jemadu and D. Prastyana, "Jumlah Pengguna Media Sosial Indonesia Capai 191,4 Juta per 2022," 2022. <https://www.suara.com/teknologi/2022/02/23/191809/jumlah-pengguna-media-sosial-indonesia-capai-1914-juta-per-2022> (accessed Jan. 07, 2023).
- [2] C. M. Annur, "Pengguna Twitter Indonesia Masuk Daftar Terbanyak di Dunia, Urutan Berapa?," 2022. <https://databoks.katadata.co.id/datapublish/2022/03/23/pengguna-twitter-indonesia-masuk-daftar-terbanyak-di-dunia-urutan-berapa> (accessed Jan. 07, 2023).
- [3] G. M. Framanta, "Pengaruh Lingkungan Keluarga Terhadap Kepribadian Anak," *J. Pendidik. dan Konseling*, vol. 2, no. 1, pp. 126–129, 2020, doi: 10.31004/jpdk.v1i2.654.
- [4] M. P. R. Putra and K. R. N. Wardani, "Penerapan Text Mining Dalam Menganalisis Kepribadian Pengguna Media Sosial," *JUTIM (Jurnal Tek. Inform. Musirawas)*, vol. 5, no. 1, pp. 63–71, 2020, doi: 10.32767/jutim.v5i1.791.
- [5] S. S. Keh and I.-T. Cheng, "Myers-Briggs Personality Classification and Personality-Specific Language Generation Using Pre-trained Language Models," 2019, [Online]. Available: <http://arxiv.org/abs/1907.06333>
- [6] A. Kazameini, S. Fatehi, Y. Mehta, S. Eetemadi, and E. Cambria, "Personality Trait Detection Using Bagged SVM over BERT Word Embedding Ensembles," pp. 1–4, 2020, [Online]. Available: <http://arxiv.org/abs/2010.01309>
- [7] A. Souiri, S. Hosseinpour, and A. M. Rahmani, "Personality classification based on profiles of social networks' users and the five-factor model of personality," *Human-centric Comput. Inf. Sci.*, vol. 8, no. 1, 2018, doi: 10.1186/s13673-018-0147-4.
- [8] G. D. Salsabila and E. B. Setiawan, "Semantic Approach for Big Five Personality Prediction on Twitter," *J. RESTI (Rekayasa Sist. dan Teknol. Informasi)*, vol. 5, no. 4, pp. 680–687, 2021, doi: 10.29207/resti.v5i4.3197.
- [9] K. El-Demerdash, R. A. El-Khoribi, M. A. Ismail Shoman, and S. Abdou, "Deep learning based fusion strategies for personality prediction," *Egypt. Informatics J.*, vol. 23, no. 1, pp. 47–53, Mar. 2022, doi: 10.1016/J.EIJ.2021.05.004.
- [10] R. Devika, S. Vairavasundaram, C. S. J. Mahenthara, V. Varadarajan, and K. Kotecha, "A Deep Learning Model Based on BERT and Sentence Transformer for Semantic Keyphrase Extraction on Big Social Data," *IEEE Access*, vol. 9, pp. 165252–165261, 2021, doi: 10.1109/ACCESS.2021.3133651.
- [11] A. T. B. W and D. H. Fudholi, "KLASIFIKASI EMOSI PADA TEKS DENGAN MENGGUNAKAN METODE DEEP LEARNING," *J. Ilm. Indones.*, vol. 6, no. 1, 2021.
- [12] R. M. R. W. P. K. Atmaja and W. Yustanti, "Analisis Sentimen Customer Review Aplikasi Ruang Guru dengan Metode BERT (Bidirectional Encoder Representations from Transformers)," *Jeisbi*, vol. 02, no. 03, pp. 55–62, 2021.
- [13] J. H. Tandijaya, Liliana, and I. Sugiarto, "Klasifikasi dalam Pembuatan Portal Berita Online dengan Menggunakan Metode BERT," *J. Infra*, vol. 9, no. 2, pp. 320–325, 2021.
- [14] C. A. Putri, "Analisis Sentimen Review Film Berbahasa Inggris Dengan Pendekatan Bidirectional Encoder Representations from Transformers," *JATISI (Jurnal Tek. Inform. dan Sist. Informasi)*, vol. 6, no. 2, pp. 181–193, 2020, doi: 10.35957/jatisi.v6i2.206.
- [15] J. Devlin, M. W. Chang, K. Lee, and K. Toutanova, "BERT: Pre-training of deep bidirectional transformers for language understanding," *NAACL HLT 2019 - 2019 Conf. North Am. Chapter Assoc. Comput. Linguist. Hum. Lang. Technol. - Proc. Conf.*, vol. 1, no. Mlm, pp. 4171–4186, 2019.
- [16] M. Fanyuri, "Analisa algoritma klasifikasi k-nearest neighbor dalam menentukan nilai akurasi terhadap kepuasan pelanggan (study kasus pt. Trigatra komunikatama)," *Humanika J. Ilmu Sos. Pendidikan, dan Hum.*, vol. 3, no. 1, pp. 29–33, 2020.
- [17] I. Düntsch and G. Gediga, "Confusion Matrices and Rough Set Data Analysis," *J. Phys. Conf. Ser.*, vol. 1229, no. 1, 2019, doi: 10.1088/1742-6596/1229/1/012055.
- [18] A. M. Argina, "Penerapan Metode Klasifikasi K-Nearest Neighbor pada Dataset Penderita Penyakit Diabetes," *Indones. J. Data Sci.*, vol. 1, no. 2, pp. 29–33, 2020, doi: 10.33096/ijodas.v1i2.11.
- [19] M. R. A. Nasution and M. Hayaty, "Perbandingan Akurasi dan Waktu Proses Algoritma K-NN dan SVM dalam Analisis Sentimen Twitter," *J. Inform.*, vol. 6, no. 2, pp. 226–235, 2019, doi: 10.31311/ji.v6i2.5129.
- [20] M. Azhari, Z. Situmorang, and R. Rosnelly, "Perbandingan Akurasi, Recall, dan Presisi Klasifikasi pada Algoritma C4.5, Random Forest, SVM dan Naive Bayes," *J. Media Inform. Budidarma*, vol. 5, no. 2, p. 640, 2021, doi: 10.30865/mib.v5i2.2937.
- [21] D. Chicco and G. Jurman, "The advantages of the Matthews correlation coefficient (MCC) over F1 score and accuracy in binary classification evaluation," *BMC Genomics*, vol. 21, no. 1, pp. 1–13, 2020, doi: 10.1186/s12864-019-6413-7.
- [22] A. Putri, B. S. Negara, and S. Sanjaya, "Penerapan Deep Learning Menggunakan VGG-16 untuk Klasifikasi Citra Glioma," *J. Sist. Komput. dan Inform.*, vol. 3, no. 4, p. 379, 2022, doi: 10.30865/json.v3i4.4122.