

LIST OF FIGURES

Figure 2.1	Distance vector routing scheme	7
Figure 2.2	Link state routing scheme	8
Figure 2.3	Conventional network vs SDN	9
Figure 2.4	OpenDaylight architecture	10
Figure 2.5	S-Box 16 x 16	12
Figure 2.6	Shiftrows illustration	12
Figure 2.7	SECOQC network layer [8][14]	13
Figure 2.8	QKD network architecture	14
Figure 2.9	Cryptographic application service workflows	16
Figure 3.1	Thesis flow chart	20
Figure 3.2	System model	21
Figure 3.3	Test topology [14]	25
Figure 3.4	CLI controller	26
Figure 3.5	Mininet	27
Figure 3.6	OSPF routing	27
Figure 3.7	RIP routing	27
Figure 4.1	First testing topology	29
Figure 4.2	Total links for four nodes	29
Figure 4.3	Second testing topology	30
Figure 4.4	Total links for seven nodes	30
Figure 4.5	Thrid testing topology	31
Figure 4.6	Total links for fifteen nodes	31
Figure 4.7	Ring topology	32
Figure 4.8	Test results based on using key	33
Figure 4.9	Test results based on processing time	34
Figure 4.10	Convergent time test topology	36
Figure 4.11	Test results of convergence time	36
Figure 4.12	The result of throughput	37
Figure 4.13	The result of delay	38
Figure 4.14	The result of packet loss	39

Figure 4.15 The result is based on the sender's information	41
Figure 4.16 The result is based on the receiver's information	41
Figure 4.17 QKD shared key	41