

## References

- [1] Naoki Inaba. number block. <http://inabapuzzle.com/honkaku/nblock.html>, July 2001. Accessed: 2023-06-19.
- [2] Léo Robert, Daiki Miyahara, Pascal Lafourcade, Luc Libralesso, and Takaaki Mizuki. Physical zero-knowledge proof and NP-completeness proof of Suguru puzzle. *Information and Computation*, 285:104858, 2022.
- [3] Zhiguang Xu and Joe Mayer. Teaching critical thinking and problem solving skills through online puzzles and games. In *7th International Conference on Distance Learning and Web Engineering*, pages 321–325. Citeseer, 2007.
- [4] Graham Kendall, Andrew Parkes, and Kristian Spoerer. A survey of NP-complete puzzles. *ICGA Journal*, 31(1):13–34, 2008.
- [5] Erik D Demaine. Playing games with algorithms: Algorithmic combinatorial game theory. In *International Symposium on Mathematical Foundations of Computer Science*, pages 18–33. Springer, 2001.
- [6] Erik D Demaine, Yoshio Okamoto, Ryuhei Uehara, and Yushi Uno. Computational complexity and an integer programming model of Shakashaka. *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, 97(6):1213–1219, 2014.
- [7] Nobuhisa Ueda and Tadaaki Nagao. NP-completeness results for Nonogram via parsimonious reductions. Technical report, Department of Computer Science, Tokyo Institute of Technology, 1996.
- [8] Takayuki Yato and Takahiro Seta. Complexity and completeness of finding another solution and its application to puzzles. *IEICE transactions on fundamentals of electronics, communications and computer sciences*, 86(5):1052–1060, 2003.
- [9] Markus Holzer, Andreas Klein, and Martin Kutrib. On the NP-completeness of the Nurikabe pencil puzzle and variants thereof. In *Proceedings of the 3rd International Conference on FUN with Algorithms*, pages 77–89. Citeseer, 2004.
- [10] Markus Holzer and Oliver Ruepp. The troubles of interior design—a complexity analysis of the game Heyawake. In *International Conference on Fun with Algorithms*, pages 198–212. Springer, 2007.
- [11] Daniel Andersson. Hashiwokakero is NP-complete. *Information Processing Letters*, 109(19):1145–1146, 2009.
- [12] Jonas Kölker. Kurodoko is NP-complete. *Information and Media Technologies*, 7(3):1000–1012, 2012.
- [13] Yasuhiko Takenaga, Shintaro Aoyagi, Shigeki Iwata, and Takumi Kasai. Shikaku and Ripple Effect are NP-complete. *Congressus Numerantium*, 216:119–127, 2013.
- [14] Chuzo Iwamoto. Yosenabe is NP-complete. *Journal of Information Processing*, 22(1):40–43, 2014.
- [15] Akihiro Uejima and Hiroaki Suzuki. Fillmat is NP-complete and ASP-complete. *Journal of Information Processing*, 23(3):310–316, 2015.
- [16] Chuzo Iwamoto and Tatsuaki Ibusuki. Dosun-Fuwari is NP-complete. *Journal of Information Processing*, 26:358–361, 2018.
- [17] Aviv Adler, Jeffrey Bosboom, Erik D. Demaine, Martin L. Demaine, Quanquan C. Liu, and Jayson Lynch. Tatamibari is NP-Complete. In Martin Farach-Colton, Giuseppe Prencipe, and Ryuhei Uehara, editors, *10th International Conference on Fun with Algorithms (FUN 2021)*, volume 157 of *Leibniz International Proceedings in Informatics (LIPIcs)*, pages 1:1–1:24, Dagstuhl, Germany, 2020. Schloss Dagstuhl–Leibniz-Zentrum für Informatik.
- [18] Chuzo Iwamoto and Tatsuaki Ibusuki. Polynomial-time reductions from 3SAT to Kurotto and Juosan puzzles. *IEICE Transactions on Information and Systems*, 103(3):500–505, 2020.
- [19] Erik D. Demaine, Jayson Lynch, Mikhail Rudoy, and Yushi Uno. Yin-Yang Puzzles are NP-complete. In *33rd Canadian Conference on Computational Geometry (CCCG) 2021*, 2021.

- [20] Chuzo Iwamoto and Tatsuya Ide. Five Cells and Tilepaint are NP-Complete. *IEICE Transactions on Information and Systems*, 105(3):508–516, 2022.
- [21] Made Indrayana Putra, Muhammad Arzaki, and Gia Septiana Wulandari. Solving Yin-Yang Puzzles Using Exhaustive Search and Prune-and-Search Algorithms. (*IJCSAM*) *International Journal of Computing Science and Applied Mathematics*, 8(2):52–65, 2022.
- [22] Enrico Christopher Reinhard, Muhammad Arzaki, and Gia Septiana Wulandari. Solving Tatamibari Puzzle Using Exhaustive Search Approach. *Indonesia Journal on Computing (Indo-JC)*, 7(3):53–80, 2022.
- [23] Tjark Weber. A SAT-based Sudoku solver. In *LPAR*, pages 11–15, 2005.
- [24] Curtis Bright, Jürgen Gerhard, Ilias Kotsireas, and Vijay Ganesh. Effective problem solving using SAT solvers. In *Maple Conference*, pages 205–219. Springer, 2019.
- [25] Attilio Sbrana, Luiz Gustavo Bizarro Mirisola, Nei Yoshihiro Soma, and Paulo André Lima de Castro. Solving NP-Complete Akari games with deep learning. *Entertainment Computing*, page 100580, 2023.
- [26] Christian Bessiere, Clément Carbonnel, Emmanuel Hebrard, George Katsirelos, and Toby Walsh. Detecting and exploiting subproblem tractability. In *IJCAI: International Joint Conference on Artificial Intelligence*, pages 468–474, 2013.
- [27] Thomas H Cormen, Charles E Leiserson, Ronald L Rivest, and Clifford Stein. *Introduction to algorithms*. MIT press, 3 edition, 2009.
- [28] Michael Huth and Mark Ryan. *Logic in Computer Science: Modelling and Reasoning about Systems, 2nd Edition*. Cambridge university press, 2004.
- [29] Mordechai Ben-Ari. *Mathematical Logic for Computer Science, 3rd Edition*. Springer Science & Business Media, 2012.
- [30] Michael Sipser. *Introduction to the Theory of Computation, 3rd Edition*. Cengage Learning, 2013.
- [31] David Lichtenstein. Planar formulae and their uses. *SIAM journal on computing*, 11(2):329–343, 1982.
- [32] Martin Hořeňovský. Modern sat solvers: fast, neat and underused (part 1 of n). <https://codingnest.com/modern-sat-solvers-fast-neat-underused-part-1-of-n/>, August 2018. Accessed: 2022-10-11.
- [33] Thomas Dueholm Hansen, Haim Kaplan, Or Zamir, and Uri Zwick. Faster  $k$ -sat algorithms using biased-PPSZ. In *Proceedings of the 51st Annual ACM SIGACT Symposium on Theory of Computing*, pages 578–589, 2019.
- [34] Richard Neapolitan and Kumarss Naimipour. *Foundations of algorithms*. Jones & Bartlett Publishers, 2010.
- [35] DW Bolton. The multinomial theorem. *The Mathematical Gazette*, 52(382):336–342, 1968.
- [36] Kenneth H. Rosen. *Discrete Mathematics and Its Applications*. McGraw-Hill Higher Education, 8th edition, 2019.
- [37] Steffen Hölldobler and Van-Hau Nguyen. An efficient encoding of the at-most-one constraint. *Technical Report 1304. Technische Universität Dresden*, 2013.
- [38] Martin Hořeňovský. Modern sat solvers: fast, neat and underused (part 3 of n). <https://codingnest.com/modern-sat-solvers-fast-neat-and-underused-part-3-of-n/>, April 2019. Accessed: 2023-5-22.
- [39] Sara Brunetti and Alain Daurat. An algorithm reconstructing convex lattice sets. *Theoretical computer science*, 304(1-3):35–57, 2003.
- [40] Jonathan Irvin Gunawan. Understanding Unsolvability Problem. *Olympiad in Informatics*, 10:87–98, 2016.
- [41] John L. (<https://cs.stackexchange.com/users/91753/john-l>). Possibly Tractable Variation of Suguru Puzzles. Computer Science Stack Exchange. URL:<https://cs.stackexchange.com/q/157307> (version: 2023-02-19).
- [42] Antonis Antonopoulos, Eleni Bakali, Aggeliki Chalki, Aris Pagourtzis, Petros Pantavos, and Stathis Zachos. Completeness, approximability and exponential time results for counting problems with easy decision version. *Theoretical Computer Science*, 915:55–73, 2022.

- [43] Lutz Prechelt. An empirical comparison of seven programming languages. *Computer*, 33(10):23–29, 2000.
- [44] Otto Janko. Suguru. <https://www.janko.at/Raetsel/Suguru/index.htm>, October 2022. Accessed: 2022-10-11.