

DAFTAR PUSTAKA

- [1] K. : Susi, A. Rahayu, S. A. Rahayu, and M. Hidayat Gumilar, “UJI CEMARAN AIR MINUM MASYARAKAT SEKITAR MARGAHAYU RAYA BANDUNG DENGAN IDENTIFIKASI BAKTERI *Escherichia coli*,” 2017.
- [2] M. Aristawidya, Z. Hasan, and H. Herawati, “Status Pencemaran Situ Gunung Putri di Kabupaten Bogor Berdasarkan Metode STORET dan Indeks Pencemaran,” 2020.
- [3] A. Jain and D. Zongker, "Feature selection: evaluation, application, and small sample performance," in *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 19, no. 2, pp. 153-158, Feb. 1997, doi: 10.1109/34.574797.
- [4] A. Sunarya, S. Santoso, and W. Sentanu, “SISTEM PAKAR UNTUK MENDIAGNOSA GANGGUAN JARINGAN LAN,” 2015.
- [5] M. Zhu *et al.*, “A review of the application of machine learning in water quality evaluation,” *Eco-Environment & Health*, vol. 1, no. 2, pp. 107–116, Jun. 2022, doi: 10.1016/j.eehl.2022.06.001.
- [6] A. Prayoga Permana, K. Ainiyah, and K. Fahmi Hayati Holle, “Analisis Perbandingan Algoritma Decision Tree, kNN, dan Naive Bayes untuk Prediksi Kesuksesan Start-up,” 2021.
- [7] A. Nur Alfiyatin *et al.*, “PENERAPAN EXTREME LEARNING MACHINE (ELM) UNTUK PERAMALAN LAJU INFLASI DI INDONESIA IMPLEMENTATION EXTREME LEARNING MACHINE FOR INFLATION FORECASTING IN INDONESIA,” vol. 6, no. 2, pp. 179–186, 2018, doi: 10.25126/jtiik.20186900.
- [8] V. García, J. S. Sánchez, and R. A. Mollineda, “On the effectiveness of preprocessing methods when dealing with different levels of class imbalance,” *Knowl Based Syst*, vol. 25, no. 1, pp. 13–21, 2012, doi: 10.1016/j.knosys.2011.06.013
- [9] F. Charte, A. J. Rivera, M. J. del Jesus, and F. Herrera, “Addressing imbalance in multilabel classification: Measures and random resampling algorithms,” *Neurocomputing*, vol. 163, pp. 3–16, Sep. 2015, doi: 10.1016/j.neucom.2014.08.091.
- [10] R. Siringoringo, “KLASIFIKASI DATA TIDAK SEIMBANG MENGGUNAKAN ALGORITMA SMOTE DAN k-NEAREST NEIGHBOR,” 2018. [11] S. Majumder, T. Mondal, and M. J. Deen, “Wearable Sensors for Remote Health Monitoring,” *Sensors (Basel)*, vol. 17, no. 1, Jan. 2017, doi: 10.3390/S17010130.
- [11] I. Hadi, "PREDIKSI KUALITAS UDARA MENGGUNAKAN METODE GAUSSIAN PROCESS REGRESSION (GPR)," p. 19, 2022.

- [12] H. S. Simon, "Penentuan Posisi Objek Berbasis Image Processing dengan Menggunakan Metode Convolutional Neural Network," p. 14, 2020.
- [13] N. A. A. S. B. K. L. R. R. Widi Hastomo, "Metode Pembelajaran Mesin untuk Memprediksi Emisi Manure Management," *Jurnal Nasional Teknik Elektro dan Teknologi Informasi*, vol. XI, p. 134, 2022.
- [14] Suad A. Alasadi and Wesam S. Bhaya, Review of Data Preprocessing Techniques in Data Mining, *J.Eng.Applied Sci.* 12(16): 4102-4107, 2017.
- [15] E. D. W. Amalia Anjani Arifiyanti, "SMOTE : Metode penyeimbang Kelas Pada Klasifikasi Data Mining," vol. XV, 2020.
- [16] M. Z. P. S. Nia Novianti, "Penerapan Algoritma Adaboost Untuk Peningkatan Kinerja Klasifikasi Data Mining Pada Imbalance Dataset Diabetes," *Media Informatika Budidarma*, vol. VI, p. 1201, 2022.
- [17] E. S. S. A. Regina Anky Chandra, "Optimasi Metode Extreme Learning Machine Dalam Penentuan Kualitas Air Sungai Menggunakan Algoritme Genetika," *Pengembangan teknologi Informasi dan Ilmu Komputer*, vol. II, p. 3266, 2018.
- [18] E. D. W. Amalia Anjani Arifiyanti, "SMOTE : Metode penyeimbang Kelas Pada Klasifikasi Data Mining," vol. XV, 2020.
- [19] Muningsih. (2022). Kombinasi Metode K-Means dan Decision Tree dengan Perbandingan Kriteria dan Split Data. *Jurnal Teknoinfo*, 16(1), 113–118.
- [20] Meilina. (2015, Januari). Penerapan Data Mining dengan Metode Kalsifikasi Menggunakan Decision Tree dan Regresi. *Jurnal Teknologi*, 7(1), 11–20.
- [21] Lutfi. (2018, Maret). Klasifikasi Kualitas Mutu Jagung dengan Menggunakan Metode Decision Tree pada Dinas Pertanian Bojonegoro. *Jurnal Agromix Volume*, 8(1), 1–8.
- [22] Said, Matondang, & Nurramdhani Irmanda. (2022, April). Sistem Prediksi Kualitas Air Yang Dapat Dikonsumsi dengan Menerapkan Algoritma K-Nearest Neighbor. *Seminar Nasional Mahasiswa Ilmu Komputer dan Aplikasinya (SENAMIKA)*, 158–168.
- [23] N. Novianti, M. Zarlis, dan P. Sihombing, "Penerapan Algoritma Adaboost Untuk Peningkatan Kinerja Klasifikasi Data Mining Pada Imbalance Dataset Diabetes," *Jurnal Media Informatika Budidarma*, vol. 6, no. 2, hlm. 1200, Apr 2022, doi: 10.30865/mib.v6i2.4017.
- [24] L. Anshori dan R. Regasari Mardi Putri, "Implementasi Metode K-Nearest Neighbor untuk Rekomendasi Keminatan Studi (Studi Kasus: Jurusan Teknik Informatika Universitas Brawijaya)," 2018. [Daring]. Tersedia pada: <http://j-ptiik.ub.ac.id>.

- [25] Imanuel Ndaumanu, & Rudyanto Arief. (2014, September). Analisis Prediksi Tingkat Pengunduran Diri Mahasiswa dengan Metode K-Nearest Neighbor. *Jatissi*, 1(1), 1–15.
- [26] G. Bin Huang, Q. Y. Zhu, and C. K. Siew, “Extreme learning machine: Theory and applications,” *Neurocomputing*, vol. 70, no. 1–3, pp. 489–501, Dec. 2006, doi: 10.1016/j.neucom.2005.12.126.
- [27] I. P. D. Wibawa, C. Machbub, A. S. Rohman, and E. Hidayat, “Modified online sequential extreme learning machine algorithm using model predictive control approach,” *Intelligent Systems with Applications*, vol. 18, May 2023, doi: 10.1016/j.iswa.2023.200191.
- [28] G. Bin Huang, H. Zhou, X. Ding, and R. Zhang, “Extreme learning machine for regression and multiclass classification,” *IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics*, vol. 42, no. 2, pp. 513–529, Apr. 2012, doi: 10.1109/TSMCB.2011.2168604.
- [29] A. M. Kom, D. Setyorini, dan L. I. P. Putri, “Rancang Bangun Sistem Online Penyewaan Rumah Kost,” *remik*, vol. 6, no. 4, hlm. 610–623, Okt 2022, doi: 10.33395/remik.v6i4.11478.
- [30] T. Ziadi, M. A. A. Da Silva, L. M. Hillah, dan M. Ziane, “A fully dynamic approach to the reverse engineering of UML sequence diagrams,” dalam *Proceedings - 2011 16th IEEE International Conference on Engineering of Complex Computer Systems, ICECCS 2011*, 2011, hlm. 107–116. doi: 10.1109/ICECCS.2011.18.
- [31] J. F. Hair, B. J. Babin, R. E. Anderson, dan W. C. Black, "Multivariate Data Analysis," ed. ke-7, Upper Saddle River, NJ: Pearson Prentice Hall, 2010.
- [32] T. M. (Tom M. Mitchell, *Machine Learning*.
- [33] R. Siringoringo, “KLASIFIKASI DATA TIDAK SEIMBANG MENGGUNAKAN ALGORITMA SMOTE DAN k-NEAREST NEIGHBOR,” 2018.
- [34] G. L. Pritalia, “Analisis Komparatif Algoritme Machine Learning pada Klasifikasi Kualitas Air Layak Minum,” 2022.
- [35] G. Bin Huang, H. Zhou, X. Ding, and R. Zhang, “Extreme learning machine for regression and multiclass classification,” *IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics*, vol. 42, no. 2, pp. 513–529, Apr. 2012, doi: 10.1109/TSMCB.2011.2168604.
- [36] J. A. Hanley and B. J. McNeil, “The Meaning and Use of the Area under a Receiver Operating Characteristic (ROC) Curve1.”