

## DAFTAR PUSTAKA

- [1] W. W. Lestari et al., “Composite material consisting of HKUST-1 and Indonesian activated natural zeolite and its application in CO<sub>2</sub> Capture,” *Open Chem*, vol. 17, no. 1, pp. 1279–1287, Dec. 2019, doi: 10.1515/chem-2019-0136.
- [2] C. I. Y. Gessal, A. S. M. Lumenta, and B. A. Sugiarto, “Kolaborasi Aplikasi Android Dengan Sensor Mq-135 Melahirkan Detektor Polutan Udara,” *Jurnal Teknik Informatika*, vol. 14, no. 1, 2019.
- [3] D. Yulianti and H. Wiyono, “Sick Building Syndrome.”
- [4] L. Fang, G. Clausen, and P. O. Fanger, “Impact of Temperature and Humidity on Chemical and Sensory Emissions from Building Materials,” *Indoor Air*, vol. 9, pp. 193–201, 1999.
- [5] S. C. Hu et al., “Removal of carbon dioxide in the indoor environment with sorptiontype air filters,” *International Journal of Low-Carbon Technologies*, vol. 12, no. 3, pp. 330–334, Sep. 2017, doi: 10.1093/ijlct/ctw014.
- [6] L. B. Setyawan, “Prinsip Kerja dan Teknologi LCD.”
- [7] I. Rubashvili, L. Eprikashvili, T. Kordzakhia, M. Zautashvili, N. Pirtskhalava, and M. Dzagania, “Adsorptive removal study of the frequently used fluoroquinolone antibiotics - Moxifloxacin and norfloxacin from wastewaters using natural zeolites,” *Mediterranean Journal of Chemistry*, vol. 9, no. 2, pp. 142–154, 2019, doi: 10.13171/mjc92190921700ar.
- [8] M. Król, “Natural vs. Synthetic zeolites,” *Crystals*, vol. 10, no. 7. MDPI AG, pp. 1–8, Jul. 01, 2020. doi: 10.3390/cryst10070622.
- [9] D. Kepada Fakultas Teknik Universitas Negeri Yogyakarta Untuk Memenuhi Sebagian Persyaratan Guna Memperoleh Gelar Ahli Madya Teknik, “PROYEK AKHIR.”
- [10] P. By ALLDATASHEET.COM, “DATASHEET SEARCH SITE WWW.ALLDATASHEET.COM,” 2015. [Online]. Available: [www.winsen-sensor.com](http://www.winsen-sensor.com)
- [11] J. Sains and D. Seni Its, “Sintesis HKUST-1 dengan Penambahan Co(II) Menggunakan Metode Solvothermal,” 2016.
- [12] L. J. Small, M. E. Schindelholz, and T. M. Nenoff, “Challenges and Opportunities for MOF Gas Sensors.”

- [13] B. Geffroy, P. le Roy, and C. Prat, "Organic light-emitting diode (OLED) technology: Materials, devices and display technologies," *Polymer International*, vol. 55, no. 6. pp. 572–582, Jun. 2006. doi: 10.1002/pi.1974.2
- [14] T. Samiaji, P. Bidang, and K. Atmosfer, "GAS CO<sub>2</sub> DI WILAYAH INDONESIA," 2011. [Online].
- [15] F. Tahsiin, L. Anggraeni, I. Chandra, R. A. Salam, and H. Bethaningtyas, "Analysis of Indoor Air Quality Based on Low-Cost Sensors," vol. 10, no. 6, 2020.
- [16] D. Bonenfant, M. Kharoune, P. Niquette, M. Mimeault, and R. Hausler, "Advances in principal factors influencing carbon dioxide adsorption on zeolites," in *Science and Technology of Advanced Materials*, Mar. 2008, vol. 9, no. 1. doi: 10.1088/1468-6996/9/1/013007.
- [17] S. S. Fatima, A. Borhan, M. Ayoub, and N. A. Ghani, "CO<sub>2</sub> Adsorption Performance on Surface-Functionalized Activated Carbon Impregnated with Pyrrolidinium-Based Ionic Liquid," *Processes*, vol. 10, no. 11, p. 2372, Nov. 2022, doi: 10.3390/pr10112372.
- [18] A. Lecturer Dra Ratna Ediati, "SYNTHESIS OF METAL ORGANIK FRAMEWORK TYPED HKUST-1 BY SOLVOTHERMAL WITH ADDITION OF POLYETHYLENE GLYCOL (PEG) CINDY KURNIA PERMATASARI NRP. 1412 100 096 CHEMISTRY DEPARTMENT FACULTY OF MATHEMATICS AND NATURAL SCIENCES SEPULUH NOPEMBER INSTITUTE OF TECHNOLOGY SURABAYA 2016."
- [19] C. Rosnaomi, I. P. Handayani, I. Chandra, and W. W. Lestari, "PENGARUH PAPARAN GAS CO<sub>2</sub> TERHADAP SIFAT LISTRIK METAL ORGANIC FRAMEWORK (MOF) CO<sub>2</sub>"
- [20] C. P. Cabello, G. Berlier, G. Magnacca, P. Rumori, and G. T. Palomino, "Enhanced CO<sub>2</sub> adsorption capacity of amine-functionalized MIL-100(Cr) metal-organic frameworks," *CrystEngComm*, vol. 17, no. 2, pp. 430–437, Jan. 2015, doi: 10.1039/c4ce01265h.
- [21] T. Samiaji, P. Bidang, and K. Atmosfer, "Gas CO<sub>2</sub> Di Wilayah Indonesia," 2011. [Online].
- [22] C. A. Erdmann And M. G. Apte, "Indoor Carbon Dioxide Concentrations And Sick Building Syndrome Symptoms In The Base Study Revisited: Analyses Of The 100 Building Dataset."
- [23] "Gambaran Kejadian Sick Building Syndrome (Sbs)."

- [24] “Rancang Bangun Prototipe Air Purifier Fotokatalistik Untuk Mengurangi Polutan Udara Di Dalam Ruangan.”
- [25] Herlina Susanto Sunuh, S. K. M. Hubungan Kualitas Udara Ruang Perawatan Dengan Gangguan Fungsi Paru Perawat Di Rsud Undata Palu-Sulteng. Diss. Universitas Gadjah Mada, 2011.3
- [26] Hanna Azarya Samosir. (2015, Mei 21). Biaya Berobat Penyakit Akibat Polusi Udara Jakarta Capai Rp 38,5 T. [Online]. Available: <https://www.cnnindonesia.com/gayahidup/20150521143214-255-54793/biaya-berobat-penyakit-akibat-polusi-jakarta-capai-rp-385-t>
- [27] Budhijuwono, A., Agustina, A., & Anditiarina, D. (2020). Efektifitas Hepa Filter Dengan Charcoal Dalam Penyaringan Organofosfat Di Kabin Pesawat. *Jurnal Kedokteran*, 6(1), 17-31.
- [28] W. F. De Gids, P. Wouters, “CO<sub>2</sub> As Indicator For The Indoor Air Quality General Principles”, *Ventilation Information Paper N° 33*, Pp. 1-4, 2010
- [29] Nimlyat P.S., Kandar M.Z. Appraisal of Indoor Environmental Quality (Ieq) In Healthcare Facilities: A Literature Review. *Sustain. Cities Soc.* 2015; 17:61–68
- [30] Da Costa Filho B.M., Vilar V.J.P. Strategies for The Intensification Of Photocatalytic Oxidation Processes Towards Air Streams Decontamination: A Review. *Chem. Eng. J.* 2020; 391:123531
- [31] United State Environmental Protection Agency. Emergencies And Iaq. [Online]. Available: <https://www.epa.gov/indoor-air-quality-iaq/emergencies-and-iaq#power-outages>
- [32] Peraturan Menteri Kesehatan Republik Indonesia Nomor 1077/Menkes/Per/V/2011
- [33] Indanazulfa Qurrota A’yuna, Rodhiah Umaroh, “Polusi Udara Dalam Ruangan Dan Kondisi Kesehatan: Analisis Rumah Tangga Indonesia”, *Jurnal Ekonomi Dan Pembangunan Indonesia*, Vol. 22 No. 1 Januari 2022, Pp. 16–26, Jan. 2022
- [34] Fitri Kusuma Dewi, Lutfan Lazuardi, “Polusi Udara Dalam Ruangan Dan Kejadian Kardiometabolik Di Indonesia: Analisis Data Indonesian Family Life Survey (Ifls)”, *Bkm Journal Of Community*

- [35] Liu, Y., Zhou, B., Wang, J., & Zhao, B. Health benefits and cost of using air purifiers to reduce exposure to ambient fine particulate pollution in China. *Journal of Hazardous Materials*, 414, 125540. 2021.
- [36] Persily, A. K., & Siegel, J. A. Improving ventilation performance in response to the pandemic. *The Bridge*, 52(3), 38-41. 2022
- [37] McMullan, J., Hart, K. W., Barczak, C., Lindsell, C. J., & Branson, R. Supplemental oxygen requirements of critically injured adults: an observational trial. *Military medicine*, 181(8), 767-772. 201
- [38] F. Akhtar and L. Bergström, “Colloidal processing and thermal treatment of binderless hierarchically porous zeolite 13X monoliths for CO<sub>2</sub> capture,” *Journal of the American Ceramic Society*, vol. 94, no. 1, pp. 92–98, Jan. 2011, doi: 10.1111/j.1551-2916.2010.04044. x.
- [39] I. Hinkov, F. Lamari, P. Langlois, M. Dicko, C. Chilev, and I. Pentchev, “HAL Id: hal-03355471 <https://hal.archives-ouvertes.fr/hal-03355471> Carbon Dioxide Capture by Adsorption (review),” 2016. [Online]. Available: <https://hal.archivesouvertes.fr/hal-03355471>
- [40] A. Nearchou et al., “Intrinsic flexibility of the EMT zeolite framework under pressure,” *Molecules*, vol. 24, no. 3, Feb. 2019, doi: 10.3390/molecules24030641.
- [41] T. H. Bae et al., “Evaluation of cation-exchanged zeolite adsorbents for postcombustion carbon dioxide capture,” *Energy Environ Sci*, vol. 6, no. 1, pp. 128–138, Jan. 2013, doi: 10.1039/c2ee23337a.
- [42] S. Abate, K. Barbera, G. Centi, P. Lanzafame, and S. Perathoner, “Disruptive catalysis by zeolites,” *Catalysis Science and Technology*, vol. 6, no. 8. Royal Society of Chemistry, pp. 2485–2501, Apr. 21, 2016. doi: 10.1039/c5cy02184g.
- [43] N. Klein, A. Henschel, and S. Kaskel, “n-Butane adsorption on Cu<sub>3</sub>(btc)<sub>2</sub> and MIL101,” *Microporous and Mesoporous Materials*, vol. 129, no. 1–2, pp. 238–242, Apr. 2010, doi: 10.1016/j.micromeso.2009.09.022.
- [44] J. Tamaki et al., “ADSORPTION BEHAVIOR OF CO AND INTERFERING GASES ON SnO,” 1989.

- [45] A. Sharma, M. Tomar, and V. Gupta, "SnO<sub>2</sub> thin film sensor with enhanced response for NO<sub>2</sub> gas at lower temperatures," *Sens Actuators B Chem*, vol. 156, no. 2, pp. 743–752, Aug. 2011, doi: 10.1016/j.snb.2011.02.033.
- [46] N. Faris and N. Haidar, "LEMBAR PERNYATAAN ORISINALITAS."
- [47] C. P. Cabello, G. Berlier, G. Magnacca, P. Rumori, and G. T. Palomino, "Enhanced CO<sub>2</sub> adsorption capacity of amine-functionalized MIL-100(Cr) metal-organic frameworks," *CrystEngComm*, vol. 17, no. 2, pp. 430–437, Jan. 2015, doi: 10.1039/c4ce01265h.
- [48] Meranda, A., Alfarizal, N., Husni, N. L., Pratama, D. A., Irdyanti, Y., & Handayani, A. S. (2020). Perancangan Deteksi Suara Paru Paru Berbasis DSP TMS320C6416T dan Module Wireless. *Teknika*, 14(2), 175-184.
- [49] T. K. Trung et al., "Adsorption of C5-C9 hydrocarbons in microporous MOFs MIL100(Cr) and MIL-101(Cr): A manometric study," *Microporous and Mesoporous Materials*, vol. 134, no. 1–3, pp. 134–140, 2010, doi: 10.1016/j.micromeso.2010.05.018.
- [50] M. Khair and S. P. Jurusan, "SINTESIS METAL ORGANIC FRAMEWORK (MOF) UNTUK PENYIMPAN HIDROGEN."
- [51] Z. Yunusa, M. N. Hamidon, A. Kaiser, and Z. Awang, "Gas Sensors: A Review," 2014. [Online]. Available: <http://www.sensorsportal.com>
- [52] A. W. Putra, R. Nuryanto, and A. Tafrikhatin, "Fitur Pengingat Kegiatan Masjid Dengan Kontrol Wi-Fi Berbasis ESP-32 Pada Jam Digital Mosque Activity Reminder Feature With ESP-32 Based Wi-Fi Control On Digital Clock".
- [53] Heri Susanto, Rozeff Pramana, and Muhammad Mujahidin, "JurnalSustainableMei2013-PerancanganSistemTelemetryWireless".
- [54] R. A. Wijaya, ) Sri, W. Lestari, and D. Mardiono, "Rancang Bangun Alat Monitoring Suhu dan Kelembaban Pada Alat Baby Incubator Berbasis Internet Of Things."
- [55] I. Arias Nurdiyanto and A. Bayu Primawan, "Monitoring Data Curah Hujan Berbasis Internet of Things (IoT)."
- [56] L. Xu et al., "Micro/nano gas sensors: A new strategy towards in-situ wafer-level fabrication of high-performance gas sensing chips," *Sci Rep*, vol. 5, May 2015, doi: 10.1038/srep10507

- [57] Hong, WY, Perera, S & Burrows, A “Comparison of MIL-101(Cr) metal-organic framework and 13X zeolite monoliths for CO<sub>2</sub> capture”, 2020, *Microporous and Mesoporous Materials*, vol. 308, 110525.
- [58] “RANCANG BANGUN PROTOTIPE AIR PURIFIER FOTOKATALISTIK UNTUK MENGURANGI POLUTAN UDARA DI DALAM RUANGAN.”
- [59] H. Bohui Ye, “CO<sub>2</sub> Sensing Under Ambient Conditions Using Metal-Organic Frameworks,” *Mol. Syst. Des. Eng.*, 2020, 5, 1076, 2020.
- [60] G. Dubourg et al., “Fabrication and characterization of flexible and miniaturized humidity sensors using screen-printed TiO<sub>2</sub> nanoparticles as sensitive layer,” *Sensors (Switzerland)*, vol. 17, no. 8, Aug. 2017, doi: 10.3390/s17081854
- [61] W. Quan, X. Hu, X. Min, J. Qiu, R. Tian, P. Ji, W. Qin, H. Wang, T. Pan, S. Cheng, X. Chen, W. Zhang, X. Wang, and H. Zheng, “A highly sensitive and selective ppb level acetone sensor based on a PT-doped 3D porous SnO<sub>2</sub> hierarchical structure,” *Sensors*, vol. 20, no. 4, p. 1150, 2020.
- [62] A. Bhide, B. Jagannath, A. Tanak, R. Willis, and S. Prasad, “CLIP: Carbon Dioxide testing suitable for Low power microelectronics and IOT interfaces using Room temperature Ionic Liquid Platform,” *Sci Rep*, vol. 10, no. 1, Dec. 2020, doi: 10.1038/s41598-020-59525-y.
- [63] T. Iwata, K. Matsuda, K. Takahashi, and K. Sawada, “CO<sub>2</sub> sensing characteristics of a La<sub>2</sub>O<sub>3</sub>/SnO<sub>2</sub> stacked structure with micromachined hotplates,” *Sensors (Switzerland)*, vol. 17, no. 9, Sep. 2017, doi: 10.3390/s17092156.
- [64] DewaPutuHermida, I., Yuyu R. Tayubi, and Rani Nopriyanti. "Development Of CO Gas Sensing Based SnO<sub>2</sub> Thin Film." *International Journal of Engineering & Technology* 13.1 (2013).
- [65] A. Ojuva, F. Akhtar, A. P. Tomsia, and L. Bergström, “Laminated adsorbents with very rapid CO<sub>2</sub> uptake by freeze-casting of zeolites,” *ACS Appl Mater Interfaces*, vol. 5, no. 7, pp. 2669–2676, Apr. 2013, doi: 10.1021/am400122r
- [66] M. Jagadale, “Parametric study and CFD Analysis of Air Filter Asian Journal of Convergence in Technology,” *Asian Journal of Convergence in Technology*, vol. V Issue I, [Online]. Available: [www.asianssr.org](http://www.asianssr.org)