

DAFTAR PUSTAKA

- Amini, S., Hosseinabadi, H. N., & Sajjady, S. A. (2016). Experimental study on effect of micro textured surfaces generated by ultrasonic vibration assisted face turning on friction and wear performance. *Applied Surface Science*, 390, 633–648. <https://doi.org/10.1016/j.apsusc.2016.07.064>
- Aramcharoen, A., & Mativenga, P. T. (2009). Size effect and tool geometry in micromilling of tool steel. *Precision Engineering*, 33(4), 402–407. <https://doi.org/10.1016/j.precisioneng.2008.11.002>
- Aslantas, K., Danish, M., Haşçelik, A., Mia, M., Gupta, M., Ginta, T., & Ijaz, H. (2020). investigations on surface roughness and toolwear characteristics in micro-turning of Ti-6Al-4V alloy. *Materials*, 13(13), 1–20. <https://doi.org/10.3390/ma13132998>
- Black, J. T., & Kohser, R. A. (2019). *DeGarmo's Materials and Processes in Manufacturing*. Wiley.
- Brown, I., & Schoop, J. (2020). An Iterative Size Effect Model of Surface Generation in Finish Machining. *Journal of Manufacturing and Materials Processing*, 4(3). <https://doi.org/10.3390/jmmp4030063>
- Celaya, A., De Lacalle, L. N. L., Campa, F. J., & Lamikiz, A. (2010). Ultrasonic Assisted Turning of mild steels. *International Journal of Materials and Product Technology*, 37(1–2), 60–70. <https://doi.org/10.1504/ijmpt.2010.029459>
- Deng, L., Xia, J., & Wang, X. (2022). Precision Forging Presses for Aluminum Alloy. *Springer Series in Advanced Manufacturing*, 177–204. https://doi.org/10.1007/978-981-19-1828-5_7
- Feng, Y., Hsu, F. C., Lu, Y. T., Lin, Y. F., Lin, C. T., Lin, C. F., Lu, Y. C., Lu, X., & Liang, S. Y. (2020b). Surface roughness prediction in ultrasonic vibration-assisted milling. *Journal of Advanced Mechanical Design, Systems and Manufacturing*, 14(4), 1–14. <https://doi.org/10.1299/JAMDSM.2020JAMDSM0063>

- Germain, D., Fromentin, G., Poulachon, G., & Bissey-Breton, S. (2013). From large-scale to micromachining: A review of force prediction models. *Journal of Manufacturing Processes*, 15(3), 389–401. <https://doi.org/10.1016/j.jmapro.2013.02.006>
- Groover, M. P. (n.d.). *Fundamentals of Modern Manufacturing Materials, Processes, and Systems Seventh Edition*.
- Holmberg, K., Ronkainen, H., Laukkanen, A., & Wallin, K. (2007). Friction and wear of coated surfaces - scales, modelling and simulation of tribomechanisms. *Surface and Coatings Technology*, 202(4–7), 1034–1049. <https://doi.org/10.1016/j.surfcoat.2007.07.105>
- Kandi, R., Sahoo, S. K., & Sahoo, A. K. (2020). Ultrasonic vibration-assisted turning of Titanium alloy Ti–6Al–4V: numerical and experimental investigations. *Journal of the Brazilian Society of Mechanical Sciences and Engineering*, 42(8). <https://doi.org/10.1007/s40430-020-02481-5>
- Kurniawan, R., Kiswanto, G., & Ko, T. J. (2016). Micro-dimple pattern process and orthogonal cutting force analysis of elliptical vibration texturing. *International Journal of Machine Tools and Manufacture*, 106, 127–140. <https://doi.org/10.1016/j.ijmachtools.2016.03.007>
- Leo Kumar, S. P. (2019). Measurement and uncertainty analysis of surface roughness and material removal rate in micro turning operation and process parameters optimization. *Measurement: Journal of the International Measurement Confederation*, 140, 538–547. <https://doi.org/10.1016/j.measurement.2019.04.029>
- Lu, D., Wang, Q., Wu, Y. B., & Huang, H. A. (2013). Effect of ultrasonic vibration parameters on machining performance based on tool-workpiece contact ratio. *Advanced Materials Research*, 797(June 2015), 332–337. <https://doi.org/10.4028/www.scientific.net/AMR.797.332>
- M.A.Rahman, M.Rahman, A.Senthil Kumar, H.S.Lim, A. B. M. A. A. (2003). Fabrication of Miniature Components Using Micro Turning. *Proceedings of the International Conference on Mechanical Engineering*, 2003(December),

- 1–6. <https://me.buet.ac.bd/icme/icme2003/Proceedings/PDF/ICME03-AM-35.pdf>
- Muhammad, R. (2021). A fuzzy logic model for the analysis of ultrasonic vibration assisted turning and conventional turning of ti-based alloy. *Materials*, 14(21). <https://doi.org/10.3390/ma14216572>
- Muki, M. A., Andias Anugraha, R., & Sjafrizal, T. (2020). Optimasi Parameter Bending Vibration Assisted Turning (BVAT) untuk Meminimalkan Surface Roughness dan Cutting Temperature dengan Pendekatan Response Surface Method. *E-Proceeding of Engineering*, 7(2), 5423–5433.
- Nath, C., & Rahman, M. (2008). Effect of machining parameters in ultrasonic vibration cutting. *International Journal of Machine Tools and Manufacture*, 48(9), 965–974. <https://doi.org/10.1016/j.ijmachtools.2008.01.013>
- Ni, C., Zhu, L., Liu, C., & Yang, Z. (2018). Analytical modeling of tool-workpiece contact rate and experimental study in ultrasonic vibration-assisted milling of Ti–6Al–4V. *International Journal of Mechanical Sciences*, 142–143, 97–111. <https://doi.org/10.1016/j.ijmecsci.2018.04.037>
- Pawade, R. S., & Joshi, S. S. (2011). Mechanism of chip formation in high-speed turning of inconel 718. *Machining Science and Technology*, 15(1), 132–152. <https://doi.org/10.1080/10910344.2011.557974>
- Rahman, M. A., Rahman, M., & Kumar, A. S. (2017). Chip perforation and ‘burnishing-like’ finishing of Al alloy in precision machining. *Precision Engineering*, 50, 393–409. <https://doi.org/10.1016/j.precisioneng.2017.06.014>
- Sajjady, S. A., Nouri Hossein Abadi, H., Amini, S., & Nosouhi, R. (2016). Analytical and experimental study of topography of surface texture in ultrasonic vibration assisted turning. *Materials and Design*, 93(November 2017), 311–323. <https://doi.org/10.1016/j.matdes.2015.12.119>
- Schubert, A., Nestler, A., Pinternagel, S., & Zeidler, H. (2011). Influence of ultrasonic vibration assistance on the surface integrity in turning of the

- aluminium alloy AA2017. *Materialwissenschaft Und Werkstofftechnik*, 42(7), 658–665. <https://doi.org/10.1002/mawe.201100834>
- Sharma, V., Pandey, P. M., Dixit, U. S., Roy, A., & Silberschmidt, V. V. (2018). Ultrasonic Assisted Turning: A Comparative Study of Surface Integrity. In *Precision Product-Process Design and Optimization* (pp. 337–360). Springer.
- Shaw, M. C. (1995). Precision Finishing*. *CIRP Annals - Manufacturing Technology*, 44(1), 343–348. [https://doi.org/10.1016/S0007-8506\(07\)62339-7](https://doi.org/10.1016/S0007-8506(07)62339-7)
- Wojciechowski, S. (2022). Estimation of minimum uncut chip thickness during precision and micro-machining processes of various materials—a critical review. *Materials*, 15(1). <https://doi.org/10.3390/ma15010059>
- Wu, X., Li, L., He, N., Hao, X., Yao, C., & Zhong, L. (2016). Investigation on the ploughing force in microcutting considering the cutting edge radius. *International Journal of Advanced Manufacturing Technology*, 86(9–12), 2441–2447. <https://doi.org/10.1007/s00170-016-8386-x>
- Xu, W. X., & Zhang, L. C. (2015). Ultrasonic vibration-assisted machining: principle, design and application. *Advances in Manufacturing*, 3(3), 173–192. <https://doi.org/10.1007/s40436-015-0115-4>
- Yang, Z., Zhu, L., Zhang, G., Ni, C., & Lin, B. (2020). Review of ultrasonic vibration-assisted machining in advanced materials. *International Journal of Machine Tools and Manufacture*, 156(June), 103594. <https://doi.org/10.1016/j.ijmachtools.2020.103594>
- You, S. H., Lee, J. H., & Oh, S. H. (2019). A Study on Cutting Characteristics in Turning Operations of Titanium Alloy used in Automobile. *International Journal of Precision Engineering and Manufacturing*, 20(2), 209–216. <https://doi.org/10.1007/s12541-019-00027-x>
- Yousefi, S., & Zohoor, M. (2018). Experimental Studying of the Variations of Surface Roughness and Dimensional Accuracy in Dry Hard Turning Operation. *The Open Mechanical Engineering Journal*, 12(1), 175–191. <https://doi.org/10.2174/1874155x01812010175>

- Yun, H. T., Heo, S., Lee, M. K., Min, B. K., & Lee, S. J. (2011). Ploughing detection in micromilling processes using the cutting force signal. *International Journal of Machine Tools and Manufacture*, 51(5), 377–382.
<https://doi.org/10.1016/j.ijmachtools.2011.01.003>
- Zhang, S. J., To, S., Wang, S. J., & Zhu, Z. W. (2015). A review of surface roughness generation in ultra-precision machining. *International Journal of Machine Tools and Manufacture*, 91, 76–95.
<https://doi.org/10.1016/j.ijmachtools.2015.02.001>
- Zurita, O., Di-Graci, V., & Capace, M. (2018). Effect of cutting parameters on surface roughness in turning of annealed AISI-1020 steel. *Revista Facultad de Ingeniería*, 27(47), 111–118.
<https://doi.org/10.19053/01211129.v27.n47.2018.7928>