

REFERENSI

- [1] H. Liu, G. Lu, X. Bi, J. Yan, and W. Wang, "Image Inpainting Based on Generative Adversarial Networks," International Conference on Natural Computation, Fuzzy Systems and Knowledge Discovery (ICNC-FSKD), 2018.
- [2] U. Demir and G. Unal, "Patch-Based Image Inpainting with Generative Adversarial Networks," 2018.
- [3] Z. Qin, Q. Zeng, Y. Zong, and F. Xu, "Image inpainting based on deep learning: A review," Displays, vol. 69, Sep. 2021, doi: 10.1016/j.displa.2021.102028.
- [4] N. Cai, Z. Su, Z. Lin, H. Wang, Z. Yang, and B. W. K. Ling, "Blind inpainting using the fully convolutional neural network," Visual Computer, vol. 33, no. 2, pp. 249–261, Feb. 2017, doi: 10.1007/s00371-015-1190-z.
- [5] O. Elharrouss, N. Almaadeed, S. Al-Maadeed, and Y. Akbari, "Image Inpainting: A Review," Neural Process Lett, vol. 51, no. 2, pp. 2007–2028, Apr. 2020, doi: 10.1007/s11063-019-10163-0.
- [6] R. A. Yeh, C. Chen, T. Y. Lim, A. G. Schwing, M. Hasegawa-Johnson, and M. N. Do, "Semantic Image Inpainting with Deep Generative Models," Jul. 2016, [Online]. Available: <http://arxiv.org/abs/1607.07539>
- [7] M. Bertalmio, G. Sapiro, V. Caselles, and C. Ballester, "Image Inpainting," Proceedings of the 27th annual conference on Computer graphics and interactive techniques, 2000.
- [8] C. Guillemot and O. Le Meur, "Image Inpainting : Overview and recent advances," IEEE Signal Process Mag, vol. 31, no. 1, pp. 127–144, 2014, doi: 10.1109/MSP.2013.2273004.
- [9] J. Yu, Z. Lin, J. Yang, X. Shen, X. Lu, and T. Huang, "Free-Form Image Inpainting with Gated Convolution," International Conference on Computer Vision (ICCV), 2019.
- [10] C. Barnes, D. B. Goldman, E. Shechtman, and A. Finkelstein, "The PatchMatch Randomized Matching Algorithm for Image Manipulation," Commun ACM, pp. 203–211, 2011, doi: 10.1145/2018396.2.
- [11] A. A. Efros and T. K. Leung, "Texture Synthesis by Non-parametric Sampling," 1999.

- [12] Z. Wan et al., “Old Photo Restoration via Deep Latent Space Translation,” Sep. 2020, [Online]. Available: <http://arxiv.org/abs/2009.07047>
- [13] I. National Institute of Technology (Punjab, I. D. of C. S. & E. National Institute of Technology (Punjab, Institute of Electrical and Electronics Engineers. Delhi Section, and Institute of Electrical and Electronics Engineers, “Restoration of Image from Deterioration Using Image Inpainting,” International Conference on Secure Cyber Computing and Communication (ICSCCC), 2018.
- [14] C. Ballester, M. Bertalmio, V. Caselles, G. Sapiro, and J. Verdera, “Filling-In by Joint Interpolation of Vector Fields and Gray Levels,” IEEE TRANSACTIONS ON IMAGE PROCESSING, vol. 10, no. 8, 2001.
- [15] I. Mironică, “A Generative Adversarial Approach with Residual Learning for Dust and Scratches Artifacts Removal,” pp. 15–22, Oct. 2020, doi: 10.1145/3423323.3423411.
- [16] V. B. S. Prasath, D. N. H. Thanh, N. H. Hai, and N. X. Cuong, “Image restoration with total variation and iterative regularization parameter estimation,” in ACM International Conference Proceeding Series, Association for Computing Machinery, Dec. 2017, pp. 378–384. doi: 10.1145/3155133.3155191.
- [17] Q. Cheng, H. Shen, L. Zhang, and P. Li, “Inpainting for remotely sensed images with a multichannel nonlocal total variation model,” IEEE Transactions on Geoscience and Remote Sensing, vol. 52, no. 1, pp. 175–187, Jan. 2014, doi: 10.1109/TGRS.2012.2237521.
- [18] R. L. Biradar and V. V Kohir, “A novel image inpainting technique based on median diffusion,” 2013.
- [19] K. Zhang, W. Zuo, Y. Chen, D. Meng, and L. Zhang, “Beyond a Gaussian Denoiser: Residual Learning of Deep CNN for Image Denoising,” Aug. 2016, doi: 10.1109/TIP.2017.2662206.
- [20] A. Criminisi, P. Pérez, and K. Toyama, “Object Removal by Exemplar-Based Inpainting,” IEEE Computer Society Conference on Computer Vision and Pattern Recognition, 2003, [Online]. Available: www.csse.monash.edu.au/

- [21] R. Shetty, M. Fritz, and B. Schiele, “Adversarial Scene Editing: Automatic Object Removal from Weak Supervision,” 2018.
- [22] J. Sun, L. Yuan, J. Jia, and H.-Y. Shum, “Image Completion with Structure Propagation,” *ACM Trans. Graph*, 2005.
- [23] A. Wong and J. Orchard, “A nonlocal-means approach to exemplar-based inpainting,” *IEEE International Conference on Image Processing*, 2008.
- [24] T. Ružić and A. Pižurica, “Context-aware patch-based image inpainting using Markov random field modeling,” *IEEE Transactions on Image Processing*, vol. 24, no. 1, pp. 444–456, Jan. 2015, doi: 10.1109/TIP.2014.2372479.
- [25] N. Kawai, T. Sato, and N. Yokoya, “Diminished Reality Based on Image Inpainting Considering Background Geometry,” *IEEE Trans Vis Comput Graph*, vol. 22, no. 3, pp. 1236–1247, Mar. 2016, doi: 10.1109/TVCG.2015.2462368.
- [26] I. J. Goodfellow et al., “Generative Adversarial Networks,” Jun. 2014, [Online]. Available: <http://arxiv.org/abs/1406.2661>
- [27] A. Radford, L. Metz, and S. Chintala, “Unsupervised Representation Learning with Deep Convolutional Generative Adversarial Networks,” Nov. 2015, [Online]. Available: <http://arxiv.org/abs/1511.06434>
- [28] J. Li, W. Monroe, T. Shi, S. Jean, A. Ritter, and D. Jurafsky, “Adversarial Learning for Neural Dialogue Generation,” Jan. 2017, [Online]. Available: <http://arxiv.org/abs/1701.06547>
- [29] L. Yu, W. Zhang, J. Wang, and Y. Yu, “SeqGAN: Sequence Generative Adversarial Nets with Policy Gradient,” Sep. 2016, [Online]. Available: <http://arxiv.org/abs/1609.05473>
- [30] W. Hu and Y. Tan, “Generating Adversarial Malware Examples for Black-Box Attacks Based on GAN,” Feb. 2017, [Online]. Available: <http://arxiv.org/abs/1702.05983>
- [31] A. Dunmore, J. Jang-Jaccard, F. Sabrina, and J. Kwak, “Generative Adversarial Networks for Malware Detection: a Survey,” Feb. 2023, [Online]. Available: <http://arxiv.org/abs/2302.08558>

- [32] M. Chidambaram and Y. Qi, "Style Transfer Generative Adversarial Networks: Learning to Play Chess Differently," Feb. 2017, [Online]. Available: <http://arxiv.org/abs/1702.06762>
- [33] C. Yang, X. Lu, Z. Lin, E. Shechtman, O. Wang, and H. Li, "High-Resolution Image Inpainting using Multi-Scale Neural Patch Synthesis," IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2016.
- [34] Z. Liu, P. Luo, X. Wang, and X. Tang, "Deep Learning Face Attributes in the Wild," Proceedings of International Conference on Computer Vision (ICCV), Dec. 2015.
- [35] P. Isola, J.-Y. Zhu, T. Zhou, and A. A. Efros, "Image-to-Image Translation with Conditional Adversarial Networks," Nov. 2016, [Online]. Available: <http://arxiv.org/abs/1611.07004>