

DAFTAR PUSTAKA

- American Speech-Language-Hearing Association. (n.d.). Loud noise dangers.
<https://www.asha.org/public/hearing/loud-noise-dangers/#:~:text=The%20World%20Health%20Organization%20recommends,if%20you%20can%20hear%20them>.
- Azizi, A., Malekmohammadi, B., Jafari, H. R., Nasiri, H., & Amini Parsa, V. (2014). Land suitability assessment for wind power plant site selection using ANP-DEMATEL in a GIS environment: Case study of Ardabil province, Iran. *Environmental Monitoring and Assessment*, 186(10), 6695–6709. <https://doi.org/10.1007/s10661-014-3883-6>
- Fediuk, R., Amran, M., Vatin, N., Vasilev, Y., Lesovik, V., & Ozbakkaloglu, T. (2021). Acoustic properties of innovative concretes: A review. *Materials*, 14(2), 398.
- Kementerian Agama. (2022). SE-MENTERI-AGAMA-NO-5-TAHUN-2022. Kantor Kementerian Agama Kabupaten Bantaeng – Siap Melayani Dengan SMART... Senyum Mudah Amanah Transparan.
<https://bantaeng.kemenag.go.id/frontend/file/peraturan-perundangan/se/SE-MENTERI-AGAMA-NO-5-TAHUN-2022-1.pdf>
- Kiani Sadr, M., Melhosseini Darani, K., Golkarian, H., & Arefian, A. (2020). Implement of zoning in order to evaluate the establishment of the airports using integrating MCDM methods and noise pollution modeling softwares. □□□□ □□□□□□ □□□□□□ □ □□□□□□ □□□□, 7(2), 97–105.

Lintong, F. (2009). Gangguan Pendengaran Akibat Bising. *Jurnal Biomedik: JBM*, 1(2).

Švec, J. G., & Granqvist, S. (2018). Tutorial and guidelines on measurement of sound pressure level in voice and speech. *Journal of Speech, Language, and Hearing Research*, 61(3), 441–461.

Uyan, M., & Dogmus, O. L. (2023). An integrated GIS-based ANP analysis for selecting solar farm installation locations: Case study in Cumra region, Turkey. *Environmental Modeling & Assessment*, 28(1), 105–119.

Van Haaren, R., & Fthenakis, V. (2011). GIS-based wind farm site selection using spatial multi-criteria analysis (SMCA): Evaluating the case for New York State. *Renewable and Sustainable Energy Reviews*, 15(7), 3332–3340.