

DAFTAR PUSTAKA

- Afiff, A., Bin, F., Latif, A., Sahab, A., Sani, A., Mohid, Z., Rachmat, H., Azurine, N., Faizal, M. M., Hisham, M. Z., Adib, M. M., & Azmi, M. (t.t.). *EXPERIMENTAL STUDY OF BIOMEDICAL STAINLESS STEEL 316L VIBRATION ASSISTED MILLING USING RETROFITTABLE 1D (UVAT) WORKTABLE*.
- Amini, S., Hosseinabadi, H. N., & Sajjady, S. A. (2016). Experimental study on effect of micro textured surfaces generated by ultrasonic vibration assisted face turning on friction and wear performance. *Applied Surface Science*, 390, 633–648. <https://doi.org/10.1016/j.apsusc.2016.07.064>
- Ansys, I. (2021). *Mechanical User's Guide*. https://ansyshelp.ansys.com/account/secured?returnurl=/Views/Secured/corp/v212/en/wb_sim/ds_Home.html.
- Brehl, D. E., & Dow, T. A. (2008). Review of vibration-assisted machining. Dalam *Precision Engineering* (Vol. 32, Nomor 3, hlm. 153–172). <https://doi.org/10.1016/j.precisioneng.2007.08.003>
- Chen, W., Huo, D., Shi, Y., & Hale, J. M. (2018). State-of-the-art review on vibration-assisted milling: principle, system design, and application. *International Journal of Advanced Manufacturing Technology*, 97(5–8), 2033–2049. <https://doi.org/10.1007/s00170-018-2073-z>
- Chen, X., Wang, J., Zeng, W., Liu, X., Zheng, K., Jiang, X., & Lu, W. (t.t.). *The processing parameters optimisation of (UVAT)-processed CuNiAl alloy based on surface integrity parameters*.
- Cioată, V. G., Kiss, I., Alexa, V., & Rațiu, S. A. (2020). Study of the contact forces between workpiece and fixture using dynamic analysis. *Journal of Physics: Conference Series*, 1426(1). <https://doi.org/10.1088/1742-6596/1426/1/012040>
- Davey, R. (2012). *AISI 1040 Carbon Steel (UNS G10400)*. <https://www.azom.com/article.aspx?ArticleID=6525>.
- Debongnie, J.-F., Raucant, B., Merken, P., Smal, O., Debongnie, J. F., & Raucant, B. (2004). *Design and test of a circular notch hinge*. <https://www.researchgate.net/publication/277036841>
- Erhunmwun, I. D., & Ikponmwoşa, U. B. (2017). Review on finite element method. *Journal of Applied Sciences and Environmental Management*, 21(5), 999. <https://doi.org/10.4314/jasem.v21i5.30>
- Gao, Y., Sun, R., & Leopold, J. (2015a). Analysis of cutting stability in vibration assisted machining using an analytical predictive force model. *Procedia CIRP*, 31, 515–520. <https://doi.org/10.1016/j.procir.2015.03.014>

- Gao, Y., Sun, R., & Leopold, J. (2015b). Analysis of cutting stability in vibration assisted machining using an analytical predictive force model. *Procedia CIRP*, 31, 515–520. <https://doi.org/10.1016/j.procir.2015.03.014>
- Gao, Y., Sun, R., & Leopold, J. (2015c). Analysis of cutting stability in vibration assisted machining using an analytical predictive force model. *Procedia CIRP*, 31, 515–520. <https://doi.org/10.1016/j.procir.2015.03.014>
- Gräser, P., Linß, S., Zentner, L., & Theska, R. (2019). Optimization of compliant mechanisms by use of different polynomial flexure hinge contours. *Mechanisms and Machine Science*, 71, 265–274. https://doi.org/10.1007/978-3-030-16423-2_25
- Gu, Y., Zhou, Y., Lin, J., Lu, M., Zhang, C., & Chen, X. (2018). Design, analysis, and testing of a flexure-based vibration-assisted polishing device. *AIP Advances*, 8(5). <https://doi.org/10.1063/1.5025498>
- Jiao, F., Li, Y., Wang, D., Tong, J., & Niu, Y. (2021). *Development of a low-frequency vibration-assisted drilling device for difficult-to-cut materials*. <https://doi.org/10.1007/s00170-021-07668-1/Published>
- Julong Deynrt, D. (1988). *Introduction to Grey System Theory*.
- Khadse, N. A., & Zaweri, S. R. (2015). *Modal Analysis of Aircraft Wing using Ansys Workbench Software Package*. www.ijert.org
- Kiswanto, G., Poly, Johan, Y. R., Ko, T. J., & Kurniawan, R. (2019). Development of Langevin Piezoelectric Transducer-based Two Dimensional Ultrasonic Vibration Assisted Machining (2D (UVAT)) on 5-axis Micro-milling Machine. *IOP Conference Series: Materials Science and Engineering*, 654(1). <https://doi.org/10.1088/1757-899X/654/1/012015>
- Kurniawan, R., Ko, T. J., Han, P. W., Xu, M., Chen, J., Kwak, Y. I., & Ali, S. (2023). FE simulation, analytical prediction, and experimentation of cutting force in longitudinal vibration-assisted milling (LVAM) during Ti-6Al-4 V cutting. *The International Journal of Advanced Manufacturing Technology*, 126(3), 1417–1451.
- Li, G., Wang, B., Xue, J., Qu, D., & Zhang, P. (2019). Development of vibration-assisted micro-milling device and effect of vibration parameters on surface quality and exit-burr. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 233(6), 1723–1729. <https://doi.org/10.1177/0954405418774592>
- Linß, S., Erbe, ;, & Zentner, ; (2011). *DESIGN AND SIMPLIFIED MANUFACTURING OF LARGE-DEFLECTIVE FLEXURE HINGES BASED ON POLYNOMIAL CONTOURS*.
- Linß, S., Schorr, P., Henning, S., & Zentner, L. (2017). *Contour-independent design equations for the calculation of the rotational properties of commonly used*

and polynomial flexure hinges.
<https://www.researchgate.net/publication/324170578>

- Liu, K., Li, X. P., & Rahman, M. (2008). Characteristics of ultrasonic vibration-assisted ductile mode cutting of tungsten carbide. *International Journal of Advanced Manufacturing Technology*, 35(7–8), 833–841. <https://doi.org/10.1007/s00170-006-0761-6>
- Liu, M., Zhang, X., & Fatikow, S. (2016). Design and analysis of a high-accuracy flexure hinge. *Review of Scientific Instruments*, 87(5). <https://doi.org/10.1063/1.4948924>
- Lobontiu, N. (2003). *COMPLIANT MECHANISMS Design of Flexure Hinges*.
- Lobontiu, N., Paine, J. S. N., O'malley, E., & Samuelson, M. (2002). Parabolic and hyperbolic flexure hinges: flexibility, motion precision and stress characterization based on compliance closed-form equations. Dalam *Precision Engineering Journal of the International Societies for Precision Engineering and Nanotechnology* (Vol. 26).
- Moriwaki, T., & Shamoto, E. (t.t.). *Ultrasonic Elliptical Vibration Cutting*.
- Nath, C., & Rahman, M. (2008). Effect of machining parameters in ultrasonic vibration cutting. *International Journal of Machine Tools and Manufacture*, 48(9), 965–974. <https://doi.org/10.1016/j.ijmachtools.2008.01.013>
- Nath, C., Rahman, M., & Neo, K. S. (2009). A study on ultrasonic elliptical vibration cutting of tungsten carbide. *Journal of Materials Processing Technology*, 209(9), 4459–4464. <https://doi.org/10.1016/j.jmatprotec.2008.10.047>
- Negishi, N. (2003). *Elliptical Vibration Assisted Machining with Single Crystal Diamond Tools DEPARTMENT OF MECHANICAL AND AEROSPACE ENGINEERING Chair of Advisory Committee*.
- Piezotechnics GmbH. (2012). Our Standard Piezo Actuator Stacks General Specifications. <https://www.piezotechnics.com/piezos/piezo-stacks-specs/>.
- Pilkey, W. D. (2005). *Formulas for stress, strain, and structural matrices*. John Wiley & Sons.
- Puri, S. P. V. K. (2006). Foundations For Vibrating Machines. *Journal of Structural Engineering*.
- Qin, F., Huang, H., Wang, J., & Zhao, H. (2019). *Design and performance evaluation of a novel stick–slip piezoelectric linear actuator with a centrosymmetric-type flexure hinge mechanism*.
- Rachmat, H., Ibrahim, M. R., & Hasan, S. Bin. (2017a). Design selection of an innovative tool holder for ultrasonic vibration assisted turning (IN-UVAT)

- using finite element analysis simulation. *AIP Conference Proceedings*, 1831. <https://doi.org/10.1063/1.4981170>
- Rachmat, H., Ibrahim, M. R., & Hasan, S. Bin. (2017b). Design selection of an innovative tool holder for ultrasonic vibration assisted turning (IN-UVAT) using finite element analysis simulation. *AIP Conference Proceedings*, 1831. <https://doi.org/10.1063/1.4981170>
- Rao, S. S. (2017). *The Finite Element Method in Engineering*.
- Rasidi Ibrahim, M., Rahim, Z., Rahim, E., Tobi, L., Cheng, K., & Ding, H. (t.t.). *An Experimental Investigation of Cutting Temperature and Tool Wear in 2 Dimensional Ultrasonic Vibrations Assisted Micro-Milling*.
- Shamoto', E., Suzuki', N., Moriwakil, T., & Naoi3, Y. (t.t.). *Development of Ultrasonic Elliptical Vibration Controller for Elliptical Vibration Cutting zyxw*.
- Shi, Y., & Zhao, C. (2012). Simple new ultrasonic piezoelectric actuator for precision linear positioning. *Journal of Electroceramics*, 28(4), 233–239. <https://doi.org/10.1007/s10832-012-9718-3>
- Sivareddy, D. V., Krishna, P. V., Gopal, A. V., & Prithvi Raz, C. L. (2018). Parameter Optimisation in Vibration Assisted Turning of Ti6Al4V Alloy using ANOVA and Grey Relational Analysis. Dalam *International Journal of Automotive and Mechanical Engineering* (Vol. 15).
- Sui, H., Zhang, X., Zhang, D., Jiang, X., & Wu, R. (2017). Feasibility study of high-speed ultrasonic vibration cutting titanium alloy. *Journal of Materials Processing Technology*, 247, 111–120. <https://doi.org/10.1016/j.jmatprotec.2017.03.017>
- Valiavalappil, A. (2024). STRESS, EQUIVALENT STRAIN AND DEFORMATION FOR MACHINING OPERATION UTILIZING EXPLICIT DYNAMIC ANALYSIS FOR VARIOUS MATERIALS. *Yanbu Journal of Engineering and Science*, 21(1). <https://doi.org/10.53370/001c.94740>
- Verma, G. C., Pandey, P. M., & Dixit, U. S. (2018). Modeling of static machining force in axial ultrasonic-vibration assisted milling considering acoustic softening. *International Journal of Mechanical Sciences*, 136, 1–16. <https://doi.org/10.1016/j.ijmecsci.2017.11.048>
- Viswanathan, P., & Kulkarni, P. R. (1995). FULL FACTORIAL DESIGN TO STUDY FERMENTATIVE PRODUCTION OF INULINASE USING INULIN FROM KUTH (SAUSSUREA LAPPA) ROOT POWDER BY ASPERGILLUS NIGER VAN TEIGHEM UVII MUTANT. Dalam *Bioresource Technology* (Vol. 54).

- Wiranata, A., Arief, A., & Rochardjo, H. S. B. (2019). Studi Pengaruh Perubahan Sudut Head Tube dan Top Tube Pada Rangka Sepeda Balap terhadap Defleksi pada Fork dengan Metode Explicit Dynamics Elemen Hingga. *Journal of Mechanical Design and Testing*, 1(1), 15–23. <https://doi.org/10.22146/jmdt.v1i1.46741>
- Wu, J., Zhang, Y., Cai, S., & Cui, J. (2018). Modeling and analysis of conical-shaped notch flexure hinges based on NURBS. *Mechanism and Machine Theory*, 128, 560–568. <https://doi.org/10.1016/j.mechmachtheory.2018.07.005>
- Xu, W. X., & Zhang, L. C. (2015). Ultrasonic vibration-assisted machining: principle, design and application. *Advances in Manufacturing*, 3(3), 173–192. <https://doi.org/10.1007/s40436-015-0115-4>
- Yang, L., & Zhang, M. (2017). *Research on the Influence of Cutting Speed on Vibration Cutting Force*.
- Yang, Z., Zhu, L., Zhang, G., Ni, C., & Lin, B. (2020). Review of ultrasonic vibration-assisted machining in advanced materials. Dalam *International Journal of Machine Tools and Manufacture* (Vol. 156). Elsevier Ltd. <https://doi.org/10.1016/j.ijmachtools.2020.103594>
- Yin, Z., Fu, Y., Xu, J., Li, H., Cao, Z., & Chen, Y. (2017). A novel single driven ultrasonic elliptical vibration cutting device. *International Journal of Advanced Manufacturing Technology*, 90(9–12), 3289–3300. <https://doi.org/10.1007/s00170-016-9641-x>
- Yong, Y. K., Lu, T. F., & Handley, D. C. (2008a). Review of circular flexure hinge design equations and derivation of empirical formulations. Dalam *Precision Engineering* (Vol. 32, Nomor 2, hlm. 63–70). <https://doi.org/10.1016/j.precisioneng.2007.05.002>
- Yong, Y. K., Lu, T. F., & Handley, D. C. (2008b). Review of circular flexure hinge design equations and derivation of empirical formulations. Dalam *Precision Engineering* (Vol. 32, Nomor 2, hlm. 63–70). <https://doi.org/10.1016/j.precisioneng.2007.05.002>
- Zhang, C., Song, Y., & Ehmann, K. F. (2020). Design and experimental investigation of a parallel flexure hinge-based 3D elliptical vibration-assisted cutting mechanism. *Journal of Micromechanics and Microengineering*, 30(8). <https://doi.org/10.1088/1361-6439/ab9007>
- Zheng, L., Chen, W., & Huo, D. (2020). Review of vibration devices for vibration-assisted machining. *International Journal of Advanced Manufacturing Technology*, 108(5–6), 1631–1651. <https://doi.org/10.1007/s00170-020-05483-8>