

## DAFTAR PUSTAKA

- [1] K. N. Jais *et al.*, “Bioakumulasi Logam Berat Kadmium (Cd) dan Kromium (Cr) yang Terdapat dalam Air dan Ikan di Sungai Tallo Makassar,” *Window of Public Health Journal*, vol. 1, no. 3, pp. 261–273, Oct. 2020, doi: 10.33096/WOPH.V1I3.65.
- [2] P. Budiastuti, M. Raharjo, N. Astorina Yunita Dewanti Bagian Kesehatan Lingkungan, and F. Kesehatan Masyarakat, “ANALISIS PENCEMARAN LOGAM BERAT TIMBAL DI BADAN SUNGAI BABON KECAMATAN GENUK SEMARANG,” *Jurnal Kesehatan Masyarakat*, vol. 4, no. 5, pp. 119–118, Nov. 2016, doi: 10.14710/JKM.V4I5.14489.
- [3] “REPUBLIK INDONESIA.”
- [4] A. Abadi Kiswandono, S. Ilham Prasetyo, A. Rahmawati, and A. Risgiyanto, “ANALISIS LOGAM BERAT Cd, Fe DAN Pb PADA AIR SUNGAI WAY UMPU KABUPATEN WAY KANAN SECARA SPEKTROFOTOMETER SERAPAN ATOM,” *Analit: Analytical and Environmental Chemistry*, vol. 7, no. 01, 2022, [Online]. Available: <https://dx.doi.org/10.23960%2Faec.v7i1.2022.p68-79>
- [5] “BAB II”.
- [6] D. Y. Pratiwi, “DAMPAK PENCEMARAN LOGAM BERAT TERHADAP SUMBER DAYA PERIKANAN DAN KESEHATAN MANUSIA,” *Jurnal Akuatek*, vol. 1, no. 1, pp. 59–65, Jun. 2020, Accessed: Oct. 12, 2023. [Online]. Available: <https://jurnal.unpad.ac.id/akuatek/article/view/28135>
- [7] G. Genchi, M. S. Sinicropi, G. Lauria, A. Carocci, and A. Catalano, “The effects of cadmium toxicity,” Jun. 01, 2020, *MDPI AG*. doi: 10.3390/ijerph17113782.
- [8] M. Paundanan, A. Khaery, P. Studi Kesehatan Masyarakat Sekolah Tinggi Ilmu Kesehatan Indonesia Jaya, P. Studi Biologi Fakultas Saintek, and I. Teknologi dan Kesehatan Avicenna, “Studi Pencemaran Logam Berat Timbal (Pb) dan Tembaga (Cu) Berdasarkan Nilai Ambang Batas (NAB) di Sungai Motui Kabupaten Konawe Utara,” *Jurnal Ilmu Alam dan Lingkungan*, vol. 14, no. 1, Mar. 2023, doi: 10.20956/JAL.V14I1.26203.
- [9] G. Liang *et al.*, “Development of the screen-printed electrodes: A mini review on the application for pesticide detection,” *Environ Technol Innov*, vol. 28, p. 102922, Nov. 2022, doi: 10.1016/J.ETI.2022.102922.

- [10] O. A. Oyewo, A. Adeniyi, B. B. Sithole, and M. S. Onyango, “Sawdust-Based Cellulose Nanocrystals Incorporated with ZnO Nanoparticles as Efficient Adsorption Media in the Removal of Methylene Blue Dye,” *ACS Omega*, vol. 5, no. 30, pp. 18798–18807, Aug. 2020, doi: 10.1021/acsomega.0c01924.
- [11] S. Singh, K. K. Gaikwad, and Y. S. Lee, “Antimicrobial and antioxidant properties of polyvinyl alcohol bio composite films containing seaweed extracted cellulose nanocrystal and basil leaves extract,” *Int J Biol Macromol*, vol. 107, pp. 1879–1887, Feb. 2018, doi: 10.1016/j.ijbiomac.2017.10.057.
- [12] T. W. Kurniawan, H. Sulistyarti, B. Rumhayati, and A. Sabarudin, “Cellulose Nanocrystals (CNCs) and Cellulose Nanofibers (CNFs) as Adsorbents of Heavy Metal Ions,” 2023, *Hindawi Limited*. doi: 10.1155/2023/5037027.
- [13] R. Si, J. Pu, H. Luo, C. Wu, and G. Duan, “Nanocellulose-Based Adsorbents for Heavy Metal Ion,” Dec. 01, 2022, *MDPI*. doi: 10.3390/polym14245479.
- [14] N. Inda Rahayu, M. Hanafiah, T. Fadrial Karmil, T. Zahrial Helmi, and R. Daud, “PENGARUH PAPARAN TIMBAL (Pb) TERHADAP LAJU PERTUMBUHAN IKAN NILA (*Oreochromis niloticus*) Influence Of Lead (Pb) Exposure On The Rate Of Growth Tilapia Fish (*Oreochromis niloticus*),” *JIMVET*, vol. 01, no. 4, pp. 658–665, 2017.
- [15] “AND1000 Fluorimeter - Handheld Heavy Metal Water Tester - ANDalyze | Quasar Instruments.” Accessed: Nov. 08, 2023. [Online]. Available: <https://www.quasarinstruments.com/p-19165-andalyze-and100-fluorimeter-handheld-heavy-metal-water-tester.aspx>
- [16] T. Hu, Q. Lai, W. Fan, Y. Zhang, and Z. Liu, “Advances in Portable Heavy Metal Ion Sensors,” *Sensors 2023, Vol. 23, Page 4125*, vol. 23, no. 8, p. 4125, Apr. 2023, doi: 10.3390/S23084125.
- [17] L. A. Malik, A. Bashir, A. Qureashi, and A. H. Pandith, “Detection and removal of heavy metal ions: a review,” Dec. 01, 2019, *Springer Verlag*. doi: 10.1007/s10311-019-00891-z.
- [18] J. Baranwal, B. Barse, G. Gatto, G. Broncova, and A. Kumar, “Electrochemical Sensors and Their Applications: A Review,” *Chemosensors*, vol. 10, no. 9, Sep. 2022, doi: 10.3390/CHEMOSENSORS10090363.

- [19] “Method 200.7: Determination of Metals and Trace Elements in Water and Wastes by Inductively Coupled Plasma-Atomic Emission Spectrometry | US EPA.” Accessed: Nov. 22, 2023. [Online]. Available: <https://www.epa.gov/esam/method-2007-determination-metals-and-trace-elements-water-and-wastes-inductively-coupled>
- [20] A. Sasongko *et al.*, “Verifikasi Metode Penentuan Logam Kadmium (Cd) dalam Air Limbah Domestik dengan Metode Spektrofotometri Serapan Atom,” *Jurnal Sains dan Teknologi*, vol. 6, no. 2, 2017.
- [21] R. Meng *et al.*, “The innovative and accurate detection of heavy metals in foods: A critical review on electrochemical sensors,” *Food Control*, vol. 150, p. 109743, Aug. 2023, doi: 10.1016/J.FOODCONT.2023.109743.
- [22] X. Dai, S. Wu, and S. Li, “Progress on electrochemical sensors for the determination of heavy metal ions from contaminated water,” *Journal of the Chinese Advanced Materials Society*, vol. 6, no. 2, pp. 91–111, Apr. 2018, doi: 10.1080/22243682.2018.1425904.
- [23] Q. WU, H. M. BI, and X. J. HAN, “Research Progress of Electrochemical Detection of Heavy Metal Ions,” *Chinese Journal of Analytical Chemistry*, vol. 49, no. 3, pp. 330–340, Mar. 2021, doi: 10.1016/S1872-2040(21)60083-X.
- [24] V. Mirceski, S. Skrypek, and L. Stojanov, “Square-wave voltammetry,” *ChemTexts*, vol. 4, no. 4, Dec. 2018, doi: 10.1007/s40828-018-0073-0.
- [25] F. R. Simões and M. G. Xavier, “Nanoscience and its Applications,” 2017.
- [26] L. A. Malik, A. Bashir, A. Qureashi, and A. H. Pandith, “Detection and removal of heavy metal ions: a review,” *Environ Chem Lett*, vol. 17, no. 4, pp. 1495–1521, Dec. 2019, doi: 10.1007/S10311-019-00891-Z/FIGURES/17.
- [27] I. Albalawi, A. Hogan, H. Alatawi, and E. Moore, “A sensitive electrochemical analysis for cadmium and lead based on Nafion-Bismuth film in a water sample,” *Sens Biosensing Res*, vol. 34, p. 100454, Dec. 2021, doi: 10.1016/J.SBSR.2021.100454.
- [28] P. Irving, R. Cecil, and M. Z. Yates, “MYSTAT: A compact potentiostat/galvanostat for general electrochemistry measurements,” *HardwareX*, vol. 9, p. e00163, Apr. 2021, doi: 10.1016/J.OHX.2020.E00163.
- [29] A. Gevaerd, E. Y. Watanabe, C. Belli, L. H. Marcolino-Junior, and M. F. Bergamini, “A complete lab-made point of care device for non-immunological electrochemical

determination of cortisol levels in salivary samples," *Sens Actuators B Chem*, vol. 332, p. 129532, Apr. 2021, doi: 10.1016/J.SNB.2021.129532.

- [30] A. Demirhan, E. Eksin, Y. Kilic, and A. Erdem, "Low-Cost High-Resolution Potentiostat for Electrochemical Detection of Nucleic Acids and Biomolecular Interactions," *Micromachines* 2022, Vol. 13, Page 1610, vol. 13, no. 10, p. 1610, Sep. 2022, doi: 10.3390/MI13101610.
- [31] M. Raninec, "Overcoming the Technical Challenges of Electrochemical Gas Sensing".
- [32] A. Devices, "Precision Analog Microcontroller with Chemical Sensor Interface Data Sheet ADuCM355 ", Accessed: Dec. 15, 2023. [Online]. Available: www.analog.com
- [33] V. Manoharan *et al.*, "Platform-agnostic electrochemical sensing app and companion potentiostat," *Cite this: Analyst*, vol. 148, p. 4857, 2023, doi: 10.1039/d2an01350a.
- [34] A. Abdelgawad and K. Yelamarthi, "Internet of things (IoT) platform for structure health monitoring," *Wirel Commun Mob Comput*, vol. 2017, 2017, doi: 10.1155/2017/6560797.
- [35] Y. Furubayashi *et al.*, "A Thermoelectric Temperature Control Module for a Portable Fluorescent Sensing Platform," *J Electrochem Soc*, vol. 167, no. 14, p. 147505, Nov. 2020, doi: 10.1149/1945-7111/ABC35D.
- [36] A. Das, S. Bose, N. Mandal, B. Pramanick, and C. RoyChaudhuri, "HOME-Stat: a handheld potentiostat with open-access mobile-interface and extended measurement ranges," *Proceedings of the Indian National Science Academy*, vol. 87, no. 1, pp. 84–93, Mar. 2021, doi: 10.1007/S43538-021-00008-7/FIGURES/7.
- [37] A. R. Baranwal, S. Dudala, P. Rewatkar, J. M. Mohan, M. Salve, and S. Goel, "Development of Completely Automated Poly Potential Portable Potentiostat," *ECS Journal of Solid State Science and Technology*, vol. 10, no. 2, p. 027001, Feb. 2021, doi: 10.1149/2162-8777/ABDC15.
- [38] R. M. D. P. K. Rathnayaka, D. D. C. Wanniarachchi, C. H. Manathunga, R. A. D. D. Dharmasiri, and W. K. I. L. Wanniarachchi, "'EduPotStat': Construction and testing of a low cost potentiostat," *Journal Of Applied Physics (IOSR-JAP) e-ISSN*, vol. 12, pp. 10–18, 2020, doi: 10.9790/4861-1205031018.

- [39] T. Tichter, M. Gernhard, and P. C. K. Vesborg, “PolArStat: An Arduino based potentiostat for low-power electrochemical applications,” *Electrochim Acta*, vol. 469, p. 143119, Nov. 2023, doi: 10.1016/J.ELECTACTA.2023.143119.
- [40] C. Ascensão, L. Ciríaco, M. J. Pacheco, and A. Lopes, “Metal recovery from aqueous solutions,” *Portugaliae Electrochimica Acta*, vol. 29, no. 5, pp. 349–359, Jan. 2011, doi: 10.4152/pea.201105349.
- [41] S. A. F. MAYUNDRI, “Prototipe Screen-Printed Carbon Electrode Dengan Modifikasi Material Nanokomposit ZnO/PVA untuk Mendeteksi Cadmium Pada Sampel Cairan - WRAP Entrepreneurship (Capstone),” 2023, Accessed: Jan. 23, 2024. [Online]. Available:  
<https://openlibrary.telkomuniversity.ac.id/home/catalog/id/202029/slug/prototipe-screen-printed-carbon-electrode-dengan-modifikasi-material-nanokomposit-zno-pva-untuk-mendeteksi-cadmium-pada-sampel-cairan-wrap-entrepreneurship-capstone-.html>
- [42] E. A. Kosasih, R. I. Wahid, and A. A. Faros, “Aquadest production system as steam turbine bottom cycle II: Influence of condenser pressure and pinch point temperature difference,” *E3S Web of Conferences*, vol. 67, Nov. 2018, doi: 10.1051/E3SCONF/20186704029.
- [43] P. Faradilla, H. Setiyanto, R. V. Manurung, and V. Saraswat, “Electrochemical sensor based on screen printed carbon electrode–zinc oxide nano particles/molecularly imprinted-polymer (SPCE–ZnONPs/MIP) for detection of sodium dodecyl sulfate (SDS),” *RSC Adv*, vol. 12, no. 2, pp. 743–752, Dec. 2021, doi: 10.1039/D1RA06862H.
- [44] J. Barton *et al.*, “Screen-printed electrodes for environmental monitoring of heavy metal ions: a review,” *Microchimica Acta*, vol. 183, no. 2, pp. 503–517, Feb. 2016, doi: 10.1007/S00604-015-1651-0/METRICS.
- [45] A. Ismardi, T. D. Gunawan, A. Suhendi, and I. W. Fathona, “Study of Graphene Incorporation into ZnO-PVA Nanocomposites Modified Electrode for Sensitive Detection of Cadmium,” *Heliyon*, vol. 10, no. 11, p. e31565, Jun. 2024, doi: 10.1016/j.heliyon.2024.e31565.
- [46] S. M. EL-Dafrawy, M. Tarek, S. Samra, and S. M. Hassan, “Synthesis, photocatalytic and antidiabetic properties of ZnO/PVA nanoparticles,” *Sci Rep*, vol. 11, no. 1, Dec. 2021, doi: 10.1038/s41598-021-90846-8.

- [47] D. oleh, N. Y. Kandowangko, and D. Lamondo Program Studi Pendidikan Biologi Fakultas Matematika dan Ilmu Pengetahuan Alam, “EFISIENSI PENYERAPAN LOGAM BERAT TEMBAGA (Cu) OLEH TUMBUHAN KANGKUNG AIR (*Ipomoae aquatica* Forks) DENGAN WAKTU KONTAK YANG BERBEDA.”
- [48] T. Jayaramudu, H. U. Ko, H. C. Kim, J. W. Kim, R. M. Muthoka, and J. Kim, “Electroactive hydrogels made with polyvinyl alcohol/cellulose nanocrystals,” *Materials*, vol. 11, no. 9, Sep. 2018, doi: 10.3390/ma11091615.
- [49] “Arduino Uno R3 SMD-Datasheet.pdf - Google Drive.” Accessed: Jun. 26, 2024. [Online]. Available: [https://drive.google.com/file/d/1XSh8DbrzCBoFcW-6eydZ\\_bz7Yk1oikeS/view](https://drive.google.com/file/d/1XSh8DbrzCBoFcW-6eydZ_bz7Yk1oikeS/view)
- [50] “User’s Guide LMP91000EVM User’s Guide,” 2012.
- [51] “NX8048K050 - Nextion.pdf - Google Drive.” Accessed: Jun. 26, 2024. [Online]. Available: <https://drive.google.com/file/d/1N1kwC1O08iGUT90xAD3XEL66J5TtrMAz/view>
- [52] J. Aznar-Poveda, J. A. Lopez-Pastor, A. J. Garcia-Sanchez, J. Garcia-Haro, and T. F. Otero, “A COTS-Based Portable System to Conduct Accurate Substance Concentration Measurements,” *Sensors 2018, Vol. 18, Page 539*, vol. 18, no. 2, p. 539, Feb. 2018, doi: 10.3390/S18020539.
- [53] A. K. Ilunga, B. B. Mamba, and T. T. I. Nkambule, “Ferricyanide reduction to elucidate kinetic and electrochemical activities on the metal nanocatalysts surface,” *Chemical Engineering Journal*, vol. 398, Oct. 2020, doi: 10.1016/J.CEJ.2020.125623.
- [54] “(PDF) Analisis Regresi dan Aplikasinya menggunakan SPSS.” Accessed: Jul. 17, 2024. [Online]. Available: [https://www.researchgate.net/publication/369480192\\_Analisis\\_Regresi\\_dan\\_Aplikasinya\\_menggunakan\\_SPSS](https://www.researchgate.net/publication/369480192_Analisis_Regresi_dan_Aplikasinya_menggunakan_SPSS)
- [55] N. Elgrishi, K. J. Rountree, B. D. McCarthy, E. S. Rountree, T. T. Eisenhart, and J. L. Dempsey, “A Practical Beginner’s Guide to Cyclic Voltammetry,” *J Chem Educ*, vol. 95, no. 2, pp. 197–206, Feb. 2018, doi: 10.1021/ACS.JCHEMED.7B00361/SUPPL\_FILE/ED7B00361\_SI\_001.PDF.

- [56] S. Rajendrachari *et al.*, “A Review on Cyclic Voltammetric Investigation of Toxic Heavy Metals,” *Frontiers in Voltammetry*, Oct. 2022, doi: 10.5772/INTECHOPEN.108411.
- [57] D. Kimia *et al.*, “Pengaruh Supporting Electrolyte pada Penentuan Formaldehida secara Voltametri Siklik Menggunakan Au/MWCNT/GCE,” *Periodic*, vol. 13, no. 1, pp. 38–42, Apr. 2024, doi: 10.24036/PERIODIC.V13I1.124524.