

REFERENCES

- [1] S. U. Minhaj *et al.*, “Intelligent Resource Allocation in LoRaWAN Using Machine Learning Techniques,” *IEEE Access*, vol. 11, pp. 10092–10106, 2023, doi: 10.1109/ACCESS.2023.3240308.
- [2] S. Kim, H. Lee, and S. Jeon, “An adaptive spreading factor selection scheme for a single channel lora modem,” *Sensors (Switzerland)*, vol. 20, no. 4, Feb. 2020, doi: 10.3390/s20041008.
- [3] M. Jouhari, N. Saeed, M. S. Alouini, and E. M. Amhoud, “A Survey on Scalable LoRaWAN for Massive IoT: Recent Advances, Potentials, and Challenges,” *IEEE Communications Surveys and Tutorials*, vol. 25, no. 3, pp. 1841–1876, 2023, doi: 10.1109/COMST.2023.3274934.
- [4] A. P. A. Torres, C. B. Da Silva, and H. T. Filho, “An Experimental Study on the Use of LoRa Technology in Vehicle Communication,” *IEEE Access*, vol. 9, pp. 26633–26640, 2021, doi: 10.1109/ACCESS.2021.3057602.
- [5] P. D. Prasetyo Adi, A. Mappadang, A. Wahid, S. Luhriyani, R. Jefri, and N. Nurindah, “Spreading Factor of IoT-LoRa Effect for Future Smart Agriculture,” in *2022 International Conference on Information Technology Research and Innovation (ICITRI)*, 2022, pp. 123–128. doi: 10.1109/ICITRI56423.2022.9970235.
- [6] L. Vangelista, I. Calabrese, and A. Cattapan, “Mobility Classification of LoRaWAN Nodes Using Machine Learning at Network Level,” *Sensors*, vol. 23, no. 4, Feb. 2023, doi: 10.3390/s23041806.
- [7] Y. Etiabi, M. Jouhari, A. Burg, and E. M. Amhoud, “Spreading Factor assisted LoRa Localization with Deep Reinforcement Learning,” in *2023 IEEE 97th Vehicular Technology Conference (VTC2023-Spring)*, 2023, pp. 1–5. doi: 10.1109/VTC2023-Spring57618.2023.10200189.
- [8] L. T. Tu, A. Bradai, O. Ben Ahmed, S. Garg, Y. Pousset, and G. Kaddoum, “Energy Efficiency Optimization in LoRa Networks - A Deep Learning Approach,” *IEEE Transactions on Intelligent Transportation Systems*, vol. 24, no. 12, pp. 15435–15447, Dec. 2023, doi: 10.1109/TITS.2022.3183073.

- [9] C. J. Bouras, A. Gkamas, S. A. K. Salgado, and N. Papachristos, “A Comparative Study of Machine Learning Models for Spreading Factor Selection in LoRa Networks,” *International Journal of Wireless Networks and Broadband Technologies*, vol. 10, no. 2, pp. 100–121, Jun. 2021, doi: 10.4018/ijwnbt.2021070106.
- [10] T. Perković, L. Dujčić Rodić, J. Šabić, and P. Šolić, “Machine Learning Approach towards LoRaWAN Indoor Localization,” *Electronics (Switzerland)*, vol. 12, no. 2, Jan. 2023, doi: 10.3390/electronics12020457.
- [11] K. Z. Islam, D. Murray, D. Diepeveen, M. G. K. Jones, and F. Sohel, “Machine learning-based LoRa localisation using multiple received signal features,” *IET Wireless Sensor Systems*, vol. 13, no. 4, pp. 133–150, Aug. 2023, doi: 10.1049/wss2.12063.
- [12] C. Bouras, A. Gkamas, S. A. Katsampiris Salgado, and N. Papachristos, “Spreading Factor Analysis for LoRa Networks: A Supervised Learning Approach,” in *Advances in Intelligent Systems and Computing*, Springer Science and Business Media Deutschland GmbH, 2021, pp. 344–353. doi: 10.1007/978-3-030-72657-7_33.
- [13] R. M. Sandoval, A. J. Garcia-Sanchez, and J. Garcia-Haro, “Optimizing and updating lora communication parameters: A machine learning approach,” *IEEE Transactions on Network and Service Management*, vol. 16, no. 3, pp. 884–895, Sep. 2019, doi: 10.1109/TNSM.2019.2927759.
- [14] R. M. M. R. Rathnayake, M. W. P. Maduranga, V. Tilwari, and M. B. Dissanayake, “RSSI and Machine Learning-Based Indoor Localization Systems for Smart Cities,” Jun. 01, 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/eng4020085.
- [15] P. S. Cheong, J. Bergs, C. Hawinkel, and J. Famaey, “Comparison of LoRaWAN Classes and their Power Consumption,” *2017 IEEE Symposium on Communications and Vehicular Technology (SCVT)*, 2017.
- [16] A. Marahatta *et al.*, “Evaluation of a lora mesh network for smart metering in rural locations,” *Electronics (Switzerland)*, vol. 10, no. 6, pp. 1–16, Mar. 2021, doi: 10.3390/electronics10060751.

- [17] Q. Guo, F. Yang, and J. Wei, “Experimental evaluation of the packet reception performance of LoRa,” *Sensors (Switzerland)*, vol. 21, no. 4, pp. 1–23, Feb. 2021, doi: 10.3390/s21041071.
- [18] D. Sjöström, “Unlicensed and licensed low-power wide area networks Exploring the candidates for massive IoT,” KTH Royal Institute of Technology, STOCKHOLM, 2017.
- [19] S. Kim, H. Lee, and S. Jeon, “An adaptive spreading factor selection scheme for a single channel lora modem,” *Sensors (Switzerland)*, vol. 20, no. 4, Feb. 2020, doi: 10.3390/s20041008.
- [20] V. Talla, M. Hessar, B. Kellogg, A. Najafi, J. R. Smith, and S. Gollakota, “LoRa Backscatter: Enabling The Vision of Ubiquitous Connectivity,” *Proc ACM Interact Mob Wearable Ubiquitous Technol*, vol. 1, no. 3, pp. 1–24, Sep. 2017, doi: 10.1145/3130970.
- [21] T. Elshabrawy and J. Robert, “Analysis of BER and Coverage Performance of LoRa Modulation under Same Spreading Factor Interference,” in *2018 IEEE 29th Annual International Symposium on Personal, Indoor and Mobile Radio Communications (PIMRC)*, Tallal Elshabrawy and Joerg Robert, Eds., Bologna: IEEE, 2018. doi: 10.1109/PIMRC.2018.8581011.
- [22] A. Arifin, M. Rizal, and R. Angriawan, “Pengaruh Spreading Factor (SF) Terhadap Jarak Dan Persentase Data Terkirim Lora Dalam Hutan,” in *EPROSIDING SENSITIF*, 2019, pp. 1103–1108.
- [23] Semtech, *AN1200.22 Lora Modulation Basic*, 2015th ed., vol. Revision 2. 2015.
- [24] T. Bouguera, J. F. Diouris, J. J. Chaillout, R. Jaouadi, and G. Andrieux, “Energy consumption model for sensor nodes based on LoRa and LoRaWAN,” *Sensors (Switzerland)*, vol. 18, no. 7, Jul. 2018, doi: 10.3390/s18072104.
- [25] A. J. Wixted, P. Kinnaird, H. Larijani, A. Tait, A. Ahmadinia, and N. Strachan, “Evaluation of LoRa and LoRaWAN for Wireless Sensor Network,” in *2016 IEEE SENSORS*, Andrew J Wixted, Peter Kinnaird, Hadi Larijani, Alan Tait, Ali Ahmadinia, and Nial Strachan, Eds., 2016. doi: 10.1109/ICSENS.2016.7808712.

- [26] R. Khairuddin and H. N. Isnianto, "Analisis Performa Bluetooth Pada Sistem Device Reminder Berdasarkan Pengukuran Jarak Dan Received Signal Strength Indicator," *Journal of Internet and Software Engineering(JISE)*, vol. 2, pp. 1–8, Jul. 2021.
- [27] D. Sallyna, U. Kurniawan Usman, and M. A. Murti, "Perencanaan Jaringan Long Range (LORA) Pada Frekuensi 920 MHz-923 MHz Di Kota Bandung Long Range (LORA) Network Planning With Frequency 920 MHz-923 MHz In Bandung City," *e-Proceeding of Engineering*, vol. 7, no. 1, pp. 933–940, Apr. 2020.
- [28] P. S. Talware, V. R. Tank, and S. P. Mahajan, "A Blind Source Separation with Fractional Calculus for Noise Reduction in Speech Enhancemen," in *International Conference on Microelectronic Devices, Circuits and Systems (ICMDCS)*, IEEE, Aug. 2017.
- [29] M. F. Khan, E. A. Felemban, S. Qaisar, and S. Ali, "Performance analysis on packet delivery ratio and end-to-end delay of different network topologies in wireless sensor networks (WSNs)," in *Proceedings - IEEE 9th International Conference on Mobile Ad-Hoc and Sensor Networks, MSN 2013*, 2013, pp. 324–329. doi: 10.1109/MSN.2013.74.
- [30] F. Tangguh Admojo and Ahsanawati, "Klasifikasi Aroma Alkohol Menggunakan Metode KNN," *Indonesian Journal of Data and Science*, vol. 1, no. 2, pp. 34–38, 2020.
- [31] E. R. Br. Sebayang, Y. Herry Chrisnanto, and Melina, "Klasifikasi Data Kesehatan Mental di Industri Teknologi Menggunakan Algoritma Random Forest," *IJESPG Journal*, vol. 1, 2023.
- [32] D. A. Mukhsinin, M. Rafliansyah, S. A. Ibrahim, R. Rahmaddeni, and D. Wulandari, "Implementasi Algoritma Decision Tree untuk Rekomendasi Film dan Klasifikasi Rating pada Platform Netflix," *MALCOM: Indonesian Journal of Machine Learning and Computer Science*, vol. 4, no. 2, pp. 570–579, Mar. 2024, doi: 10.57152/malcom.v4i2.1255.

- [33] R. Nurpadilah, U. Novia Wisesty, and A. Aditsania, “Analisis dan Implementasi Prediksi Churn pada Perusahaan Telekomunikasi menggunakan Metode NCL dan K-Nearest Neighbor Analisis and Implementation Churn Prediction in Telecommunication Using NCL Method and K-Nearest Neighbor,” Bandung, 2017.
- [34] S. Choirunnisa, “Analisis dan Implementasi Prediksi Churn pada Perusahaan Telekomunikasi menggunakan Metode NCL dan K-Nearest Neighbor,” Institut Teknologi Sepuluh Nopember, Surabaya, 2019.
- [35] A. Y. Alfajr, K. Kartini, and A. P. Sari, “Classification Of Distracted Driver Using Support Vector Machine Based On Principal Component Analysis Feature Reduction And Convolutional Neural Network,” *Jurnal Komputer dan Informatika*, vol. 11, no. 2, pp. 237–245, Oct. 2023, doi: 10.35508/jicon.v11i2.12658.