Daftar Pustaka

[1] Kansal, K., & Subramanyam, A. (2019). Autoencoder Ensemble for Person Re-Identification. https://doi.org/10.1109/bigmm.2019.00-15

[2] Gao, W., & Li, M. (2021). Unsupervised Clustering Active Learning for Person Re-identification. arXiv (Cornell University). https://doi.org/10.48550/arxiv.2112.13308

[3] Takeda, K., & Sakai, T. (2024). Unsupervised deep learning of foreground objects from low-rank and sparse dataset. Computer Vision and Image Understanding, 240, 103939. https://doi.org/10.1016/j.cviu.2024.103939

[4] Khan, S. U., Hussain, T., Ullah, A., & Baik, S. W. (2021). Deep-ReID: deep features and autoencoder assisted image patching strategy for person re-identification in smart cities surveillance. Multimedia Tools and Applications, 83(5), 15079–15100. https://doi.org/10.1007/s11042-020-10145-8

[5] Luo, H., Gu, Y., Liao, X., Lai, S., & Jiang, W. (2019). Bag of Tricks and A Strong Baseline for Deep Person Re-identification. arXiv (Cornell University). https://doi.org/10.48550/arxiv.1903.07071

[6] Zheng, Z., Yang, X., Yu, Z., Zheng, L., Yang, Y., & Kautz, J. (2019). Joint Discriminative and Generative Learning for Person Re-Identification. https://doi.org/10.1109/cvpr.2019.00224

[7] Ye, M., Shen, J., Lin, G., Xiang, T., Shao, L., & Hoi, S. C. H. (2020). Deep Learning for Person Re-identification: A Survey and Outlook. arXiv (Cornell University). https://doi.org/10.48550/arxiv.2001.04193

[8] Li, J., Cheng, D., Liu, R., Kou, Q., & Zhao, K. (2021). Unsupervised Person Re-Identification Based on Measurement Axis. IEEE Signal Processing Letters, 28, 379–383. https://doi.org/10.1109/lsp.2021.3055116

[9] Fu, D., Chen, D., Bao, J., Yang, H., Yuan, L., Zhang, L., Li, H., & Chen, D. (2021). Unsupervised Pre-training for Person Re-identification. https://doi.org/10.1109/cvpr46437.2021.01451

[10] Weng, J., Hu, K., Yao, T., Wang, J., & Wang, Z. (2023). Federated Unsupervised Cluster-Contrastive learning for person Re-identification: A coarse-to-fine approach. Computer Vision and Image Understanding, 237, 103831. https://doi.org/10.1016/j.cviu.2023.103831

[11] Ho, K., Keuper, J., & Keuper, M. (2020). Unsupervised Multiple Person Tracking using AutoEncoder-Based Lifted Multicuts. arXiv (Cornell University). https://doi.org/10.48550/arxiv.2002.01192

[12] Sarvari, H., Domeniconi, C., Prenkaj, B., & Stilo, G. (2019). Unsupervised Boosting-based Autoencoder Ensembles for Outlier Detection. arXiv (Cornell University). https://doi.org/10.48550/arxiv.1910.09754

[13] Ren, J., Ma, X., Xu, C., Zhao, H., & Yi, S. (2021). HAVANA: Hierarchical and Variation-Normalized Autoencoder for Person Re-identification. arXiv (Cornell University). https://doi.org/10.48550/arxiv.2101.02568

[14] Sun, J., & Jung, C. (2019). Unsupervised Person Re-identification Using Reliable and Soft Labels. https://doi.org/10.1109/icassp.2019.8683353

[15] Zhang, J., Yuan, Y., & Wang, Q. (2019). Night Person Re-Identification and a Benchmark. IEEE Access, 7, 95496–95504. https://doi.org/10.1109/access.2019.2929854

[16] Hashim, N. M. Z., Kawanishi, Y., Deguchi, D., Ide, I., & Murase, H. (2020). Simultaneous image matching for person re-identification via the stable marriage algorithm. IEEJ Transactions on Electrical and Electronic Engineering, 15(6), 909-917. https://doi.org/10.1002/tee.23133

[17] Hammad, I., & El-Sankary, K. (2020). Using Machine Learning for Person Identification through Physical Activities. https://doi.org/10.1109/iscas45731.2020.9181231

[18] Hanisch, S., Muschter, E., Hatzipanayioti, A., Li, S. C., & Strufe, T. (2022). Understanding Person Identification through Gait. arXiv (Cornell University). https://doi.org/10.48550/arxiv.2203.04179