

## DAFTAR PUSTAKA

- [1] N. Hidayah, and R. Fitri Masithoh, “Continuous Glucose Monitoring (CGM) Pada Kegawatdaruratan Diabetes Melitus (Hipoglikemia): Literature Review”, *Jurnal Keperawatan BSI*, Vol. 9 No. 2 September 2021. (accessed Nov. 10, 2023).
- [2] dr. Ida Ayu Made Kshanti, “Pedoman Pemantauan Glukosa Mandiri”, PB PERKENI, Juli 2021. (accessed Nov. 13, 2023).
- [3] Javid B, Fotouhi-Ghazvini F, Zakeri FS. Noninvasive Optical Diagnostic Techniques for Mobile Blood Glucose and Bilirubin Monitoring. *J Med Signals Sens*. 2018 Jul-Sep;8(3):125-139. doi: 10.4103/jmss.JMSS\_8\_18. PMID: 30181961; PMCID: PMC6116315. (accessed Nov. 23, 2023).
- [4] Tang L, Chang SJ, Chen CJ, Liu JT. Non-Invasive Blood Glucose Monitoring Technology: A Review. *Sensors (Basel)*. 2020 Dec 4;20(23):6925. doi: 10.3390/s20236925. PMID: 33291519; PMCID: PMC7731259. (accessed Nov. 24, 2023).
- [5] F. Libre, “Freestyle Libre 14 day system: CGM diabetes monitor,” FreeStyle Libre Continuous Glucose Monitoring, <https://www.freestyle.abbott/us-en/products/freestyle-14-day.html> (accessed Nov. 24, 2023).
- [6] M. B. Sari, Y. Sanjaya, and M. Djamal, “Pengembangan spektrometer Cahaya Tampak Menggunakan led RGB untuk Menentukan Konsentrasi Glukosa,” *Risalah Fisika*, vol. 1, no. 1, pp. 21–27, Jan. 2017. doi:10.35895/rf.v1i1.40
- [7] L. Karlinasari, M. Sabed, N. J. Wistara, A. Purwanto, and H. Wijayanto, “Karakteristik Spektra Absorbansi Nir (near Infra Red) spektroskopi Kayu Acacia Mangium Willd Pada 3 umur berbeda,” *Jurnal Ilmu Kehutanan*, vol. 6, no. 1, p. 45, Jan. 2014. doi:10.22146/jik.3310
- [8] “Sacosding Hygieia-01R smart watch,” SACOSDING, <https://sacosding.com/s/product-detail?productId=23010223133725440>. (accessed Dec. 12, 2023).

- [9] A. Fitrianto, E. Erfiani, and R. Nisa, "Penentuan Lama Waktu Optimal pada Pengukuran Glukosa Darah Noninvasif", *j. sains. teknologi.*, vol. 11, no. 1, pp. 59–66, Feb. 2022.
- [10] A. Chek, "CHEK® guide me meter," Accu, <https://www.accu-chek.com/products/meters/guide-me> (accessed Aug. 21, 2024).
- [11] Hina, A., & Saadeh, W. (2022). Noninvasive Blood Glucose Monitoring Systems Using Near-Infrared Technology-A Review. *Sensors (Basel, Switzerland)*, 22(13), 4855. <https://doi.org/10.3390/s22134855>
- [12] Peraturan Menteri Komunikasi Dan Informatika Republik Indonesia Nomor 13 Tahun 2021 Tentang Standar Teknis Alat Telekomunikasi Dan/Atau Perangkat Telekomunikasi Bergerak Seluler Berbasis Standar Teknologi Long Term Evolution Dan Standar Teknologi International Mobile Telecommunications-2020
- [13] International Organization for Standardization, "ISO 15197:2015 - In vitro diagnostic test systems - Requirements for blood-glucose monitoring systems for self-testing in managing diabetes mellitus," ISO, 2015.
- [14] Tang L, Chang SJ, Chen C-J, Liu J-T. Non-Invasive Blood Glucose Monitoring Technology: A Review. *Sensors*. 2020; 20(23):6925. <https://doi.org/10.3390/s20236925>.
- [15] J. S. Skyler, "Continuous Glucose Monitoring: An Emerging Technology," *Diabetes Technology & Therapeutics*, vol. 2, no. 1, pp. 1-12, 2000.
- [16] N. Agnihotri, "How ESP32 boards can communicate without a router or the internet," *Engineers Garage*, <https://www.engineersgarage.com/esp-now-esp32-communication-without-router-or-internet/> (accessed Aug. 28, 2024).
- [17] N. Conneely, "Healthcare Mobile App Development: The Complete Guide for 2024," *Fliplet*, <https://fliplet.com/blog/healthcare-application-development/> (accessed Aug. 28, 2024).
- [18] Panesar, A. (2021). "Evaluating Machine Learning Models." *Journal of Machine Learning Research*. DOI: [10.1007/978-1-4842-6537-6\\_7](https://doi.org/10.1007/978-1-4842-6537-6_7).

- [19] Nelissen, G., Pautet, L. Special issue on reliable data transmission in real-time systems. *Real-Time Syst* 59, 662–663 (2023). <https://doi.org/10.1007/s11241-023-09415-z>
- [20] M. Muthmainnah, Deni Bako Tabriawan, and Imam Tazi, “Karakterisasi Sensor MAX30102 Sebagai Alat Ukur Detak Jantung dan Suhu Tubuh Berbasis Photoplethysmograph”, *jpm*, vol. 12, no. 3, pp. 726-731, Sep. 2022.
- [21] Gunawan, F. (2023). PEMANTAUAN DETAK JANTUNG DAN SATURASI OKSIGEN DALAM DARAH BERBASIS IOT MENGGUNAKAN SENSOR MAX30102 (Doctoral dissertation, Fakultas Teknik Universitas Sultan Ageng Tirtayasa).
- [22] N. Cameron, “ESP32 microcontroller,” *Maker Innovations Series*, pp. 1–54, 2023. doi:10.1007/978-1-4842-9376-8\_1
- [23] H. Suyono and H. Hambali, “Perancangan alat pengukur kadar gula dalam darah Menggunakan Teknik non-invasive Berbasis Mikrokontroler Arduino Uno,” *JTEV (Jurnal Teknik Elektro dan Vokasional)*, vol. 6, no. 1, p. 69, 2020. doi:10.24036/jtev.v6i1.107482. (accessed Mei. 12, 2024).
- [24] H. P. Ramadhan, C. Kartiko, and A. Prasetiadi, “Monitoring Kualitas Air tambak Udang Menggunakan NODEMCU, Firebase, Dan Flutter,” *Jurnal Teknik Informatika dan Sistem Informasi*, vol. 6, no. 1, 2020. doi:10.28932/jutisi.v6i1.2365. (accessed Mei. 21, 2024).
- [25] B. Joshi, “Perfomance of different network communication protocols used for Mesh Networks,” *LEMUR*, <https://uclalemur.com/blog/perfomance-of-different-network-communication-protocols-used-for-mesh-networks> (accessed Aug. 26, 2024).
- [26] R.-G. Cheng, “(PDF) Multihop Wireless Networks,” *dokumen.tips*, <https://dokumen.tips/documents/multihop-wireless-networks.html?page=1>. (accessed Jan. 4, 2024).
- [27] Dave Snider, “WIFI-Mesh,” *ESP*, <https://docs.espressif.com/projects/esp-idf/en/latest/esp32/api-guides/esp-wifi-mesh.html>. (accessed Jan. 4, 2024).

- [28] R. K. Gupta, "Network Node Definition," in \*Encyclopedia of Networking and Telecommunications\*, 4th ed., vol. 2, John Wiley & Sons, 2019, pp. 256-258. (accessed Des. 14, 2023)
- [29] Oberst, Ulrich. (2007). The Fast Fourier Transform. SIAM J. Control and Optimization. 46. 496-540. 10.1137/060658242.
- [30] Kusuma, Dine T. "Fast Fourier Transform (FFT) dalam Transformasi Sinyal Frekuensi Suara sebagai Upaya Perolehan Average Energy (AE) Musik." *Petir*, vol. 14, no. 1, 2021, doi:10.33322/petir.v14i1.1022.
- [31] Yu, G., & Sapiro, G. (2011). Statistical compressed sensing of Gaussian mixture models. *IEEE Transactions on Signal Processing*, 59(12), 5842-5858.
- [32] Wen, J., Chen, H., & Zhou, Z. (2018). An optimal condition for the block orthogonal matching pursuit algorithm. *IEEE Access*, 6, 38179-38185.
- [33] Su, X., Yan, X., & Tsai, C. L. (2012). Linear regression. *Wiley Interdisciplinary Reviews: Computational Statistics*, 4(3), 275-294.
- [34] Bagas Tri Fariza. (2022). Rancang Bangun Alat Ukur Kadar Gula Darah Non Invasive Dengan Meanfaatkan Internet Of Things Sebagai Monitoring Aplikasi Telegram.
- [35] dr. Ida Ayu Made, "Pedoman Pemantauan Glukosa Darah Mandiri," PB.perkeni. (accessed july. 27, 2024).
- [36] dr. Gracia Fensynthia, "Kadar Gula Darah Normal, Ketahui Kisaran Dan Cara Mengontrolnya," Alodokter, <https://www.alodokter.com/berapa-kadar-gula-darah-normal-pada-tubuh>. (accessed Apr. 20, 2024).
- [37] Alfian, G., Syafrudin, M., Rhee, J., Anshari, M., Mustakim, M., & Fahrurrozi, I. (2020, April). Blood glucose prediction model for type 1 diabetes based on extreme gradient boosting. In *IOP Conference Series: Materials Science and Engineering* (Vol. 803, No. 1, p. 012012). IOP Publishing.

- [38] Kumar, P. S., Kumari, A., Mohapatra, S., Naik, B., Nayak, J., & Mishra, M. (2021, January). CatBoost ensemble approach for diabetes risk prediction at early stages. In 2021 1st Odisha international conference on electrical power engineering, communication and computing technology (ODICON) (pp. 1-6). IEEE.
- [39] Georga, E. I., Protopappas, V. C., Polyzos, D., & Fotiadis, D. I. (2012, August). A predictive model of subcutaneous glucose concentration in type 1 diabetes based on random forests. In 2012 Annual International Conference of the IEEE Engineering in Medicine and Biology Society (pp. 2889-2892). IEEE.
- [40] Edriati, S., Husnita, L., Amri, E., Samudra, A. A., & Kamil, N. (2021). Penggunaan Mit App Inventor untuk Merancang Aplikasi Pembelajaran Berbasis Android. *E-Dimas: Jurnal Pengabdian Kepada Masyarakat*, 12(4), 652-657.
- [41] R. Mulyawan, "Latency: Pengertian, Maksud, Kegunaan, Contoh, dan Penjelasan," Rifqi Mulyawan, 2024. <https://rifqimulyawan.com/literasi/latency/>. (accessed Aug. 21, 2024).
- [42] "What Is Network Throughput? How to Measure and Improve It," NileSecure, 2024. <https://nilesecure.com/blog/what-is-network-throughput-how-to-measure-and-improve-it>. (accessed Aug. 21, 2024).
- [43] Bhadra, D. R., Joshi, C. A., Soni, P. R., Vyas, N. P., & Jhaveri, R. H. (2015, April). Packet loss probability in wireless networks: A survey. In 2015 International Conference on Communications and Signal Processing (ICCSP) (pp. 1348-1354). IEEE.
- [44] "ESP-Mesh vs ESP-Now vs ESP-WiFi-Mesh vs ESP-BLE-Mesh," ESP32 Forum, 2024. <https://esp32.com/viewtopic.php?t=185>. (accessed Aug. 19, 2024).
- [45] Almuntaazah, N., Azizah, N., Putri, Y. L., & Novitasari, D. C. (2021). Prediksi jumlah mahasiswa baru menggunakan metode regresi linier sederhana. *Jurnal Ilmiah Matematika Dan Terapan*, 18(1), 31-40.
- [46] Gusti, Agrippina & Kemalasari, & Rochmad, Mochammad & Zahro, Fatimah. (2023). Rancang Bangun Alat Ukur Kadar Gula Darah, Kolesterol, dan Asam Urat Non-Invasif Berbasis Internet of Things (IoT). *Indonesian Journal of Computer Science*. 12. 10.33022/ijcs.v12i6.3532.

- [47] M. B. Pursley, "Analog Communications," Reference Data for Engineers, 2002. doi:10.1016/b978-075067291-7/50025-x
- [48] A. A. Suryanto and A. Muqtadir, "PENERAPAN METODE MEAN ABSOLUTE ERROR (MEA) DALAM ALGORITMA REGRESI LINEAR UNTUK PREDIKSI PRODUKSI PADI", SAINTEKBU, vol. 11, no. 1, pp. 78–83, Feb. 2019.
- [49] I. Nabillah and I. Ranggadara, "Mean absolute percentage error untuk Evaluasi Hasil prediksi Komoditas Laut," JOINS (Journal of Information System), vol. 5, no. 2, pp. 250–255, Nov. 2020. doi:10.33633/joins.v5i2.3900
- [50] A. S. Ahmar, "Forecast error calculation with mean squared error (MSE) and mean absolute percentage error (MAPE)," JINAV: Journal of Information and Visualization, vol. 1, no. 2, pp. 94–96, Dec. 2020. doi:10.35877/454ri.jinav303
- [51] Abas, Fazly & Rizwan, Javaid & Besar, Rosli. (2008). Performance Evaluation of Percent Root Mean Square Difference for ECG Signals Compression.. Signal Processing : An International Journal. 2.