
BIBLIOGRAPHY

- [1] R. Agrawal, J. Gehrke, D. Gunopulos, and P. Raghavan. Automatic subspace clustering of high dimensional data for data mining applications. In *Proceedings of the 1998 ACM SIGMOD International Conference on Management of Data*, SIGMOD '98, page 94–105, New York, NY, USA, 1998. Association for Computing Machinery. ISBN 0897919955. doi: 10.1145/276304.276314. URL <https://doi.org/10.1145/276304.276314>.
- [2] W. S. Al Farizi, I. Hidayah, and M. N. Rizal. Isolation forest based anomaly detection: A systematic literature review. In *2021 8th International Conference on Information Technology, Computer and Electrical Engineering (ICITACEE)*, pages 118–122, Sep. 2021. doi: 10.1109/ICITACEE53184.2021.9617498.
- [3] R. Alsini, O. Alghushairy, X. Ma, and T. Soule. A grid partition-based local outlier factor by reachability distance for data stream processing. In *2020 International Conference on Computational Science and Computational Intelligence (CSCI)*, pages 369–375, Dec 2020. doi: 10.1109/CSCI51800.2020.00069.
- [4] H. Asif, P. A. Papakonstantinou, and J. Vaidya. How to accurately and privately identify anomalies. In *Proceedings of the 2019 ACM SIGSAC Conference on Computer and Communications Security, CCS '19*, page 719–736, New York, NY, USA, 2019. Association for Computing Machinery. ISBN 9781450367479. doi: 10.1145/3319535.3363209. URL <https://doi.org/10.1145/3319535.3363209>.
- [5] K. Azarian, Y. Bhalgat, J. Lee, and T. Blankevoort. Learned threshold pruning, 2021. URL <https://arxiv.org/abs/2003.00075>.
- [6] S. Barton and A. Sanford. A case study of anomaly detection: Shallow semantic processing and cohesion establishment. *Memory & cognition*, 21:477–87, 08 1993. doi: 10.3758/BF03197179.
- [7] M. M. Breunig, H.-P. Kriegel, R. T. Ng, and J. Sander. Lof: identifying density-based local outliers. *SIGMOD Rec.*, 29(2):93–104, may 2000. ISSN 0163-5808. doi: 10.1145/335191.335388. URL <https://doi.org/10.1145/335191.335388>.
- [8] M. Canizo, I. Triguero, A. Conde, and E. Onieva. Multi-head cnn–rnn for multi-time series anomaly detection: An industrial case study. *Neurocomputing*, 363:246–260, 2019. ISSN 0925-2312. doi: <https://doi.org/10.1016/j.neucom.2019.07.034>. URL <https://www.sciencedirect.com/science/article/pii/S0925231219309877>.
- [9] V. Chandola, A. Banerjee, and V. Kumar. Anomaly detection: A survey. *ACM Comput. Surv.*, 41(3), jul 2009. ISSN 0360-0300. doi: 10.1145/1541880.1541882. URL <https://doi.org/10.1145/1541880.1541882>.

- [10] V. Chandola, A. Banerjee, and V. Kumar. Anomaly detection: A survey. *ACM Comput. Surv.*, 41(3), jul 2009. ISSN 0360-0300. doi: 10.1145/1541880.1541882. URL <https://doi.org/10.1145/1541880.1541882>.
- [11] V. Chandola, A. Banerjee, and V. Kumar. Anomaly detection: A survey. *ACM Comput. Surv.*, 41, 07 2009. doi: 10.1145/1541880.1541882.
- [12] Z. Cheng, C. Zou, and J. Dong. Outlier detection using isolation forest and local outlier factor. In *Proceedings of the Conference on Research in Adaptive and Convergent Systems*, RACS '19, page 161–168, New York, NY, USA, 2019. Association for Computing Machinery. ISBN 9781450368438. doi: 10.1145/3338840.3355641. URL <https://doi.org/10.1145/3338840.3355641>.
- [13] Z. Cheng, C. Zou, and J. Dong. Outlier detection using isolation forest and local outlier factor. In *Proceedings of the Conference on Research in Adaptive and Convergent Systems*, RACS '19, page 161–168, New York, NY, USA, 2019. Association for Computing Machinery. ISBN 9781450368438. doi: 10.1145/3338840.3355641. URL <https://doi.org/10.1145/3338840.3355641>.
- [14] T. Chu and I. Nikolaidis. Node density and connectivity properties of the random waypoint model. *Computer Communications*, 27(10):914–922, 2004. ISSN 0140-3664. doi: <https://doi.org/10.1016/j.comcom.2004.01.003>. URL <https://www.sciencedirect.com/science/article/pii/S014036640400012X>. Protocol Engineering for Wired and Wireless Networks.
- [15] P. Domingos. A few useful things to know about machine learning. *Commun. ACM*, 55(10):78–87, oct 2012. ISSN 0001-0782. doi: 10.1145/2347736.2347755. URL <https://doi.org/10.1145/2347736.2347755>.
- [16] R. Domingues, M. Filippone, P. Michiardi, and J. Zouaoui. A comparative evaluation of outlier detection algorithms: Experiments and analyses. *Pattern Recognition*, 74:406–421, 2018. ISSN 0031-3203. doi: <https://doi.org/10.1016/j.patcog.2017.09.037>. URL <https://www.sciencedirect.com/science/article/pii/S0031320317303916>.
- [17] M. Ester. *Density-Based Clustering*, pages 1053–1058. Springer New York, New York, NY, 2018. ISBN 978-1-4614-8265-9. doi: 10.1007/978-1-4614-8265-9_605. URL https://doi.org/10.1007/978-1-4614-8265-9_605.
- [18] M. Ester, H.-P. Kriegel, J. Sander, and X. Xu. A density-based algorithm for discovering clusters in large spatial databases with noise. In *Knowledge Discovery and Data Mining*, 1996. URL <https://api.semanticscholar.org/CorpusID:355163>.

- [19] P. García-Teodoro, J. Díaz-Verdejo, G. Maciá-Fernández, and E. Vázquez. Anomaly-based network intrusion detection: Techniques, systems and challenges. *Computers & Security*, 28:18–28, 02 2009. doi: 10.1016/j.cose.2008.08.003.
- [20] L. J. Guibas, Q. Mérigot, and D. Morozov. Witnessed k-distance. In *Proceedings of the Twenty-Seventh Annual Symposium on Computational Geometry*, SoCG '11, page 57–64, New York, NY, USA, 2011. Association for Computing Machinery. ISBN 9781450306829. doi: 10.1145/1998196.1998205. URL <https://doi.org/10.1145/1998196.1998205>.
- [21] S. Hariri, M. C. Kind, and R. J. Brunner. Extended isolation forest. *IEEE Transactions on Knowledge and Data Engineering*, 33(4):1479–1489, Apr. 2021. ISSN 2326-3865. doi: 10.1109/tkde.2019.2947676. URL <http://dx.doi.org/10.1109/TKDE.2019.2947676>.
- [22] V. Hodge and J. Austin. A survey of outlier detection methodologies. *Artificial Intelligence Review*, 22:85–126, 10 2004. doi: 10.1023/B:AIRE.0000045502.10941.a9.
- [23] T. Kutsuna and A. Yamamoto. Outlier detection using binary decision diagrams. *Data Mining and Knowledge Discovery*, 31, 03 2017. doi: 10.1007/s10618-016-0486-6.
- [24] F. T. Liu, K. M. Ting, and Z.-H. Zhou. Isolation forest. In *2008 Eighth IEEE International Conference on Data Mining*, pages 413–422, 2008. doi: 10.1109/ICDM.2008.17.
- [25] F. T. Liu, K. Ting, and Z.-H. Zhou. Isolation forest. In *2008 eighth ieee international conference on data mining*, pages 413 – 422, 01 2009. doi: 10.1109/ICDM.2008.17.
- [26] A. Mensi and M. Bicego. A novel anomaly score for isolation forests. In *Image Analysis and Processing-ICIAP 2019: 20th International Conference, Trento, Italy, September 9–13, 2019, Proceedings, Part I 20*, pages 152–163. Springer, 2019. doi: https://doi.org/10.1007/978-3-030-30642-7_14.
- [27] R. Ng and J. Han. Clarans: a method for clustering objects for spatial data mining. *IEEE Transactions on Knowledge and Data Engineering*, 14(5):1003–1016, Sep. 2002. ISSN 1558-2191. doi: 10.1109/TKDE.2002.1033770.
- [28] C. Phua, V. C.-S. Lee, K. Smith-Miles, and R. W. Gayler. A comprehensive survey of data mining-based fraud detection research. *ArXiv*, abs/1009.6119, 2010. URL <https://api.semanticscholar.org/CorpusID:50458504>.
- [29] A. Rehman and S. Brahim Belhaouari. Unsupervised outlier detection in multidimensional data. *Journal of Big Data*, 8, 06 2021. doi: 10.1186/s40537-021-00469-z.

-
- [30] L. Rokach and O. Maimon. *Clustering Methods*, pages 321–352. Springer US, Boston, MA, 2005. ISBN 978-0-387-25465-4. doi: 10.1007/0-387-25465-X_15. URL https://doi.org/10.1007/0-387-25465-X_15.
- [31] J. P. Stevens. Outliers and influential data points in regression analysis. *Psychological bulletin*, 95(2):334, 1984. doi: <https://doi.org/10.1037/0033-2909.95.2.334>.
- [32] L. Stojanovic, M. Dinic, N. Stojanovic, and A. Stojadinovic. Big-data-driven anomaly detection in industry (4.0): An approach and a case study. In *2016 IEEE International Conference on Big Data (Big Data)*, pages 1647–1652, 2016. doi: 10.1109/BigData.2016.7840777.
- [33] K. M. Ting. *Confusion Matrix*, pages 260–260. Springer US, Boston, MA, 2017. ISBN 978-1-4899-7687-1. doi: 10.1007/978-1-4899-7687-1_50. URL https://doi.org/10.1007/978-1-4899-7687-1_50.
- [34] X.-T. Wang, D.-R. Shen, M. Bai, T.-Z. Nie, Y. Kou, and G. Yu. An efficient algorithm for distributed outlier detection in large multi-dimensional datasets. *Journal of Computer Science and Technology*, 30(6):1233–1248, 2015. doi: <https://doi.org/10.1007/s11390-015-1596-0>.
- [35] H. Xu, L. Zhang, P. Li, and F. Zhu. Outlier detection algorithm based on k-nearest neighbors-local outlier factor. *Journal of Algorithms & Computational Technology*, 16:17483026221078111, 2022. doi: 10.1177/17483026221078111. URL <https://doi.org/10.1177/17483026221078111>.
- [36] H. Xu, L. Zhang, P. Li, and F. Zhu. Outlier detection algorithm based on k-nearest neighbors-local outlier factor. *Journal of Algorithms & Computational Technology*, 16:17483026221078111, 2022. doi: 10.1177/17483026221078111. URL <https://doi.org/10.1177/17483026221078111>.
- [37] R. Xu and D. Wunsch. *Clustering*. John Wiley & Sons, 2008. doi: 10.1002/9780470382776.
- [38] Y. Yan, L. Cao, and E. A. Rundensteiner. Scalable top-n local outlier detection. In *Proceedings of the 23rd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, KDD '17*, page 1235–1244, New York, NY, USA, 2017. Association for Computing Machinery. ISBN 9781450348874. doi: 10.1145/3097983.3098191. URL <https://doi.org/10.1145/3097983.3098191>.
- [39] L. Yang. Building k-edge-connected neighborhood graph for distance-based data projection. *Pattern Recognition Letters*, 26(13):2015–2021, 2005. ISSN 0167-8655. doi: <https://doi.org/10.1016/j.patrec.2005.03.021>. URL <https://www.sciencedirect.com/science/article/pii/S0167865505000735>.
-

-
- [40] S. Zhang, J. Li, and Y. Li. Reachable distance function for knn classification. *IEEE Transactions on Knowledge and Data Engineering*, 35(7):7382–7396, July 2023. ISSN 1558-2191. doi: 10.1109/TKDE.2022.3185149.
- [41] H. Zhou, H. Liu, Y. Zhang, and Y. Zhang. An outlier detection algorithm based on an integrated outlier factor. *Intelligent Data Analysis*, 23:975–990, 10 2019. doi: 10.3233/IDA-184227.
- [42] Z. Zhu, L. Jin, E. Song, and C.-C. Hung. Quaternion switching vector median filter based on local reachability density. *IEEE Signal Processing Letters*, 25(6):843–847, June 2018. ISSN 1558-2361. doi: 10.1109/LSP.2018.2808343.
- [43] A. Zimek, E. Schubert, and H.-P. Kriegel. A survey on unsupervised outlier detection in high-dimensional numerical data. *Statistical Analysis and Data Mining: The ASA Data Science Journal*, 5(5):363–387, 2012. doi: <https://doi.org/10.1002/sam.11161>. URL <https://onlinelibrary.wiley.com/doi/abs/10.1002/sam.11161>.